

Lab 1: Requirements Engineering & UML Use-Case Modelling

Objective: From a short, instructor-provided scenario, elicit key functions and constraints; write clear, verifiable functional (FR) and nonfunctional (NFR) requirements; then translate them into a UML use-case diagram and one use-case flow.

Duration: 60 minutes

Software Requirements: Draw.io , LucidChart or any other online UML tool.

Learning Outcomes for Lab 1

By the end of this lab, students will be able to:

1. **Elicit and document requirements:**
 - Write clear, testable **functional requirements (FRs)** and **nonfunctional requirements (NFRs)** from a given scenario.
 - Define measurable **acceptance criteria** and justify priorities.
2. **Model system behavior:**
 - Identify **actors** (e.g., Customer, Admin) and **use cases** for a software system.
 - Construct a **UML use-case diagram** with correct syntax (associations, «include»/«extend» relationships).
3. **Specify use-case flows:**
 - Draft a **main success scenario** and **alternate flows** for a key use case (e.g., payment processing).
4. **Critique and refine requirements:**
 - Evaluate peer work for clarity, testability, and relevance to the scenario.
5. **Apply industry standards:**
 - Format requirements in a structured table (e.g., Req ID, Type, Description) akin to a **Software Requirements Specification (SRS)**.

Use case Modelling

Describes the **interaction of users and the system**

- Describes **what functionality a system provides to its users**.
- Use case models have **two important elements** - **actors** and **use cases**.

Actor/s: One or set of objects who directly interacts with the system. Every actor has a defined purpose while interacting with the system. An actor can be a person, device or another system.

Use case: A piece of functionality that a system offers to its users. Set of all use cases defines the entire functionality of the system. Also define the error conditions that

may occur while interacting with the system

How to create Use case diagrams?

List main system functions (use cases) in a column

Draw ovals around the function labels

Draw system boundary

Draw actors and connect them with use cases


Specify include and extend relationships between use cases

"Include" is used when a use case **always calls another use case** as part of its behaviour (e.g., *"Place Order"* always **includes** *"Process Payment"*).

"Extend" is used when a use case **optionally adds behaviour** to another (e.g., *"Make Payment"* can be **extended** by *"Apply Discount"*, if applicable).

Use **include** for reuse, and **extend** for optional or conditional behaviour.

Example Use Case Diagram for a simple Telecom System:



Example Use Case Flow for a Simple Telecom System:

Use Case: Recharge Mobile Balance

Main Success Scenario:

1. **Customer** selects the **"Recharge Balance"** option from the Telecom self-service kiosk or mobile app. System displays a form to enter **mobile number** and **amount**.
2. Customer inputs a valid mobile number and recharge amount.

3. System validates the inputs.
4. System requests payment method selection (credit card/debit card/mobile wallet).
5. Customer selects a payment method.
6. System connects to the **Payment Gateway**.
7. Payment is authorized.
8. System updates the **customer balance** in the backend system.
9. A **confirmation message** is shown and a **receipt is printed or emailed**.
10. Use case ends successfully.

Alternate Flow

8a. Payment Declined

- 8a1. System displays a **payment failed** message.
- 8a2. Customer is prompted to try another **payment method**.
- 8a3. If payment fails again (after 2 attempts), the recharge process is **cancelled** and the customer is notified.

Deliverables

1. Requirements Table (Word/Excel):

- Exactly **five FRs, out of which two are given** (FR-001) and **two NFRs** out of which **one** is already given. (NFR-001), each with:
 1. Req ID
 2. Type (Functional/Nonfunctional)
 3. Description (“The system shall...”)
 4. Priority (High/Medium/Low)
 5. Acceptance Criteria (measurable pass/fail)
 6. Rationale (short justification)

2. UML Use-Case Diagram (PDF), showing all actors, use cases, and at least one «include» or «extend» relation.

3. Use-Case Flow Document (Word, one page):

- For one key use case (e.g., “Place Order”), provide:
 - **Main Success Scenario** (step-by-step).
 - **Alternate Flow, at least one** (if payment is declined, for example).

Lab 1 Steps:

1. Introduction & Scenario Review

- Students to work individually

2. Elicit & Draft Requirements

○ **Brainstorm:**

- Each student lists possible functions (e.g., “Select coffee type”) and constraints (e.g., “Order < 60 s”).

○ **Populate Requirements Table:**

- Use the template below.
- Fill in exactly **five FRs** and **two NFRs**.

Req ID	Type	Description	Priority	Acceptance Criteria	Rationale
FR-001	Functional	The system shall allow a customer to select a coffee type.	High	When a customer taps “Espresso,” the screen highlights it and moves to size selection.	Core ordering functionality
NFR-001	Nonfunctional	The system shall complete any order (selection to payment) in under 60 s.	High	A log shows order completion time is consistently < 60 seconds.	Ensures quick service during peak hours

- **Example FRs/NFRs** (for guidance; students must write their own phrasing): ▪ After drafting, each table row must include **measurable** acceptance criteria.

3. Peer Critique & Revision:

- Swap requirement tables with other students.
- Review each FR/NFR for:
 - **Clarity:** Is the “shall” statement unambiguous?
 - **Testability:** Does acceptance criterion yield a clear pass/fail?
 - **Relevance:** Does it align with the scenario?
- Write short suggestions in a “Comments” column (e.g., “Need to specify which payment gateway or timeout”).
- Swap back and **revise** your own table accordingly.

4. Extract Actors & Use Cases:

- From the approved requirements, list:

- **Actors (at least three)**

- **Use Cases (at least five)**

5. Draw at least one UML Use-Case Diagram:

- Open a UML tool (e.g., **draw.io** or **Lucidchart**).
- **Actors** on left:
 - Draw stick figures: Actors
- **Use Cases** (ovals) in center: label them UC-01...UC-05 with titles.
- **Associations**
- **Stereotypes**:
 - (At least one «extend»/«include» relationship is required: see step 6 below.)

6. Write One Use-Case Flow:

- Pick a **UC**: In a separate page, draft:

- **Main Success Scenario**
 - **Alternate Flow**

7. Finalize & Export:

- **Use-Case Diagram**: Export as PDF.
- **Use-Case Flow**: Export as PDF.
- **Push your files to the Lab-1 Git Repository in your account.**