

File Edit Selection View Go Run Terminal Help

abc.telecom

EXPLORER


- ABC TELECOM
  - angular
  - .vscode
    - extensions.json
    - launch.json
    - tasks.json
  - node\_modules
  - src
    - app
      - Component
        - Admin
        - change-password
        - Customer
        - Engineer
          - update-complaint-status
          - view-assigned-complaints
            - view-assigned-complaints.component.html
            - view-assigned-complaints.component.ts
          - home
          - login
          - Manager
            - assign-complaints
- OUTLINE
  - complaintStatus
    - RAISERD
    - WIP
    - RESOLVED
    - ESCALATED
- TIMELINE
- NPM SCRIPTS

complaints.component.ts

```
src > app > Component > Engineer > view-assigned-complaints > view-assigned-complaints.component.ts > ViewAssignedComplaintsComponent
9 templateUrl: './view-assigned-complaints.component.html',
10 styleUrls: ['./view-assigned-complaints.component.css']
11 })
12 export class ViewAssignedComplaintsComponent implements OnInit {
13
14     complaintsInfo: any;
15     enableEdit = false;
16     enableEditIndex = null;
17     constructor(private userService: UserService,
18                 private complaintService: ComplaintService, private route: Router) {}
19     ngOnInit(): void {
20         this.loadComplaints();
21     }
22
23     loadComplaints()
24     {
25         if(sessionStorage.getItem("user")!=null)
26         {
27             this.userService.getComplaintsByEngineer(sessionStorage.getItem("user")).subscribe(res=>{
28                 console.log(res);
29                 this.complaintsInfo=res;
30             })
31         }
32         else
33         {
34             alert("please login");
35             this.route.navigateByUrl("/login");
36         }
37     }
38
39     enableEditMethod(e: any, i: any, complaint: any) { --
44     }
45
46     cancelEdit() --
52     }
53
54     saveComplaintStatus(complaint: any)
```

Ln 9, Col 4 Spaces: 2 UTF-8 LF TypeScript





FileEditSelectionViewGoRunTerminalHelp<-->abc.telecom

EXPLORER

ABC TELECOM

angular

vscode

extensions.json

launch.json

tasks.json

node\_modules

src

app

Component

Admin

complaints

complaints.component.css

complaints.component.html

complaints.component.spec.ts

complaints.component.ts

users

users.component.css

users.component.html

users.component.spec.ts

users.component.ts

change-password

Customer

Engineer

OUTLINE

div.container-fluid

div.row

div.col-md-2

div.col-md-9

div.card

TIMELINE

NPM SCRIPTS

complaints.component.html

src > app > Component > Admin > complaints > complaints.component.html > div.container-fluid > div.row > div.col-md-9 > div.card > div.card-header.primary

8<b>Complaint information</b>

9</div>

10</div>

11<div class="card-body">

12<input type="text" [(ngModel)]="status" name="status" class="form-control" (ngModelChange)="SearchComplaint()"

13|placeholder="Serach by status( RAISED or RESOLVED or WIP )here" />

14<br />

15<table class="table table-success table-striped">

16<tr>

17<th>Type</th>

18<th>Subject</th>

19<th>Pincode</th>

20<th>Status</th>

21<th>Assigned To</th>

22</tr>

23<tr \*ngFor="let complaint of complaintsList" class="hover-highlight">

24<td>{{complaint.complaintType}}</td>

25<td>{{complaint.subject}}</td>

26<td>{{complaint.pincode}}</td>

27<td>{{complaint.status}}</td>

28<td>{{complaint.engineer.userName}}</td>

29</tr>

30<!--

31<pagination-controls (pageChange)="p = \$event"></pagination-controls>

32-->

33</table>

34</div>

35<div class="card-footer">

36</div>

37</div>

38</div>

39</div>

40</div>


41</div>

42</div>


43</div>

44</div>

Ln 8, Col 28 Spaces: 4 UTF-8 LF HTML







FileEditSelectionViewGoRunTerminalHelp

abc telecom

EXPLORER

ABC TELECOM

users.component.html

users.component.spec.ts

users.component.ts

change-password

Customer

Engineer

home

login

Manager

assign-complaints

assign-complaints.comp...

assign-complaints.comp...

assign-complaints.comp...

assign-complaints.comp...

view-all-complaints

registration

Config

Model

Service

app-routing.module.ts

app.component.css

app.component.html

app.component.spec.ts

OUTLINE

AssignComplaintsComponent

complaintId

complaintDetails

engineerList

constructor

TIMELINE

NPM SCRIPTS

complaints.component.html

TS assign-complaints.component.ts

app.component.html

TS app.component.ts

TS user.service.ts

TS complai

TS users.component.ts

src > app > Component > Manager > assign-complaints > TS assign-complaints.component.ts > AssignComplaintsComponent > assignToEngineer > subscribe() callback

32 this.complaintDetails=res;

33 this.userService.getEngineers(this.complaintDetails.pincod).subscribe(res=>

34 | this.engineerList=res;

35 })

36 }

37 else

38 {

39 | alert("Details are not available");

40 }

41 }

42 })

43 }

44 assignToEngineer(complaintId:any,engineerUserName:any)

45 {

46 | this.complaintServ.assignComplaintToEngineer(complaintId,engineerUserName).subscribe(res=>

47 | if(res!=null)

48 | {

49 | | alert("Assigned successfully");

50 | | this.route.navigateByUrl("/managerhome");

51 | }

52 | else

53 | {

54 | | alert("Oops!something went wrong.plz try again");

55 | }

56 | }

57 }

58 }

92 this.enableI

93 this.enableI

94 }

95 console.log

96 }

97 }

98 cancelEdit()

99 {

100 | this.viewAl

101 | this.enableI

102 | //console.l

103 | //genre.nam

104 }

105 }

106 saveUser(user

107 {

108 | console.log

109 | this.userSei

110 | console.l

111 | }

112 | this.enab

113 | } );

114 }

115 }

116 // deleteUser

117 // {

118 | this.user

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

✓ Compiled successfully.

✓ Browser application bundle generation complete.

Initial Chunk Files

main.js

runtime.js

Names

main

runtime

Raw Size

137.63 KB

6.52 KB

3 unchanged chunks

Ln 50, Col 50


Spaces: 2

UTF-8

LF

TypeScript





File Edit Selection View Go Run Terminal Help

abc telecom

EXPLORER


- ABC TELECOM
  - .angular
  - .vscode
    - extensions.json
    - launch.json
    - tasks.json
  - node\_modules
  - src
    - app
      - Component
        - Admin
        - change-password
        - Customer
        - Engineer
        - home
        - login
        - Manager
          - assign-complaints
            - assign-complaints.comp...
            - assign-complaints.comp...
            - assign-complaints.comp...
            - view-all-complaints
          - registration
- OUTLINE
  - div.container-fluid
  - div.row
  - div.col-md-1
  - div.col-md-9
  - div.card
- TIMELINE
- NPM SCRIPTS

src > app > Component > Manager > assign-complaints > assign-complaints.component.html > div.container-fluid > div.row > div.col-md-9 > div.card > div.card-body > table > tr > td

```
1 <div class="container-fluid">
2   <div class="row">
3     <div class="col-md-1"></div>
4     <div class="col-md-9">
5       <div class="card">
6         <div class="card-body">
7           <table>
8             <tr><td>Complaint Number</td><td>{{complaintDetails.complaintId}} </td></tr>
9             <tr><td>Subject</td><td>{{complaintDetails.subject}} </td></tr>
10            <tr><td>Description</td><td>{{complaintDetails.description}} </td></tr>
11            <tr><td>Address</td><td>{{complaintDetails.address}} </td></tr>
12            <tr><td>Customer Pincode</td><td>{{complaintDetails.pincode }}</td></tr>
13            <tr><td>Assigned To</td>
14              <td><select [(ngModel)]="complaintDetails.engineer.userName" >
15                <option ></option>
16                <option *ngFor="let engineer of engineerList" value="{{engineer.userName}}">
17                  {{engineer.userName}}
18                </option>
19              </select></td></tr>
20            <tr>
21              <td colspan="2"><input type="button" value="Confirm" (click)="assignToEngineer(complaintDetails.complaintId,compl
22            </tr>
23          </table>
24        </div>
25      </div>
26    </div>
27  </div>
28  <div class="col-md-1"></div>
29 </div>
30 </div>
```

Ln 14, Col 71 Spaces: 4 UTF-8 CRLF HTML





File Edit Selection View Go Run Terminal Help

abc telecom


EXPLORER

- ABC TELECOM
  - .angular
  - .vscode
    - extensions.json
    - launch.json
    - tasks.json
  - node\_modules
  - src
    - app
      - Component
        - Admin
        - change-password
        - Customer
          - raise-complaint
            - # raise-complaint.compon...
            - raise-complaint.compon...
            - raise-complaint.compon...
            - raise-complaint.compon...
            - view-complaint-status
            - Engineer
            - home
            - login
            - Manager
            - assign-complaints
  - OUTLINE
    - div.container-fluid
    - div.row
    - div.col-md-1
    - div.col-md-9.p-3
    - div.card
  - TIMELINE
  - NPM SCRIPTS

Go to component

```
1 <div class="container-fluid">
2   <div class="row">
3     <div class="col-md-1"></div>
4     <div class="col-md-9 p-3">
5       <div class="card">
6         <div class="card-header bg-info">
7           Complaint Form
8         </div>
9         <div class="card-body">
10          <div>
11            <form [formgroup]="complaintForm" (ngsubmit)="savecomplaint(complaintForm)">
12              Subject:
13              <input type="text" formControlName="subject" class="form-control" />
14              <br />
15              Description:
16              <input type="text" formControlName="description" class="form-control" />
17              <br />
18              Address:
19              <input type="text" formControlName="address" class="form-control" />
20              <br />
21              Pincode:
22              <input type="text" formControlName="pincode" class="form-control" />
23              <br />
24              Complaint Type:
25              <select>
26                <option value="LANDLINE">LANDLINE</option>
27                <option value="BROADBAND">BROADBAND</option>
28              </select>
29              <br />
30              <div>
31                <input type="submit" value="Save" class="btn btn-info" />
32              </div>
33            </div>
34          </div>
35        </div>
36      </div>
37    </div>
38  </div>
39</div>
```

Ln 15, Col 35 Spaces: 4 UTF-8 LF HTML



FileEditSelectionViewGoRunTerminalHelp

abc telecom

EXPLORER

ABC TELECOM

angular

vscode

extensions.json

launch.json

tasks.json

node\_modules

src

app

Component

Admin

change-password

Customer

Engineer

home

login

Manager

assign-complaints

assign-complaints.comp...

assign-complaints.comp...

assign-complaints.comp...

assign-complaints.comp...

view-all-complaints

registration

OUTLINE

AssignComplaintsComponent

complaintId

complaintDetails

engineerList

constructor

TIMELINE

NPM SCRIPTS

plaints.component.html

raise-complaint.component.ts

view-assigned-complaints.component.ts

assign-complaints.component.html

assign-complaints.component.ts

src > app > Component > Manager > assign-complaints > assign-complaints.component.ts > AssignComplaintsComponent > loadComplaintDetails > subscribe() callback

27loadComplaintDetails(complaintId: any) {  
28 this.complaintServ.getComplaintById(complaintId).subscribe(res=>{  
29 console.log(res);  
30 if(res!=null)  
31 {  
32 this.complaintDetails=res;  
33 this.userServ.getEngineers(this.complaintDetails.pincode).subscribe(res=>{  
34 | this.engineerList=res;  
35 })  
36 }  
37 else  
38 {  
39 alert("Details are not available");  
40 }  
41 })  
42 }  
43 }  
44 assignToEngineer(complaintId:any,engineerUserName:any)  
45 {  
46 this.complaintServ.assignComplaintToEngineer(complaintId,engineerUserName).subscribe(res=>{  
47 if(res!=null)  
48 {  
49 alert("Assigned successfully");  
50 this.route.navigateByUrl("/manager/home");  
51 }  
52 else  
53 {  
54 alert("OOPS!Something went wrong.plz try again");  
55 }  
56 })  
57 }  
58 }  
59 }  
60 }  
61 }  
62 }

Ln 38, Col 8 Spaces: 2 UTF-8 LF () TypeScript

File Edit Selection View Go Run Terminal Help

abc telecom

EXPLORER

- ABC TELECOM
  - .angular
  - .vscode
    - extensions.json
    - launch.json
    - tasks.json
  - node\_modules
  - src
    - app
      - Component
        - Admin
          - complaints
            - complaints.component.css
            - complaints.component.html
            - complaints.component.spec.ts
            - complaints.component.ts
          - users
            - users.component.css
            - users.component.html
            - users.component.spec.ts
            - users.component.ts
          - change-password
          - Customer
          - Engineer
  - OUTLINE
    - div.container-fluid
    - div.row
      - div.col-md-2
      - div.col-md-9
        - div.card
          - div.card-body
- TIMELINE
- NPM SCRIPTS

complaints.component.html

```
9 <b>Users information</b>
10 </div>
11
12 </div>
13
14 </div>
15 <div class="card-body">
16 <input type="text" [(ngModel)]="userName" name="name" class="form-control" (ngModelChange)="SearchUser()"
17 | placeholder="Serach user here" />
18 <br />
19 <table class="table table-success table-striped">
20 <tr>
21 <th (click)="Sorting('userName')"> UserName</th>
22 <th>Name</th>
23 <th>phone</th>
24 <th>Pincode</th>
25 <th>Role</th>
26 <th>Operations</th>
27 </tr>
28
29 <tr *ngFor="let user of userInfo ;index as i" class="hover-highlight">
30
31 <td><input type="text" class="form-control text-center" [(ngModel)]="user.userName" [disabled]="enableEditIndex != i">
32
33 </td>
34 <td><input type="text" class="form-control text-center" [(ngModel)]="user.fullName" [disabled]="enableEditIndex != i">
35
36 </td>
37 <td><input type="text" class="form-control text-center" [(ngModel)]="user.phone" [disabled]="enableEditIndex != i">
38
39 </td>
40 <td><input type="text" class="form-control text-center" [(ngModel)]="user.pincod" [disabled]="enableEditIndex != i">
41
42 </td>
43 <td><select class="form-control text-center" [(ngModel)]="user.role.roleId"
44 [disabled]="enableEditIndex != i">
45 <option *ngFor="let role of roleList" value="{{role.roleId}}">
```

Ln 44, Col 47 Spaces: 4 UTF-8 LF HTML



