Due to high demand and inclement weather, expect some shipping delays at this time, orders may not ship for 4-5 business days.

Skip to main content

- Shop
- Learn
- Blog
- Forums
- LIVE!
- AdaBox
- IO

toggle menu

0

- Sign In | Create Account
- New Guides
- Series
- Wishlists

-
- Shop
- Learn
- Blog
- Forums
- LIVE!
- AdaBox

- IO

Sign In
0

- Explore & Learn

Learn Categoriesview all
- 3D Printing
- AdaBox
- Adafruit Products
- Arduino Compatibles
- Breakout Boards
- Circuit Playground
- CircuitPython
- CLUE
- Community Support
- Components
- Crickit
- Customer & Partner Projects
- Development Boards
- Educators
- EL Wire/Tape/Panel
- Feather
- Gaming
- Hacks
- Internet of Things - IOT
- LCDs & Displays
- LEDs
- Machine Learning
- MakeCode
- Maker Business
- micro:bit
- Microcontrollers
- Programming
- Projects
- Raspberry Pi
- Robotics & CNC
- Sensors
- STEMMA
- Tools
- Trellis
- Wearables

Seriesview all
- Circuit Playground
- Adafruit IO Basics
- Collin's Lab

STEMMA
Plug-n-play components
Get connected
- New Guides

-

[CircuitPython Essentials](#) CircuitPython PWM

CircuitPython Essentials

By [Kattni Rembor](#)
The next step in learning CircuitPython.

[Feedback? Corrections?](#)

CircuitPython PWM

EN

Language translations available

- [ENEnglish](#) (original)
- [SPSpanish](#)

[Save](#) [Subscribe](#)

×

New Subscription

Please [sign in](#) to subscribe to this guide.

You will be redirected back to this guide once you [sign in](#), and can then subscribe to this guide.

Close

Your board has `pwmio` support, which means you can PWM LEDs, control servos, beep piezos, and manage "pulse train" type devices like DHT22 and Infrared.

Nearly every pin has PWM support! For example, all ATSAMD21 board have an **A0** pin which is 'true' analog out and *does not* have PWM support.

PWM with Fixed Frequency

This example will show you how to use PWM to fade the little red LED on your board.

The QT Py M0 does not have a little red LED. Therefore, you must connect an external LED and edit this example for it to work. Follow the wiring diagram and steps below to run this example on QT Py M0.

The following illustrates how to connect an external LED to a QT Py M0.

- **LED +** to **QT Py SCK**
- **LED -** to **470Ω resistor**
- **470Ω resistor** to **QT Py GND**

-

Copy and paste the code into **code.py** using your favorite editor, and save the file.

Download Project Bundle
Copy Code

```
"""CircuitPython Essentials: PWM with Fixed Frequency example."""
import time
import board
import pwmio

# LED setup for most CircuitPython boards:
led = pwmio.PWMOut(board.LED, frequency=5000, duty_cycle=0)
# LED setup for QT Py M0:
# led = pwmio.PWMOut(board.SCK, frequency=5000, duty_cycle=0)

while True:
    for i in range(100):
        # PWM LED up and down
        if i < 50:
            led.duty_cycle = int(i * 2 * 65535 / 100)  # Up
        else:
            led.duty_cycle = 65535 - int((i - 50) * 2 * 65535 / 100)  # Down
        time.sleep(0.01)
```

View on GitHub
Remember: To "comment out" a line, put a # and a space before it. To "uncomment" a line, remove the # + space from the beginning of the line.

To use with QT Py M0, you must comment out led = pwmio.PWMOut(board.LED, frequency=5000, duty_cycle=0) and uncomment led = pwmio.PWMOut(board.SCK, frequency=5000, duty_cycle=0). Your setup lines should look like this for the example to work with QT Py M0:

Download File
Copy Code

```
# LED setup for most CircuitPython boards:
# led = pwmio.PWMOut(board.LED, frequency=5000, duty_cycle=0)
# LED setup for QT Py M0:
led = pwmio.PWMOut(board.SCK, frequency=5000, duty_cycle=0)
```

Create a PWM Output

```
led = pwmio.PWMOut(board.LED, frequency=5000, duty_cycle=0)
```

Since we're using the onboard LED, we'll call the object led, use pwmio.PWMOut to create the output and pass in the D13 LED pin to use.

Main Loop

The main loop uses range() to cycle through the loop. When the range is below 50, it PWMs the LED brightness up, and when the range is above 50, it PWMs the brightness down. This is how it fades the LED brighter and dimmer!

The time.sleep() is needed to allow the PWM process to occur over a period of time. Otherwise it happens too quickly for you to see!

PWM Output with Variable Frequency

Fixed frequency outputs are great for pulsing LEDs or controlling servos. But if you want to make some beeps with a piezo, you'll need to vary the frequency.

The following example uses pwmio to make a series of tones on a piezo.

To use with any of the M0 boards, no changes to the following code are needed.

Remember: To "comment out" a line, put a # and a space before it. To "uncomment" a line, remove the # + space from the beginning of the line.

To use with the Metro M4 Express, ItsyBitsy M4 Express or the Feather M4 Express, you must comment out the `piezo = pwmio.PWMOut(board.A2, duty_cycle=0, frequency=440, variable_frequency=True)` **line and uncomment the** `piezo = pwmio.PWMOut(board.A1, duty_cycle=0, frequency=440, variable_frequency=True)` **line. A2 is not a supported PWM pin on the M4 boards!**

Download Project Bundle
Copy Code

```
"""CircuitPython Essentials PWM with variable frequency piezo example"""
import time
import board
import pwmio

# For the M0 boards:
piezo = pwmio.PWMOut(board.A2, duty_cycle=0, frequency=440, variable_frequency=True)

# For the M4 boards:
# piezo = pwmio.PWMOut(board.A1, duty_cycle=0, frequency=440, variable_frequency=True)

while True:
    for f in (262, 294, 330, 349, 392, 440, 494, 523):
        piezo.frequency = f
        piezo.duty_cycle = 65535 // 2  # On 50%
        time.sleep(0.25)  # On for 1/4 second
        piezo.duty_cycle = 0  # Off
        time.sleep(0.05)  # Pause between notes
    time.sleep(0.5)
```

View on GitHub

If you have `simpleio` library loaded into your /lib folder on your board, we have a nice little helper that makes a tone for you on a piezo with a single command.

To use with any of the M0 boards, no changes to the following code are needed.

To use with the Metro M4 Express, ItsyBitsy M4 Express or the Feather M4 Express, you must comment out the `simpleio.tone(board.A2, f, 0.25)` **line and uncomment the** `simpleio.tone(board.A1, f, 0.25)` **line. A2 is not a supported PWM pin on the M4 boards!**

Download Project Bundle
Copy Code

```
"""CircuitPython Essentials PWM piezo simpleio example"""
import time
import board
import simpleio

while True:
    for f in (262, 294, 330, 349, 392, 440, 494, 523):
        # For the M0 boards:
        simpleio.tone(board.A2, f, 0.25)  # on for 1/4 second
        # For the M4 boards:
        # simpleio.tone(board.A1, f, 0.25)  # on for 1/4 second
        time.sleep(0.05)  # pause between notes
    time.sleep(0.5)
```

View on GitHub

As you can see, it's much simpler!

Wire it up

Use the diagrams below to help you wire up your piezo. Attach one leg of the piezo to pin **A2** on the M0 boards or **A1** on the M4 boards, and the other leg to **ground**. It doesn't matter which leg is connected to which pin. They're interchangeable!

Circuit Playground Express

Use alligator clips to attach **A2** and any one of the **GND** to different legs of the piezo.

CPX has PWM on the following pins: A1, A2, A3, A6, RX, LIGHT, A8, TEMPERATURE, A9, BUTTON_B, D5, SLIDE_SWITCH, D7, D13, REMOTEIN, IR_RX, REMOTEOUT, IR_TX, IR_PROXIMITY, MICROPHONE_CLOCK, MICROPHONE_DATA, ACCELEROMETER_INTERRUPT, ACCELEROMETER_SDA, ACCELEROMETER_SCL, SPEAKER_ENABLE.

There is NO PWM on: A0, SPEAKER, A4, SCL, A5, SDA, A7, TX, BUTTON_A, D4, NEOPIXEL, D8, SCK, MOSI, MISO, FLASH_CS.

Trinket M0

Note: A2 on Trinket is also labeled Digital "0"!

Use jumper wires to connect **GND** and **D0** to different legs of the piezo.

Trinket has PWM available on the following pins: D0, A2, SDA, D2, A1, SCL, MISO, D4, A4, TX, MOSI, D3, A3, RX, SCK, D13, APA102_MOSI, APA102_SCK.

There is NO PWM on: A0, D1.

Gemma M0

Use alligator clips to attach **A2** and **GND** to different legs on the piezo.

Gemma has PWM available on the following pins: A1, D2, RX, SCL, A2, D0, TX, SDA, L, D13, APA102_MOSI, APA102_SCK.

There is NO PWM on: A0, D1.

fritzing

QT Py M0

Use jumper wires to attach **A2** and **GND** to different legs of the piezo.

The QT Py M0 has PWM on the following pins: A2, A3, A6, A7, A8, A9, A10, D2, D3, D4, D5, D6, D7, D8, D9, D10, SCK, MISO, MOSI, NEOPIXEL, RX, TX, SCL, SDA.

There is NO A0, A1, D0, D1, NEOPIXEL_POWER.

fritzing

Feather M0 Express

Use jumper wires to attach **A2** and one of the two **GND** to different legs of the piezo.

Feather M0 Express has PWM on the following pins: A2, A3, A4, SCK, MOSI, MISO, D0, RX, D1, TX, SDA, SCL, D5, D6, D9, D10, D11, D12, D13, NEOPIXEL.

There is NO PWM on: A0, A1, A5.

Feather M4 Express

Use jumper wires to attach **A1** and one of the two **GND** to different legs of the piezo.

To use A1, comment out the current pin setup line, and uncomment the line labeled for the M4 boards. See the details above!

Feather M4 Express has PWM on the following pins: A1, A3, SCK, D0, RX, D1, TX, SDA, SCL, D4, D5, D6, D9, D10, D11, D12, D13.

There is NO PWM on: A0, A2, A4, A5, MOSI, MISO.

ItsyBitsy M0 Express

Use jumper wires to attach **A2** and **G** to different legs of the piezo.

ItsyBitsy M0 Express has PWM on the following pins: D0, RX, D1, TX, D2, D3, D4, D5, D6, D7, D8, D9, D10, D11, D12, D13, L, A2, A3, A4, MOSI, MISO, SCK, SCL, SDA, APA102_MOSI, APA102_SCK.

There is NO PWM on: A0, A1, A5.

ItsyBitsy M4 Express

Use jumper wires to attach **A1** and **G** to different legs of the piezo.

To use A1, comment out the current pin setup line, and uncomment the line labeled for the M4 boards. See the details above!

ItsyBitsy M4 Express has PWM on the following pins: A1, D0, RX, D1, TX, D2, D4, D5, D7, D9, D10, D11, D12, D13, SDA, SCL.

There is NO PWM on: A2, A3, A4, A5, D3, SCK, MOSI, MISO.

Metro M0 Express

Use jumper wires to connect **A2** and any one of the **GND** to different legs on the piezo.

Metro M0 Express has PWM on the following pins: A2, A3, A4, D0, RX, D1, TX, D2, D3, D4, D5, D6, D7, D8, D9, D10, D11, D12, D13, SDA, SCL, NEOPIXEL, SCK, MOSI, MISO.

There is NO PWM on: A0, A1, A5, FLASH_CS.

Metro M4 Express

Use jumper wires to connect **A1** and any one of the **GND** to different legs on the piezo.

To use A1, comment out the current pin setup line, and uncomment the line labeled for the M4 boards. See the details above!

Metro M4 Express has PWM on: A1, A5, D0, RX, D1, TX, D2, D3, D4, D5, D6, D7, D8, D9, D10, D11, D12, D13, SDA, SCK, MOSI, MISO

There is No PWM on: A0, A2, A3, A4, SCL, AREF, NEOPIXEL, LED_RX, LED_TX.

Where's My PWM?

Want to check to see which pins have PWM yourself? We've written this handy script! It attempts to setup PWM on every pin available, and lets you know which ones work and which ones don't. Check it out!

Download Project Bundle
Copy Code

```python
"""CircuitPython Essentials PWM pin identifying script"""
import board
import pwmio

for pin_name in dir(board):
    pin = getattr(board, pin_name)
    try:
        p = pwmio.PWMOut(pin)
        p.deinit()
        print("PWM on:", pin_name)  # Prints the valid, PWM-capable pins!
    except ValueError:  # This is the error returned when the pin is invalid.
        print("No PWM on:", pin_name)  # Prints the invalid pins.
    except RuntimeError:  # Timer conflict error.
        print("Timers in use:", pin_name)  # Prints the timer conflict pins.
    except TypeError:  # Error returned when checking a non-pin object in dir(board).
        pass  # Passes over non-pin objects in dir(board).
```

View on GitHub
 CircuitPython MP3 Audio CircuitPython Servo

This guide was first published on Apr 02, 2018. It was last updated on 2021-04-07 13:36:38 -0400.

This page (CircuitPython PWM) was last updated on Feb 05, 2022.

Text editor powered by tinymce.

Difficulty: Beginner
Guide Type: Tutorial
Contributors: Kattni Rembor, Jeff Epler, Carter Nelson, lady ada
Categories: LEDs
Microcontrollers
CircuitPython
Programming/MicroPython / CircuitPython
211 Saves
Featured Products view all

Circuit Playground Express
Out of Stock

[Adafruit Metro M4 feat. Microchip ATSAMD51](#)
$27.50
[Add to Cart](#)

[Adafruit METRO M0 Express - designed for CircuitPython](#)
$24.95
[Add to Cart](#)

Adafruit ItsyBitsy M4 Express featuring ATSAMD51
$14.95
Add to Cart

Adafruit ItsyBitsy M0 Express - for CircuitPython & Arduino IDE
$11.95
Add to Cart


Adafruit Trinket M0 - for use with CircuitPython & Arduino IDE
$8.95
Add to Cart

Adafruit GEMMA M0 - Miniature wearable electronic platform
$9.95
Add to Cart

Adafruit QT Py - SAMD21 Dev Board with STEMMA QT
$7.50
Add to Cart
Related Guides

Creating and sharing a CircuitPython library
By Scott Shawcroft
34
Intermediate

UFO Flying Saucer with Circuit Playground Express
By John Park
14
Beginner

[Blues Playground](#)
By [Jan Goolsbey](#)
1
Beginner

[Native MP3 decoding on Arduino](#)
By [Dean Miller](#)
7
Intermediate

[Adafruit AirLift Shield - ESP32 WiFi Co-Processor](#)
By [Brent Rubell](#)
10
Beginner

[Compost Friend!](#)
By [Isaac Wellish](#)
18
Intermediate

[Neon LED Signs](#)
By [John Park](#)
27
Intermediate

[Animatronic Hand](#)
By [John Park](#)

31
Beginner
[×](#)

OUT OF STOCK NOTIFICATION

YOUR NAME
YOUR EMAIL
[NOTIFY ME](#)
Search

Search

Categories

No results for query

- «
- ‹
- [1](#)
- ›
- »

- [Contact Us](#)
- [Tech Support Forums](#)
- [FAQs](#)
- [Shipping & Returns](#)
- [Terms of Service](#)
- [Privacy & Legal](#)

- [About Us](#)
- [Press](#)
- [Educators](#)
- [Distributors](#)
- [Jobs](#)
- [Gift Cards](#)

"Adversity is revealing of character"
[Unknown](#)