



Create a Storage Container

- From Resources select Storage container



- Create New Storage Container



- Azure, by default creates storage account with ML workspace to save notebooks, experiment and other details.

Create a storage account

Basics Advanced Networking Data protection Tags Review + create

Subscription * Free Trial

Resource group * azuretraining [Create new](#)

Instance details

If you need to create a legacy storage account type, please click [here](#).


Storage account name ⓘ * azuremlstacc001

Region ⓘ * (US) East US

- Storage Account is created

azuremlstacc001_1623334675802 | Overview

Deployment

 Search (Ctrl+) <<


 Delete  Cancel  Redeploy  Refresh

 Overview

 Inputs




 Outputs

 Template

 We'd love your feedback! →

resource group: [azuretraining](#)

Deployment details [\(Download\)](#)

Resource	Type	Status	Operation details
 azuremlstacc001/default	Microsoft.Storage/stor...	OK	Operation details
 azuremlstacc001/default	Microsoft.Storage/stor...	OK	Operation details
 azuremlstacc001	Microsoft.Storage/stor...	OK	Operation details



Next steps

[Go to resource](#)

- Click on Container and add data

azuremlstacc001 | Containers

Storage account

 Search (Ctrl+) <<

 Container  Change access level  Restore containers  Refresh  Delete



Search containers by prefix				Show deleted contain
Name	Last modified	Public access level	Lease state	
<input type="checkbox"/> \$logs	6/10/2021, 7:48:44 PM	Private	Available	

- We are adding Titanic data from Kaggle
- Upload train.csv

[Home](#) > [azuremlstacc001_1623334675802](#) > [azuremlstacc001](#) >

azuresdkblob

Container

 Search (Ctrl+) <<

 Upload  Change access level  Refresh  Delete  Change tier

Authentication method: Access key ([Switch to Azure AD User Account](#))

Location: azuresdkblob

Search blobs by prefix (case-sensitive)

 Add filter

Name	Modified	Access tier	Blob
No results			

Upload blob

azuresdkblob/

Advanced

Authentication type 

[Azure AD user account](#) [Account key](#)

Blob type 

[Block blob](#)

☒ Upload .vhd files as page blobs (recommended)

Block size 

[4 MB](#)

Access tier 

[Hot \(Inferred\)](#)

Upload to folder

- Uploaded train.csv in train_data folder. Folder is created from container option, which ask where to store data. Create folder if needed.

azuresdkblob

Container

Search (Ctrl+ /)

<<

- Overview
- Diagnose and solve problems
- Access Control (IAM)

- Settings
- Shared access signature
- Access policy
- Properties
- Metadata

Upload

Change access level

Refresh

Delete

Change tier

Acquire lease

Break lease



Authentication method: Access key ([Switch to Azure AD User Account](#))

Location: azuresdkblob / train_data

Search blobs by prefix (case-sensitive)

SI

Add filter

Name	Modified	Access tier	Blob type	Size
<input type="checkbox"/>  [...]				
<input type="checkbox"/>  train.csv	6/10/2021, 7:56:19 PM	Hot (Inferred)	Block blob	59.76 KiB