



actirise

HTML Video


[< Previous](#)[Next >](#)

The HTML `<video>` element is used to show a video on a web page.

Video

Example

Courtesy of [Big Buck Bunny](#):

[Try it Yourself »](#)

The HTML <video> Element

To show a video in HTML, use the `<video>` element:

Example

```
<video width="320" height="240" controls>
  <source src="movie.mp4" type="video/mp4">
  <source src="movie.ogg" type="video/ogg">
  Your browser does not support the video tag.
</video>
```

[Try it Yourself »](#)

How it Works

The `controls` attribute adds video controls, like play, pause, and volume.

It is a good idea to always include `width` and `height` attributes. If height and width are not set, the page might flicker while the video loads.

support the `<video>` element.

HTML `<video>` Autoplay

To start a video automatically, use the `autoplay` attribute:

Example

```
<video width="320" height="240" autoplay>
  <source src="movie.mp4" type="video/mp4">
  <source src="movie.ogg" type="video/ogg">
Your browser does not support the video tag.
</video>
```

[Try it Yourself »](#)



Note: Chromium browsers do not allow autoplay in most cases. However, muted autoplay is always allowed.

Add `muted` after `autoplay` to let your video start playing automatically (but muted):

Example

```
<video width="320" height="240" autoplay muted>
  <source src="movie.mp4" type="video/mp4">
  <source src="movie.ogg" type="video/ogg">
Your browser does not support the video tag.
</video>
```

[Try it Yourself »](#)

Element					
<video>	4.0	9.0	3.5	4.0	10.5

ADVERTISEMENT

[REMOVE ADS](#)

HTML Video Formats

There are three supported video formats: MP4, WebM, and Ogg. The browser support for the different formats is:

Browser	MP4	WebM	Ogg
Edge	YES	YES	YES
Chrome	YES	YES	YES
Firefox	YES	YES	YES
Safari	YES	YES	NO
Opera	YES	YES	YES

MP4

video/mp4

WebM

video/webm

Ogg

video/ogg


HTML Video - Methods, Properties, and Events

The HTML DOM defines methods, properties, and events for the `<video>` element.

This allows you to load, play, and pause videos, as well as setting duration and volume.

There are also DOM events that can notify you when a video begins to play, is paused, etc.

Example: Using JavaScript




Video courtesy of [Big Buck Bunny](#).

[Try it Yourself »](#)

For a full DOM reference, go to our [HTML Audio/Video DOM Reference](#).

Tag	Description
<code><video></code>	Defines a video or movie
<code><source></code>	Defines multiple media resources for media elements, such as <code><video></code> and <code><audio></code>
<code><track></code>	Defines text tracks in media players

[< Previous](#)[Sign in to track progress](#)[Next >](#)

COLOR PICKER

[REMOVE ADS](#)



Python Variable Names

Rules for Variable Names



Click on ► to watch the video



actirise



Tutorials ▼

References ▼

Exercises ▼



Get Certified

Sign In



CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

C++



PLUS

SPACES

GET CERTIFIED

FOR TEACHERS

FOR BUSINESS

CONTACT US

Top Tutorials

- HTML Tutorial
- CSS Tutorial
- JavaScript Tutorial
- How To Tutorial
- SQL Tutorial
- Python Tutorial
- W3.CSS Tutorial
- Bootstrap Tutorial
- PHP Tutorial
- Java Tutorial
- C++ Tutorial
- jQuery Tutorial

Top References

- HTML Reference
- CSS Reference
- JavaScript Reference
- SQL Reference
- Python Reference
- W3.CSS Reference
- Bootstrap Reference
- PHP Reference
- HTML Colors
- Java Reference
- AngularJS Reference
- jQuery Reference

Top Examples

- HTML Examples
- CSS Examples
- JavaScript Examples
- How To Examples
- SQL Examples
- Python Examples
- W3.CSS Examples
- Bootstrap Examples
- PHP Examples
- Java Examples
- XML Examples
- jQuery Examples

Get Certified

- HTML Certificate
- CSS Certificate
- JavaScript Certificate
- Front End Certificate
- SQL Certificate
- Python Certificate
- PHP Certificate
- jQuery Certificate
- Java Certificate
- C++ Certificate
- C# Certificate
- XML Certificate

[Tutorials ▼](#)[References ▼](#)[Exercises ▼](#)[Get Certified](#)[Sign In](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)[C++](#)[FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookies](#) and [privacy policy](#).

[Copyright 1999-2026](#) by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).