

JOINTS

MANASVI GHAG

2520030335

Query 1: - CREATE DATABASE

```
1 • CREATE DATABASE IF NOT EXISTS joins_db;  
2 • USE joins_db;
```

Output

Action Output

#	Time	Action
✓ 1	15:39:28	CREATE DATABASE IF NOT EXISTS joins_db
✓ 2	15:39:37	USE joins_db

Query 2: -CREATE TABLES

```
3 • CREATE TABLE class (  
4     id INT,  
5     name VARCHAR(30)  
6 );  
7  
8 • CREATE TABLE class_info (  
9     id INT,  
10    address VARCHAR(30)  
11 );  
12  
13
```

Output

Action Output

#	Time	Action
✓ 1	17:39:47	USE joins_db
✓ 2	17:40:44	CREATE TABLE class (id INT, name VARCHAR(30))
✓ 3	17:40:49	CREATE TABLE class_info (id INT, address VARCHAR(30))

Query 3: -INSERT VALUES

```
13 • INSERT INTO class VALUES
14 (1,'Manasvi'),
15 (2,'Ananya'),
16 (4,'Rishika');
17
18 • INSERT INTO class_info VALUES
19 (1,'HYDERABAD'),
20 (2,'MUMBAI'),
21 (3,'CHENNAI');
22
```

Output

Action Output

#	Time	Action
✓ 1	17:39:47	USE joins_db
✓ 2	17:40:44	CREATE TABLE class (id INT, name VARCHAR(30))
✓ 3	17:40:49	CREATE TABLE class_info (id INT, address VARCHAR(30))
✓ 4	17:45:01	INSERT INTO class VALUES (1,'Manasvi'), (2,'Ananya'), (4,'Rishika')
✓ 5	17:45:04	INSERT INTO class_info VALUES (1,'HYDERABAD'), (2,'MUMBAI'), (3,'CHENNAI')

Query 4: - CROSS JOIN

```
23 • SELECT *
24 FROM class
25 CROSS JOIN class_info;
26
```

Result Grid

	id	name	id	address
▶	4	Rishika	1	HYDERABAD
	2	Ananya	1	HYDERABAD
	1	Manasvi	1	HYDERABAD
	4	Rishika	2	MUMBAI
	2	Ananya	2	MUMBAI
	1	Manasvi	2	MUMBAI
	4	Rishika	3	CHENNAI

Query 5: - INNER JOIN

```
27 • SELECT *
28 FROM class
29 INNER JOIN class_info
30 ON class.id = class_info.id;
31
```

Result Grid

	id	name	id	address
▶	1	Manasvi	1	HYDERABAD
	2	Ananya	2	MUMBAI

Query 6: -INNER JOIN

```
32 • SELECT class.name,  
33         class_info.address  
34 FROM class  
35 INNER JOIN class_info  
36 ON class.id=class_info.id;  
37
```

Result Grid   Filter Rows:

	name	address
▶	Manasvi	HYDERABAD
	Ananya	MUMBAI

Query 7: - NATURAL JOIN

```
38 • SELECT *  
39 FROM class  
40 NATURAL JOIN class_info;  
41
```

Result Grid   Filter Rows:

	id	name	address
▶	1	Manasvi	HYDERABAD
	2	Ananya	MUMBAI

Query 8: - LEFT OUTER JOIN

```
42 • INSERT INTO class VALUES
43 (5,'Akhila');
44 • INSERT INTO class_info VALUES
45 (7,'BENGALURU'),
46 (8,'PUNE');
47
```

Output

Action Output

#	Time	Action
✓ 5	17:45:04	INSERT INTO class_info VALUES (1,'HYDERABAD'), (2,'MUMBAI'), (3,'CHENNAI')
✓ 6	17:47:25	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000
✓ 7	17:48:58	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0,...
✓ 8	17:51:09	SELECT class.name, class_info.address FROM class INNER JOIN class_info ...
✓ 9	17:52:37	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000
✓ 10	17:55:51	INSERT INTO class VALUES (5,'Akhila')
✓ 11	17:56:28	INSERT INTO class_info VALUES (7,'BENGALURU'), (8,'PUNE')

Query 9: - LEFT JOIN

```
48 • SELECT *
49 FROM class
50 LEFT OUTER JOIN class_info
51 ON class.id=class_info.id;
52
```

Result Grid



Filter Rows:

	id	name	id	address
▶	1	Manasvi	1	HYDERABAD
	2	Ananya	2	MUMBAI
	4	Rishika	NULL	NULL
	5	Akhila	NULL	NULL

Query 10: - LEFT JOIN

```
53 • SELECT *
54 FROM class
55 LEFT JOIN class_info
56 ON class.id=class_info.id
57 WHERE class_info.id IS NULL;
58
```

Result Grid



Filter Rows:

	id	name	id	address
▶	4	Rishika	NULL	NULL
	5	Akhila	NULL	NULL

Query 11: - RIGHT JOIN

```
59 • SELECT *
60 FROM class
61 RIGHT OUTER JOIN class_info
62 ON class.id=class_info.id;
63
```

Result Grid |   Filter Rows:

	id	name	id	address
▶	1	Manasvi	1	HYDERABAD
	2	Ananya	2	MUMBAI
	NULL	NULL	3	CHENNAI
	NULL	NULL	7	BENGALURU
	NULL	NULL	8	PUNE

Query 12: -UNION

```
64 • CREATE TABLE first_table(
65     id INT,
66     name VARCHAR(30)
67 );
68 • CREATE TABLE second_table(
69     id INT,
70     name VARCHAR(30)
71 );
72 • INSERT INTO first_table VALUES
73     (1,'Aswitha'),
74     (2,'Tejaswini');
75 • INSERT INTO second_table VALUES
76     (2,'Lahari'),
77     (3,'Havisha');
78
```

Output

Action Output

#	Time	Action
✓ 12	17:58:26	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id=class_info.id LI...
✓ 13	17:59:14	SELECT * FROM class LEFT JOIN class_info ON class.id=class_info.id WHERE cl...
✓ 14	18:00:34	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id=class_info.id L...
✓ 15	18:02:09	CREATE TABLE first_table(id INT, name VARCHAR(30))
✓ 16	18:03:04	CREATE TABLE second_table(id INT, name VARCHAR(30))
✓ 17	18:05:12	INSERT INTO first_table VALUES (1,'Aswitha'), (2,'Tejaswini')
✓ 18	18:05:18	INSERT INTO second_table VALUES (2,'Lahari'), (3,'Havisha')

```

79 • SELECT * FROM first_table
80 UNION
81 SELECT * FROM second_table;
82

```

Result Grid			Filter Rows:
	id	name	
▶	1	Aswitha	
	2	Tejaswini	
	2	Lahari	
	3	Havisha	

Query 13: - UNION ALL

```

83 • SELECT * FROM first_table
84 UNION ALL
85 SELECT * FROM second_table;
86

```

Result Grid			Filter Rows:
	id	name	
▶	1	Aswitha	
	2	Tejaswini	
	2	Lahari	
	3	Havisha	

Query 14: -INTERSECT (MYSQL DO NOT SUPPORT INTERSECT DIRECTLY)

```

87 • SELECT first_table.*
88 FROM first_table
89 INNER JOIN second_table
90 ON first_table.id = second_table.id;
91

```

Result Grid			Filter Rows:	Export
	id	name		
▶	2	Tejaswini		

Query 15: -MINUS (MYSQL DO NOT SUPPORT MINUS DIRECTLY)

```
92 • SELECT first_table.*
93 FROM first_table
94 LEFT JOIN second_table
95 ON first_table.id = second_table.id
96 WHERE second_table.id IS NULL;
97
```

Result Grid |   Filter Rows: | Export

	id	name
▶	1	Aswitha

Query 16: -Generate a report showing all students and address availability status.

```
102         THEN 'Address Missing'
103         ELSE 'Address Available'
104     END AS Status
105 FROM class c
106 LEFT JOIN class_info ci
107 ON c.id = ci.id;
108
```

Result Grid |   Filter Rows: | Export:

	id	name	Status
▶	1	Manasvi	Address Available
	2	Ananya	Address Available
	4	Rishika	Address Missing
	5	Akhila	Address Missing

Query 17: -FULL OUTER JOIN (MYSQL DO NOT DIRECTLY SUPPORT FULL OUTER JOIN)

```
114     UNION
115     SELECT *
116     FROM class
117     RIGHT JOIN class_info
118     ON class.id = class_info.id
119     WHERE class.id IS NULL;
120
```

Result Grid   Filter Rows:

	id	name	id	address
▶	4	Rishika	NULL	NULL
	5	Akhila	NULL	NULL
	NULL	NULL	3	CHENNAI
	NULL	NULL	7	BENGALURU
	NULL	NULL	8	PUNE