


Name: Manasvi Ghag

Rollno: 2520030335

Week 4

QUERY 1: DISPLAY ALL CUSTOMERS



Organization: Manasvi's Org - 2026... | Project: Project 0

Cluster0 > BankDB > Customers

Documents: 8 | Aggregations | Schema | Indexes: 1 | Validation


Type a query: { field: 'value' } or [Generate query](#)

Buttons: Explain, Reset, Find, Options

ADD DATA | BULK | EXPORT CODE

_id	ObjectId	customer_id	name	city
1	ObjectId('6a7e95343ce8a9b...')	101	"Ravi Kumar"	"Hyderabad"
2	ObjectId('6a7e958936c8a9b...')	102	"Priya Sharma"	"Vijayawada"
3	ObjectId('6a7e959d36c8a9b...')	103	"Arjun Reddy"	"Hyderabad"
4	ObjectId('6a7e95ae36c8a9b...')	104	"Sneha Rao"	"Warangal"
5	ObjectId('6a7e95c136c8a9b...')	105	"Kiran Kumar"	"Guntur"
6	ObjectId('6a7e95da36c8a9b...')	106	"Anjali Singh"	"Hyderabad"
7	ObjectId('6a7e95fe36c8a9b...')	107	"Rahul Verma"	"Bengaluru"
8	ObjectId('6a7e95f736c8a9b...')	108	"Meena Devi"	"Chennai"

QUERY 2: FIND ACTIVE CUSTOMERS



Organization: Manasvi's Org - 2026... | Project: Project 0

Cluster0 > BankDB > Customers

Documents: 8 | Aggregations | Schema | Indexes: 1 | Validation

Query: { "status": "Active" }

Buttons: Explain, Reset, Find, Options

ADD DATA | BULK | EXPORT CODE

_id	ObjectId	customer_id	name	city
2	ObjectId('6a7e958936c8a9b...')	102	"Priya Sharma"	"Vijayawada"
3	ObjectId('6a7e959d36c8a9b...')	103	"Arjun Reddy"	"Hyderabad"
4	ObjectId('6a7e95ae36c8a9b...')	104	"Sneha Rao"	"Warangal"
5	ObjectId('6a7e95da36c8a9b...')	106	"Anjali Singh"	"Hyderabad"
6	ObjectId('6a7e95fe36c8a9b...')	107	"Rahul Verma"	"Bengaluru"
7	ObjectId('6a7e95f736c8a9b...')	108	"Meena Devi"	"Chennai"

QUERY 3: FIND CUSTOMERS WITH BALANCE GREATER THAN 100000

ORGANIZATION: Manasvi's Org - 2026... PROJECT: Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

BankDB

Customers

Transactions

admin

bookflow

local

sample_mflix

Customers

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

_id	ObjectId	customer_id	Int32	name	String	city	String
1	ObjectId('6a7e9158036c8a9b...')	102		Priya Sharma		Vijayawada	
2	ObjectId('6a7e95ae3c6c8a9b...')	104		Sneha Rao		Warangal	
3	ObjectId('6a7e95da36cc8a9b...')	106		Anjali Singh		Hyderabad	
4	ObjectId('6a7e95f7336c8a9b...')	108		Meena Devi		Chennai	

QUERY 4: FIND HYDERABAD CUSTOMERS

ORGANIZATION: Manasvi's Org - 2026... PROJECT: Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

BankDB

Customers

Transactions

admin

bookflow

local

sample_mflix

Customers

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

_id	ObjectId	customer_id	Int32	name	String	city	String
1	ObjectId('6a7e953436c8a9b...')	101		Ravi Kumar		Hyderabad	
2	ObjectId('6a7e959d36c8a9b...')	103		Arjun Reddy		Hyderabad	
3	ObjectId('6a7e95da36c8a9b...')	106		Anjali Singh		Hyderabad	

QUERY 5: FIND SAVINGS ACCOUNT CUSTOMERS

ORGANIZATION: Manasvi's Org - 2026... PROJECT: Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

BankDB

Customers

Transactions

admin

bookflow

local

sample_mflix

Customers

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

_id	ObjectId	customer_id	Int32	name	String	city	String
1	ObjectId('6a7e953436c8a9b...')	101		Ravi Kumar		Hyderabad	
2	ObjectId('6a7e959d36c8a9b...')	103		Arjun Reddy		Hyderabad	
3	ObjectId('6a7e959a36c8a9b...')	104		Sneha Rao		Warangal	
4	ObjectId('6a7e95ae36c8a9b...')	106		Anjali Singh		Hyderabad	
5	ObjectId('6a7e95f736c8a9b...')	108		Meena Devi		Chennai	

QUERY 6: FIND TRANSACTIONS GREATER THAN 20000

ORGANIZATION: Manasvi's Org - 2026... PROJECT: Project 0

Compare tiers ? [Menu] [User] [Bell] [Grid] [Profile]

Data Explorer

{ } My Queries
Data Modeling

CLUSTERS (1)
Search clusters

Cluster0
BankDB
Customers
Transactions
admin
bookflow
local
sample_mflix

Cluster0 > BankDB > Transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

```
{
  "amount": {
    "$gt": 20000
  }
}
```

ADD DATA BULK EXPORT CODE 25 1-9 of 9

#	Transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	
1	ObjectId('6a7e960e36c8a9b...	1001	101	101	"Deposit"	
2	ObjectId('6a7e962b36c8a9b...	1003	102	102	"Deposit"	
3	ObjectId('6a7e963b36c8a9b...	1005	103	103	"Deposit"	
4	ObjectId('6a7e967536c8a9b...	1007	104	104	"Deposit"	
5	ObjectId('6a7e968136c8a9b...	1008	104	104	"Deposit"	
6	ObjectId('6a7e96c436c8a9b...	1010	106	106	"Withdrawal"	
7	ObjectId('6a7e96d736c8a9b...	1002	101	101	"Deposit"	
8	ObjectId('6a7e96e936c8a9b...	1004	102	102	"Deposit"	
9	ObjectId('6a7e970136c8a9b...	1006	103	103	"Deposit"	

QUERY 7: FIND DEPOSITS

ORGANIZATION: Manasvi's Org - 2026... PROJECT: Project 0

Compare tiers ? [Menu] [User] [Bell] [Grid] [Profile]

Data Explorer

{ } My Queries
Data Modeling

CLUSTERS (1)
Search clusters

Cluster0
BankDB
Customers
Transactions
admin
bookflow
local
sample_mflix

Cluster0 > BankDB > Transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

```
{
  "type": "Deposit"
}
```

ADD DATA BULK EXPORT CODE 25 1-8 of 8

#	Transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	
1	ObjectId('6a7e96e36c8a9b...	1001	101	101	"Deposit"	
2	ObjectId('6a7e96936c8a9b...	1003	102	102	"Deposit"	
3	ObjectId('6a7e96336c8a9b...	1005	103	103	"Deposit"	
4	ObjectId('6a7e967336c8a9b...	1007	104	104	"Deposit"	
5	ObjectId('6a7e96a36c8a9b...	1009	105	105	"Deposit"	
6	ObjectId('6a7e96a46c8a9b...	1010	106	106	"Deposit"	
7	ObjectId('6a7e96a36c8a9b...	1012	107	107	"Deposit"	
8	ObjectId('6a7e96c36c8a9b...	1013	108	108	"Deposit"	

QUERY 8: FIND ATM TRANSACTIONS

ORGANIZATION: Manasvi's Org - 2026... PROJECT: Project 0

Compare tiers ? [Icons]

Data Explorer

{ } My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

BankDB

Customers

Transactions

admin
bookflow
local
sample_mflix

Cluster0 > BankDB > Transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options >

ADD DATA BULK EXPORT CODE ? 25 1 - 7 of 7

_id	ObjectID	transaction_id	customer_id	type
1	ObjectId('6a7e961b36c8a9b...')	1002	101	"Withdrawal"
2	ObjectId('6a7e964136c8a9b...')	1004	102	"Withdrawal"
3	ObjectId('6a7e966036c8a9b...')	1006	103	"Withdrawal"
4	ObjectId('6a7e968136c8a9b...')	1008	104	"Withdrawal"
5	ObjectId('6a7e96b136c8a9b...')	1011	106	"Withdrawal"
6	ObjectId('6a7e96cf36c8a9b...')	1013	107	"Withdrawal"
7	ObjectId('6a7e96dc36c8a9b...')	1015	108	"Withdrawal"

Alert System Status: All Good

QUERY 9: FIND DEPOSITS GREATER THAN 50000

ORGANIZATION: Manasvi's Org - 2026... PROJECT: Project 0

Compare tiers ? [Icons]

Data Explorer

{ } My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

BankDB

Customers

Transactions

admin
bookflow
local
sample_mflix

Cluster0 > BankDB > Transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options >

ADD DATA BULK EXPORT CODE ? 25 1 - 3 of 3

_id	ObjectID	transaction_id	customer_id	type
1	ObjectId('6a7e967536c8a9b...')	1007	104	"Deposit"
2	ObjectId('6a7e96a436c8a9b...')	1010	106	"Deposit"
3	ObjectId('6a7e96de36c8a9b...')	1014	108	"Deposit"

QUERY 10: FIND HYDERABAD CUSTOMERS WITH HIGH BALANCE

ORGANIZATION: Manasvi's Org - 2026... PROJECT: Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - Transactions
 - admin
 - bookflow
 - local
 - sample_mflix

Cluster0 > BankDB > Transactions

Documents: 15 Aggregations Schema Indexes: 1 Validation

```
{
  "city": "Hyderabad",
  "balance": {
    "$gt": 100000
  }
}
```

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 0 - 0 of 0

No results

Try modifying your query to get results.

Alert System Status: All Good

QUERY 11: FIND CUSTOMERS IN MULTIPLE CITIES

ORGANIZATION: Manasvi's Org - 2026... PROJECT: Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - Transactions
 - admin
 - bookflow
 - local
 - sample_mflix

Cluster0 > BankDB > Customers

Documents: 8 Aggregations Schema Indexes: 1 Validation

```
{
  "city": {
    "$in": [
      "Hyderabad",
      "Vijayawada",
      "Warangal"
    ]
  }
}
```

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 5 of 5

	_id ObjectId	customer_id Int32	name String	city String	
1	ObjectId('6a7e953436c8a9b...	101	"Ravi Kumar"	"Hyderabad"	
2	ObjectId('6a7e958936c8a9b...	102	"Priya Sharma"	"Vijayawada"	
3	ObjectId('6a7e95d36c8a9b...	103	"Arjun Reddy"	"Hyderabad"	
4	ObjectId('6a7e95ae36c8a9b...	104	"Sneha Rao"	"Warangal"	
5	ObjectId('6a7e95da36c8a9b...	105	"Anjali Singh"	"Hyderabad"	

QUERY 12: SORT CUSTOMERS BY BALANCE

ORGANIZATION: Manasvi's Org - 2026... PROJECT: Project 0

Compare tiers ? [Icons]

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - Transactions
 - admin
 - bookflow
 - local
 - sample_mflix

Customers Transactions BankDB +

Cluster0 > BankDB > Customers

Documents: 8 Aggregations Schema Indexes: 1 Validation

View monitoring Visualize Your Data

Sort

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE PREVIEW STAGES TEXT WIZARD

Stage1 \$sort

```
1 {
2   "balance": -1
3 }
4 |
```

Output preview after \$sort stage (Sample of 8 documents)

<pre>{ "_id": ObjectId('6a7e95f736c8a9b4f38708de') customer_id: 108 name: "Meena Devi" city: "Chennai" account_type: "Savings" balance: 320000 status: "Active" }</pre>	<pre>{ "_id": ObjectId('6a7e95f736c8a9b4f38708de') customer_id: 108 name: "Meena Devi" city: "Chennai" account_type: "Savings" balance: 320000 status: "Active" }</pre>
---	---

Alert System Status: All Good

QUERY 13: CALCULATE TOTAL TRANSACTION AMOUNT

ORGANIZATION: Manasvi's Org - 2026... PROJECT: Project 0

Compare tiers ? [Icons]

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - Transactions
 - admin
 - bookflow
 - local
 - sample_mflix

Customers Transactions BankDB +

Cluster0 > BankDB > Transactions

Documents: 15 Aggregations Schema Indexes: 1 Validation

View monitoring Visualize Your Data

\$group

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE PREVIEW STAGES TEXT WIZARD

Stage1 \$group

```
1 {
2   "_id": null,
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 1 document)

```
{
  "_id": null
  total_amount: 602000
}
```

QUERY 14: CALCULATE AVERAGE TRANSACTION AMOUNT

ORGANIZATION: Manasvi's Org - 2026... PROJECT: Project 0

Compare tiers ? [Menu] [User]

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - Transactions**
 - admin
 - bookflow
 - local
 - sample_mflix

Cluster0 > BankDB > Transactions

Documents: 15 Aggregations Schema Indexes: 1 Validation

\$group Generate aggregation ? Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE PREVIEW STAGES TEXT WIZARD

Stage 1 \$group

```

1 {
2   "_id": null,
3   "average_amount": {
4     "$avg": "$amount"
5   }
6 }
7

```

Output preview after \$group stage (Sample of 1 document)

```

_id: null
average_amount: 40133.333333333336

```

Alert System Status: All Good

QUERY 15: TOTAL TRANSACTION AMOUNT BY TYPE

ORGANIZATION: Manasvi's Org - 2026... PROJECT: Project 0

Compare tiers ? [Menu] [User]

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - Transactions**
 - admin
 - bookflow
 - local
 - sample_mflix

Cluster0 > BankDB > Transactions

Documents: 15 Aggregations Schema Indexes: 1 Validation

\$group Generate aggregation ? Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE PREVIEW STAGES TEXT WIZARD

Stage 1 \$group

```

1 {
2   "_id": "$type",
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
7
8

```

Output preview after \$group stage (Sample of 2 documents)

```

_id: "Withdrawal"
total_amount: 117000

_id: "Deposit"
total_amount: 50000

```

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

QUERY 16: CUSTOMER + TRANSACTION JOIN

ORGANIZATION

Manasvi's Org - 2026...

PROJECT

Project 0

Compare tiers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

BankDB

Customers

Transactions

admin

workflow

local

sample_mflix

Cluster0 > BankDB > Transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

\$lookup

Generate aggregation

Explain

Run

Options

Untitled - modified

SAVE

CREATE NEW

EXPORT CODE

PREVIEW

STAGES

TEXT

WIZARD

Stage 1 \$lookup

1 {

2 "from": "customers",

3 "localField": "customer_id",

4 "foreignField": "customer_id",

5 "as": "customer_details",

6 }

7 }

Output preview after \$lookup stage (Sample of 10 documents)

_id: ObjectId('6a7e960e36c8a9b4f38708e1')

transaction_id: 1001

customer_id: 101

type: "Deposit"

amount: 25000

mode: "UPI"

date: "2026-08-01"

status: "Success"

customer_details: Array (empty)

_id: 0b

transac:

custome

type: "0

amount:

mode: "0

date: "20

status: "S

customer_

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales