

Experiment No.1

Hadoop HDFS Practical

Date of Performance:

Date of Submission:




Department of Artificial Intelligence and Data Science

<u>AIM</u>: Installation, Configuration of hadoop and performing basic file management operations in hadoop.

THEORY:

What is the Hadoop Ecosystem?

Hadoop Ecosystem is a platform or a suite which provides various services to solve the big data problems. It includes Apache projects and various commercial tools and solutions. There are four major elements of Hadoop i.e. HDFS, MapReduce, YARN, and Hadoop Common.



Following are the components that collectively form a Hadoop ecosystem:

- HDFS: Hadoop Distributed File System
- YARN: Yet Another Resource Negotiator
- MapReduce: Programming based Data Processing
- Spark: In-Memory data processing
- PIG, HIVE: Query based processing of data services
- HBase: NoSQL Database
- Mahout, Spark MLLib: Machine Learning algorithm libraries
- Solar, Lucene: Searching and Indexing
- Zookeeper: Managing cluster
- Oozie: Job

Scheduling HDFS:

HDFS is the primary or major component of Hadoop ecosystem and is responsible for storing large data sets of structured or unstructured data across various nodes and thereby maintaining the metadata in the form of log files.

HDFS consists of two core components i.e.

- Name node
- Data Node



Department of Artificial Intelligence and Data Science

HDFS maintains all the coordination between the clusters and hardware.

YARN:

Yet Another Resource Negotiator, as the name implies, YARN is the one who helps to manage the resources across the clusters. In short, it performs scheduling and resource allocation for the Hadoop System.

Resource manager has the privilege of allocating resources for the applications in a system whereas Node managers work on the allocation of resources such as CPU, memory, bandwidth per machine and later on acknowledges the resource manager. Application manager works as an interface between the resource manager and node manager and performs negotiations as per the requirement of the two.

MapReduce:

MapReduce makes the use of two functions i.e. Map() and Reduce() whose task is:

Map() performs sorting and filtering of data and thereby organizing them in the form of group. Map generates a key-value pair based result which is later on processed by the Reduce() method.

Reduce(), as the name suggests does the summarization by aggregating the mapped data. In simple, Reduce() takes the output generated by Map() as input and combines those tuples into smaller set of tuples.

HIVE:

Hive is an ETL and Data warehousing tool used to query or analyze large datasets stored within the Hadoop ecosystem. Hive has three main functions: data summarization, query, and analysis of unstructured and semi-structured data in Hadoop. It features a SQL-like interface, HQL language that works similar to SQL and automatically translates queries into MapReduce jobs.

PIG:

Pig was basically developed by Yahoo which works on a pig Latin language, which is Query based language similar to SQL. It is a platform for structuring the data flow, processing and analyzing huge data sets. Pig does the work of executing commands and in the background, all the activities of MapReduce are taken care of. After the processing, pig stores the result in HDFS.

Apache Spark:

It's a platform that handles all the process consumptive tasks like batch processing, interactive or iterative real-time processing, graph conversions, and visualization, etc.

It consumes in memory resources hence, thus being faster than the prior in terms of optimization.

<u>Installation of Hadoop</u>

Download Hadoop 2.8.0 (Link: http://www-eu.apache.org/dist/hadoop/common/hadoop-2.8.0/hadoop-2.8.0.tar.gz OR


http://archive.apache.org/dist/hadoop/core//hadoop- 2.8.0/hadoop-2.8.0.tar.gz)

Java JDK 1.8.0.zip (Link: http://www.oracle.com/technetwork/java/javase/downloads/jdk8-downloads-2133151.html)


Check either Java 1.8.0 is already installed on your system or not, use "Javac -version" to check.



ROLL NO: 71




If Java is not installed on your system then first install java under "C:\JAVA"




Extract file Hadoop 2.8.0.tar.gz or Hadoop-2.8.0.zip and place under "C:\Hadoop-2.8.0".






Set the path HADOOP_HOME Environment variable on windows 10(see Step 1,2,3 and 4 below).






Set the path JAVA HOME Environment variable on windows 10(see Step 1,2,3 and 4 below).



Next we set the Hadoop bin directory path and JAVA bin directory path.







CONFIGURATION:

Edit file C:/Hadoop-2.8.0/etc/hadoop/core-site.xml, paste below xml paragraph and save this file.

<configuration>

property>

<name>fs.defaultFS</name>




Department of Artificial Intelligence and Data Science

Rename "mapred-site.xml.template" to "mapred-site.xml" and edit this file C:/Hadoop-2.8.0/etc/hadoop/mapred-site.xml, paste below xml paragraph and save this file. <configuration>

Create folder data under C. (Tadoop-2.6.0

Create folder "datanode" under "C:\Hadoop-2.8.0\data" Create folder "namenode" under "C:\Hadoop-2.8.0\data"



Edit file C:\Hadoop-2.8.0/etc/hadoop/hdfs-site.xml, paste below xml paragraph and save this file.



Edit file C:/Hadoop-2.8.0/etc/hadoop/yarn-site.xml, paste below xml paragraph and save this file.

Edit file C:/Hadoop-2.8.0/etc/hadoop/hadoop-env.cmd by closing the command line "JAVA_HOME="%JAVA_HOME%" instead of set JAVA_HOME="%C:\Java\jdk\bin" (On C:\java this is path to file jdk.18.0)

```
Grem The java implementation to use. Required.
Grem set JAVA_HOME=%JAVA_HOME%
set JAVA_HOME=C:\java
```


HADOOP CONFIGURATION:

Dowload file Hadoop Configuration.zip

(Link: https://github.com/MuhammadBilalYar/HADOOP-INSTALLATION-ON-WINDOW-10/blob/master/Hadoop%20Configuration.zip)

Delete file bin on C:\Hadoop-2.8.0\bin, replaced by file bin on file just download (from Hadoop Configuration.zip).

Open cmd and typing command "hdfs namenode -format". You will see



TESTING:

Open cmd and change directory to "C:\Hadoop-2.8.0\sbin" and type "start-all.cmd" to start apache.



```
Select C:\WINDOWS\system32\cmd.exe — — X

C:\>cd Hadoop-2.8.0\sbin

C:\Hadoop-2.8.0\sbin>start-all.cmd

This script is Deprecated. Instead use start-dfs.cmd and start-yarn.cmd

starting yarn daemons

C:\Hadoop-2.8.0\sbin>
```

Make sure these apps are running:

Hadoop Namenode

Hadoop datanode


YARN Resourc Manager

YARN Node Manager



Open: http://localhost:8088





File management tasks in hadoop

In order to perform operations on Hadoop like copy, delete, move etc., following steps can be used:

Basic operations:

Create a directory in HDFS at given path(s). Usage:
 hadoop fs -mkdir <paths>



Department of Artificial Intelligence and Data Science

2. List the contents of a

directory. Usage:

hadoop fs -ls <args>

3. See contents of a

file Same as unix cat

command:

Usage:

hadoop fs -cat <path[filename]>

4. Copy a file from source to destination

This command allows multiple sources as well in which case the destination must be a directory.

Usage:

hadoop fs -cp <source> <dest>

5. Copy a file from/To Local file system to

HDFS copyFromLocal

Usage:

hadoop fs -copyFromLocal <localsrc> URI

Similar to put command, except that the source is restricted to a local file reference. copyToLocal

Usage:

hadoop fs -copyToLocal [-ignorecrc] [-crc] URI <localdst>

Similar to get command, except that the destination is restricted to a local file reference.

7. Move file from source to destination.

Note:- Moving files across filesystem is not permitted.

Usage:

hadoop fs -mv <src> <dest>

8. Remove a file or directory in HDFS.

Remove files specified as argument. Deletes directory only when it is empty

Usage:

hadoop fs -rm <arg>



Department of Artificial Intelligence and Data Science

Steps for copying file

1) Go to Hadoop folder and then to

sbin C:\>cd C:\hadoop-2.8.0\sbin

- 2) Start namenode and datanode with this command, Two more emd windows will open C:\hadoop-2.8.0\sbin>start-dfs.cmd
 - 3) Now start yarn through following command, Two more windows will open, one for yarn resource manager and one for yarn node manager

C:\hadoop-2.8.0\sbin>start-yarn.cmd

- 4) Create a directory named 'sample' in the hadoop directory using the following command C:\hadoop-2.8.0\sbin> hdfs dfs -mkdir /sample
 - 5) To verify if the directory is

created C:\hadoop-2.8.0\sbin>hdfs dfs -ls /

6) Copy text file from D drive to sample

C:\hadoop-2.8.0\sbin>hdfs dfs -copyFromLocal d:\rally.txt /sample

7) To verify if the file is copied

C:\hadoop-2.8.0\sbin>hdfs dfs -ls /sample

CONCLUSION:

Thus we successfully downloaded hadoop files on our system, copied all required files from one location to the required location, created some data nodes and some name nodes to check whether hadoop works properly or not.