

Name: Manaswi Kabadi

Class: D20C

Roll No.: 15

Blockchain Experiment 4

Aim:

Creation of an account in MetaMask and transfer of cryptocurrency from one account to another.

Objectives:

1. To understand the basic concept of a cryptocurrency wallet.
2. To create and manage accounts using MetaMask.
3. To configure and use the Sepolia Testnet.
4. To obtain test SepoliaETH from a faucet.
5. To transfer SepoliaETH from one MetaMask account to another.
6. To verify the transaction and updated account balance.

Software Requirements:

- MetaMask Wallet
- Google Chrome / Web Browser
- Internet Connection
- Sepolia Testnet
- Sepolia Faucet
- Sepolia Block Explorer

Theory:

1. What is MetaMask?

MetaMask is a cryptocurrency wallet that allows users to create and manage blockchain accounts and interact with blockchain networks. It provides a wallet address that can be used to receive and send cryptocurrency. MetaMask also allows users to manage multiple accounts from a single wallet interface.

2. Account Creation in MetaMask

A MetaMask wallet can contain multiple accounts, each having a unique wallet address. The wallet address is used to identify an account and receive cryptocurrency. In this experiment, two

accounts were used to demonstrate the transfer of SepoliaETH from one account to another.

3. Sepolia Testnet and Test ETH

A **testnet** is a blockchain network used for testing and learning without using real cryptocurrency. **Sepolia** is an Ethereum test network where SepoliaETH is used for testing transactions. Test ETH can be obtained from a faucet and is used to perform transactions on the test network without real financial value.

In this experiment, the MetaMask account was connected to the Sepolia Testnet and was funded with **0.05 SepoliaETH** obtained from a Sepolia faucet. The faucet transaction was verified using the Sepolia block explorer.

4. Cryptocurrency Transfer

A cryptocurrency transaction consists of a sender account, recipient account, transfer amount, and a network fee called **gas**. To make a transfer, the sender enters the recipient's wallet address and specifies the amount of cryptocurrency to be transferred. MetaMask displays the transaction details and network fee before the transaction is confirmed.

In this experiment, **0.01 SepoliaETH** was transferred from the first MetaMask account to the second account. After confirmation, the transaction was processed on the Sepolia network and the account balance was updated.

5. Transaction Verification

Blockchain transactions can be verified using a block explorer. A block explorer displays information such as the sender address, recipient address, transaction amount, transaction status, and transaction ID. This allows the transaction to be independently verified on the blockchain.

The overall workflow of the experiment is:

MetaMask Account → Sepolia Testnet → Receive Test ETH → Transfer 0.01 SepoliaETH → Confirm Transaction → Verify Balance

Procedure:

1. Open MetaMask in the web browser.
2. Create or access a MetaMask wallet account.
3. Create a second account in MetaMask.
4. Select the **Sepolia Testnet**.
5. Copy the wallet address of the first account.
6. Open a Sepolia testnet faucet.


7. Enter the wallet address and request test SepoliaETH.
8. Verify that the test ETH has been received.
9. Switch to the first MetaMask account.
10. Select the **Send** option.
11. Enter the wallet address of the second account.
12. Enter **0.01 SepoliaETH** as the transfer amount.
13. Review the transaction details and gas fee.
14. Confirm the transaction.
15. Check the transaction status in MetaMask.
16. Verify the updated balance.
17. Verify the transaction using the Sepolia block explorer.

Output:

1. Accounts Created


Two accounts were available in the MetaMask wallet, namely the primary account and **Account**

2. The accounts were configured to use the Sepolia Testnet.




2. Account Funded with Test ETH

The primary MetaMask account was funded using a Sepolia faucet. The faucet successfully transferred **0.05 SepoliaETH** to the wallet.




3. Faucet Transaction Verification

The faucet transaction was verified using the Sepolia block explorer. The transaction details show the transfer of **0.05 SepoliaETH** to the MetaMask wallet.



4. Transfer of SepoliaETH

The MetaMask account was used to send **0.01 SepoliaETH** to the second account. The transaction was successfully processed on the Sepolia Testnet.



5. Transaction Confirmation

The transaction details displayed the transferred amount of **0.01 SepoliaETH** and showed the transaction status as **Confirmed**.



Manaswi ▾

  0xb9D59...3Ca07 

0.0701 SepoliaETH

+\$0.00 (+0.00%) [Discover](#) 

\$
Buy

↕
Swap

↗
Send

↘
Receive



GameStop earnings report
Meme stock nears 52-week low ahead of Sep 8 announce



Tokens

Perps

DeFi

NFTs

Activity

 Network: Sepolia

 **SepoliaETH**

0.0701 SepoliaETH



Sent SepoliaETH



-0.01 SepoliaETH

Status

Confirmed

Date

Sep 9, 2026, 1:04 PM

From

 Manaswi (0xb9d59...3ca07)

To

 0xd4d9e...43667

Network

 Sepolia

Transaction ID

0xc8d61...41b88 

Total amount

0.01 SepoliaETH

Result:

The MetaMask accounts were successfully created and configured on the Sepolia Testnet. The account was funded with test SepoliaETH, and **0.01 SepoliaETH** was successfully transferred from one account to another. The transaction was confirmed and the updated balance was verified.

Conclusion:

In this experiment, a MetaMask wallet was created and configured on the Sepolia Testnet and funded with test SepoliaETH. A **0.01 SepoliaETH** transfer was made from Account 1 to Account 2 and successfully verified through MetaMask and the Sepolia block explorer. The experiment demonstrated wallet creation, cryptocurrency transfer, transaction verification, and the deduction of network gas fees.