
Crustdata API Documentation

Table of Contents

1. **Getting Started**
 2. **Documentation Overview**
 3. **Enrichment APIs**
 - Company Enrichment API
 - People Enrichment API
 4. **Search APIs**
 - Real-Time Company Search
 - Real-Time People Search
 5. **Filters**
 6. **Data Dictionary**
 - Company Data
 - People Data
 7. **Usage Examples**
-

1. Getting Started

Crustdata empowers you to enrich your data with comprehensive information about companies from multiple sources.

2. Documentation Overview

API Reference

- Login Request
- Demo

Enrichment APIs

1. Company Enrichment API

- Enrich company data using domain, name, or ID.
- Key Features:
 - Multi-company enrichment in one call.
 - Customize responses using the `fields` parameter.
 - Real-time enrichment for companies not in the database.
 - Access extensive datasets: Glassdoor, LinkedIn, G2, web traffic, news articles, etc.
- Using the `fields` Parameter:
 - Customize the response by specifying desired fields.
 - Supports nested fields (up to allowed levels).
 - Default fields include top-level non-object fields (e.g., `company_name`, `company_id`).
 - Object fields like `decision_makers` must be explicitly requested.
 - Access is based on user permissions.
- Example Usages:

Company Enrichment with Domain:

bash

Copy code

```
curl
```

```
'https://api.crustdata.com/screener/company?company_domain=example.com'
```

■

Customizing Fields:

bash

Copy code

```
curl
```

```
'https://api.crustdata.com/screener/company?company_domain=example.com  
&fields=company_name,industry'
```

■

Real-Time Enrichment:

bash

Copy code

```
curl --location
```

```
'https://api.crustdata.com/screener/company?company_domain=example.com'  
' \
```

```
--header 'Authorization: Token $token'
```

2. Company Discovery: Screening API

- Screen and filter companies based on growth and firmographic criteria.
- Key Features:
 - Supports complex filters.
 - Integrates with the Enrichment API for enriched results.
- **Example Usage:**

Companies with >\$5M funding, >50 employees, and most employees in the USA:

bash

Copy code

```
curl 'https://api.crustdata.com/screener/screen/' \
-H 'Authorization: Token $auth_token' \
--data-raw '{
  "metrics": [{"metric_name":
"linkedin_headcount_and_glassdoor_ceo_approval"}],
  "filters": {
    "op": "and",
    "conditions": [
      {"column": "crunchbase_total_investment_usd", "type":
"=>", "value": 5000000},
      {"column": "linkedin_headcount", "type": "=>", "value":
50},
      {"column": "largest_headcount_country", "type": "(.)",
"value": "USA"}
    ]
  },
  "offset": 0,
  "count": 100
}'
```

3. Search APIs

Real-Time Company Search

- **Via Filters**
Retrieve companies based on specific criteria, such as location, funding, or industry.

- **Via LinkedIn URL**
Fetch company information by providing a LinkedIn profile URL.

Real-Time People Search

- **Via Filters**
Retrieve profiles of individuals based on specific criteria, such as job title, skills, or location.
 - **Via LinkedIn URL**
Fetch detailed profiles by providing a LinkedIn profile URL.
-

4. How to Build Filters

Filters allow you to create complex queries to extract specific data from the APIs. Example filters include:

- Companies with a specific headcount.
 - People with expertise in a particular domain.
-

5. Data Dictionary

Company Data

- **Fields:**
 - `company_name`
 - `company_id`
 - `industry`
 - `linkedin_headcount`
 - `glassdoor_rating`

People Data

- **Fields:**
 - `full_name`
 - `email`
 - `job_title`
 - `skills`

6. Usage Examples

Companies with Specific Domains

bash

Copy code

```
curl 'https://api.crustdata.com/screener/screen/' \
-H 'Authorization: Token $auth_token' \
--data-raw '{
  "metrics": [{"metric_name":
"linkedin_headcount_and_glassdoor_ceo_approval"}],
  "filters": {
    "op": "or",
    "conditions": [
      {"column": "company_website_domain", "type": "=", "value":
"example.com"},
      {"column": "company_website_domain", "type": "=", "value":
"anotherexample.com"}
    ]
  },
  "offset": 0,
  "count": 100
}'
```

Companies with Employees Skilled in Quality Assurance

bash

Copy code

```
curl 'https://api.crustdata.com/screener/screen/' \
-H 'Authorization: Token $token' \
--data-raw '{
  "metrics": [{"metric_name":
"linkedin_headcount_and_glassdoor_ceo_approval"}],
  "filters": {
    "op": "and",
    "conditions": [
      {"column": "linkedin_employee_skills_31_to_50_pct",
"type": "(.)", "value": "quality assurance"}
    ]
  },
  "offset": 0,
  "count": 100
}'
```

```
    ]  
  },  
  "offset": 0,  
  "count": 150  
}'
```

Notes

- Use the `Authorization: Token $auth_token` header for all requests.
- Response fields are customizable using the `fields` parameter.
- Make sure to review user permissions for access to specific fields.