

```

mande@JAISHREERAM MINGW64 /bin
$ mkdir order-etl-git-assignment
cd order-etl-git-assignment

git init
mkdir: cannot create directory 'order-etl-git-assignment': Permission denied
bash: cd: order-etl-git-assignment: No such file or directory
C:/Program Files/Git/bin/.git: Permission denied

mande@JAISHREERAM MINGW64 /bin
$ pwd
/bin

mande@JAISHREERAM MINGW64 /bin
$ cd ~
pwd
/c/Users/mande

mande@JAISHREERAM MINGW64 ~ (main)
$ mkdir order-etl-git-assignment
cd order-etl-git-assignment

git init
Initialized empty Git repository in C:/Users/mande/order-etl-git-assignment/.git/

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ mkdir -p data/raw logs

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ touch extract_orders.py clean_orders.py load_orders.py README.md requirements.txt .env .gitignore

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ echo "order_id,customer_id,amount,status" > data/raw/orders.csv

echo "1001,501,250,completed" >> data/raw/orders.csv

echo "1002,502,-50,completed" >> data/raw/orders.csv

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ ^C

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ echo "DB_PASSWORD=do_not_commit_this" > .env

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ echo "Pipeline started" > logs/pipeline.log

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ ls
README.md clean_orders.py data extract_orders.py load_orders.py logs requirements.txt

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ find .
.
./.env
./.git
./.git/config
./.git/description
./.git/HEAD
./.git/hooks
./.git/hooks/applypatch-msg.sample
./.git/hooks/commit-msg.sample
./.git/hooks/fsmonitor-watchman.sample
./.git/hooks/post-update.sample
./.git/hooks/pre-applypatch.sample
./.git/hooks/pre-commit.sample
./.git/hooks/pre-merge-commit.sample
./.git/hooks/pre-push.sample
./.git/hooks/pre-rebase.sample
./.git/hooks/pre-receive.sample
./.git/hooks/prepare-commit-msg.sample
./.git/hooks/push-to-checkout.sample
./.git/hooks/sendemail-validate.sample
./.git/hooks/update.sample
./.git/info
./.git/info/exclude
./.git/objects
./.git/objects/info
./.git/objects/pack
./.git/refs
./.git/refs/heads
./.git/refs/tags
./.gitignore

```

```
./clean_orders.py
./data
./data/raw
./data/raw/orders.csv
./extract_orders.py
./load_orders.py
./logs
./logs/pipeline.log
./README.md
./requirements.txt
```

```
mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=sschannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=main
user.name=Mandeepkumarsaw
user.email=153371877+Mandeepkumarsaw@users.noreply.github.com
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true
```

```
mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=sschannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=main
user.name=Mandeepkumarsaw
user.email=153371877+Mandeepkumarsaw@users.noreply.github.com
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true
```

```
mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ cat > .gitignore << EOF
.env

data/
logs/

*.csv
*.parquet

__pycache__/

.ipynb_checkpoints/
EOF

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ cat .gitignore
.env
```

```

data/
logs/

*.csv
*.parquet

__pycache__/

.ipynb_checkpoints/

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        README.md
        clean_orders.py
        extract_orders.py
        load_orders.py
        requirements.txt

nothing added to commit but untracked files present (use "git add" to track)

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ cat .gitignore
.env

data/
logs/

*.csv
*.parquet

__pycache__/

.ipynb_checkpoints/

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ git add README.md requirements.txt .gitignore extract_orders.py clean_orders.py load_orders.py
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   .gitignore
        new file:   README.md
        new file:   clean_orders.py
        new file:   extract_orders.py
        new file:   load_orders.py
        new file:   requirements.txt

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ git commit -m "Create initial ETL project structure"
[main (root-commit) a211386] Create initial ETL project structure
6 files changed, 11 insertions(+)
create mode 100644 .gitignore
create mode 100644 README.md
create mode 100644 clean_orders.py
create mode 100644 extract_orders.py
create mode 100644 load_orders.py
create mode 100644 requirements.txt

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ git log --oneline
a211386 (HEAD -> main) Create initial ETL project structure

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ pwd
/c/Users/mande/order-etl-git-assignment

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ git add extract_orders.py clean_orders.py load_orders.py

```



```

git commit -m "Add basic ETL script functionality"
[main e7fe6b3] Add basic ETL script functionality
3 files changed, 3 insertions(+)

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ git log --oneline
e7fe6b3 (HEAD -> main) Add basic ETL script functionality
a211386 Create initial ETL project structure

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ git remote add origin https://github.com/Mandeepkumarsaw/order-etl-git-assignment.git

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ git remote -v
origin https://github.com/Mandeepkumarsaw/order-etl-git-assignment.git (fetch)
origin https://github.com/Mandeepkumarsaw/order-etl-git-assignment.git (push)

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ git push -u origin main
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 12 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (9/9), 910 bytes | 182.00 KiB/s, done.
Total 9 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/Mandeepkumarsaw/order-etl-git-assignment.git
* [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (main)
$ git checkout -b feature/add-cleaning-logic
Switched to a new branch 'feature/add-cleaning-logic'

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (feature/add-cleaning-logic)
$ git branch
* feature/add-cleaning-logic
  main

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (feature/add-cleaning-logic)
$ git add clean_orders.py

git commit -m "Add order cleaning logic comments"
[feature/add-cleaning-logic d3a2e10] Add order cleaning logic comments
1 file changed, 8 insertions(+), 1 deletion(-)

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (feature/add-cleaning-logic)
$ git log --oneline
d3a2e10 (HEAD -> feature/add-cleaning-logic) Add order cleaning logic comments
e7fe6b3 (origin/main, main) Add basic ETL script functionality
a211386 Create initial ETL project structure

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (feature/add-cleaning-logic)
$ git push -u origin feature/add-cleaning-logic
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 425 bytes | 425.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'feature/add-cleaning-logic' on GitHub by visiting:
remote:   https://github.com/Mandeepkumarsaw/order-etl-git-assignment/pull/new/feature/add-cleaning-logic
remote:
To https://github.com/Mandeepkumarsaw/order-etl-git-assignment.git
* [new branch]      feature/add-cleaning-logic -> feature/add-cleaning-logic
branch 'feature/add-cleaning-logic' set up to track 'origin/feature/add-cleaning-logic'.

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (feature/add-cleaning-logic)
$ git log --oneline
d3a2e10 (HEAD -> feature/add-cleaning-logic, origin/feature/add-cleaning-logic) Add order cleaning logic comments
e7fe6b3 (origin/main, main) Add basic ETL script functionality
a211386 Create initial ETL project structure

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (feature/add-cleaning-logic)
$ git status
On branch feature/add-cleaning-logic
Your branch is up to date with 'origin/feature/add-cleaning-logic'.

nothing to commit, working tree clean

mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (feature/add-cleaning-logic)
$ cat .gitignore
.env

```

```
data/  
logs/  
  
*.csv  
*.parquet  
  
__pycache__/  
  
.ipynb_checkpoints/  
mande@JAISHREERAM MINGW64 ~/order-etl-git-assignment (feature/add-cleaning-logic)
```