

```

declare
    cursor c1 is select * from football;
    name football.pname%type;
    totalgoals number;
    totalmatches number;
    countgoals number;
    countmatches number ;
    meanpercent number;
    footdata football%rowtype;
    meanofgoals number;
    meanofmatches number;
begin
    open c1;
    loop
        fetch c1 into footdata;
        exit when c1%notfound;
        select sum(goals),sum(matches),count(goals),count(matches) into
totalgoals,totalmatches,countgoals,countmatches from football;
        meanofgoals := totalgoals/countgoals;
        meanofmatches :=totalmatches/countmatches;
        meanpercent := (meanofgoals/meanofmatches)*100;
    end loop;
    dbms_output.put_line('totalgoals'      || ' ' || totalgoals);
    dbms_output.put_line('totalmatches'    || ' ' || totalmatches);
    dbms_output.put_line('mean of goals is : ' || ' ' || meanofgoals);
    dbms_output.put_line('mean of matches is : ' || ' ' || meanofmatches);
    dbms_output.put_line('mean percent is ' || ' ' || meanpercent);
    close c1;
end;
/

```

=====
=====

SQLCommand

SQL*Plus: Release 21.0.0.0.0 - Production on Wed Dec 10 17:04:28 2025
Version 21.3.0.0.0

Copyright (c) 1982, 2021, Oracle. All rights reserved.

Enter user-name: user1/pass1
Last Successful login time: Wed Dec 10 2025 15:05:30 +05:30

Connected to:
Oracle Database 21c Express Edition Release 21.0.0.0.0 - Production
Version 21.3.0.0.0

SQL> Select * from football;

PID	PNAME	AGE	COUNTRY	POSITION	GOALS
MATCHES	CLUB	GRA			
9	Halland	28	France	forward	200
173	Baal Bharati				
1	lionel messi	36	Argentina	forward	106
180	Inter miami				
2	Christiano Ronaldo	39	Portugal	forward	128
205	Al-Nasar				
PID	PNAME	AGE	COUNTRY	POSITION	GOALS
MATCHES	CLUB	GRA			
3	Neymar-jr	33	Brazil	forward	79
128	al-Hilal				
4	Kylian mbappe	26	France	forward	52
80	Real-madrid				
5	De bryian	33	Belgium	Midfield	26
100	Manchester city				
PID	PNAME	AGE	COUNTRY	POSITION	GOALS
MATCHES	CLUB	GRA			
6	Luka modric	39	Croatia	midfield	24
175	Real madrid				
7	Harry kane	31	england	forward	63
89	Bayern munish				
8	Chhetri	40	India	forward	120
200	Indian club				
PID	PNAME	AGE	COUNTRY	POSITION	GOALS
MATCHES	CLUB	GRA			
10	Mohammad Salah	31	Egypt	Forward	150

200 Liverpool

11 Robert Lewandowski 35 Poland Forward 220
310 Barcelona

12 Kevin De Bruyne 32 Belgium Midfield 60
250 Manchester City

PID	PNAME	AGE	COUNTRY	POSITION	GOALS
MATCHES	CLUB	GRA			
13	Virgil van Dijk	32	Netherlands	Defender	15
180	Liverpool				
14	Sadio Mane	31	Senegal	Forward	130
220	Bayern Munich				
15	Erling Haaland	23	Norway	Forward	120
150	Manchester City				

PID	PNAME	AGE	COUNTRY	POSITION	GOALS
MATCHES	CLUB	GRA			
16	Karim Benzema	35	France	Forward	200
340	Al-Ittihad				
17	Toni Kroos	34	Germany	Midfield	40
320	Real Madrid				
18	Casemiro	31	Brazil	Midfield	30
310	Manchester				

PID	PNAME	AGE	COUNTRY	POSITION	GOALS
MATCHES	CLUB	GRA			
19	Raheem Sterling	29	England	Forward	110
270	Chelsea				
20	Paulo Dybala	30	Argentina	Forward	90
200	Roma				

20 rows selected.

```
SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql

SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql\

SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql\

SQL> @
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql\
SP2-0310: unable to open file
"C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql\.sql"
SQL> @
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
```

PL/SQL procedure successfully completed.

PL/SQL procedure successfully completed.

```
PL/SQL procedure successfully completed.

SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql\

SQL> @
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
totalscores 1963
```

PL/SQL procedure successfully completed.

```
SQL> edit  
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
```

```
SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql

SQL> @
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
      result  = totalscores/totalmatches;
      *
ERROR at line 14:
ORA-06550: line 14, column 11:
PLS-00103: Encountered the symbol "=" when expecting one of the following:
:= . ( @ % ;
The symbol ":=" was inserted before "=" to continue.
```

```
SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql\

SQL> @
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
totalscores  1963
totalmatches  4080
result is : .4811274509803921568627450980392156862745

PL/SQL procedure successfully completed.
```

```
SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql\

SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
      meanofscores := totalscores/count(*);
      *
ERROR at line 15:
ORA-06550: line 15, column 31:
PLS-00204: function or pseudo-column 'COUNT' may be used inside a SQL statement
only
ORA-06550: line 15, column 3:
PL/SQL: Statement ignored
ORA-06550: line 16, column 32:
PLS-00204: function or pseudo-column 'COUNT' may be used inside a SQL statement
```

```
only
ORA-06550: line 16, column 3:
PL/SQL: Statement ignored
```

```
SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
```

```
SQL> @@
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
      select sum(goals),sum(matches),count(goals),count(matches) into
totalgoals,totalmatches from football;
*
```

```
ERROR at line 14:
```

```
ORA-06550: line 14, column 67:
PLS-00201: identifier 'TOTALGOALS' must be declared
ORA-06550: line 14, column 91:
PL/SQL: ORA-00904: : invalid identifier
ORA-06550: line 14, column 3:
PL/SQL: SQL Statement ignored
ORA-06550: line 15, column 3:
PLS-00201: identifier 'MEANOFGOALS' must be declared
ORA-06550: line 15, column 3:
PL/SQL: Statement ignored
ORA-06550: line 16, column 32:
PLS-00204: function or pseudo-column 'COUNT' may be used inside a SQL statement
only
ORA-06550: line 16, column 3:
PL/SQL: Statement ignored
ORA-06550: line 18, column 61:
PLS-00201: identifier 'TOTALGOALS' must be declared
ORA-06550: line 18, column 5:
PL/SQL: Statement ignored
ORA-06550: line 20, column 58:
PLS-00201: identifier 'MEANOFGOALS' must be declared
ORA-06550: line 20, column 2:
PL/SQL: Statement ignored
```

```
SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
```

```
SQL> @@
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
      select sum(goals),sum(matches),count(goals),count(matches) into
totalgoals,totalmatches,countgoals,countmatches from football;
```

*

```
ERROR at line 14:  
ORA-06550: line 14, column 67:  
PLS-00201: identifier 'TOTALGOALS' must be declared  
ORA-06550: line 14, column 115:  
PL/SQL: ORA-00904: : invalid identifier  
ORA-06550: line 14, column 3:  
PL/SQL: SQL Statement ignored  
ORA-06550: line 15, column 3:  
PLS-00201: identifier 'MEANOFGOALS' must be declared  
ORA-06550: line 15, column 3:  
PL/SQL: Statement ignored  
ORA-06550: line 16, column 32:  
PLS-00201: identifier 'COUNTMATCHES' must be declared  
ORA-06550: line 16, column 3:  
PL/SQL: Statement ignored  
ORA-06550: line 18, column 61:  
PLS-00201: identifier 'TOTALGOALS' must be declared  
ORA-06550: line 18, column 5:  
PL/SQL: Statement ignored  
ORA-06550: line 20, column 58:  
PLS-00201: identifier 'MEANOFGOALS' must be declared  
ORA-06550: line 20, column 2:  
PL/SQL: Statement ignored
```

```
SQL> edit  
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
```

```
SQL> select sum(goals),sum(matches),count(goals),count(matches) into  
totalgoals,totalmatches,countgoals,countmatches from football;  
select sum(goals),sum(matches),count(goals),count(matches) into  
totalgoals,totalmatches,countgoals,countmatches from football  
*
```

```
ERROR at line 1:  
ORA-00905: missing keyword
```

```
SQL> select sum(goals) as totalgoals,sum(matches) as totalmatches,count(goals) as  
countgoals,count(matches) into totalgoals,totalmatches,countgoals,countmatches from  
football;  
select sum(goals) as totalgoals,sum(matches) as totalmatches,count(goals) as  
countgoals,count(matches) into totalgoals,totalmatches,countgoals,countmatches from  
football
```

```
*  
ERROR at line 1:  
ORA-00905: missing keyword
```

```

SQL> select sum(goals) as totalgoals,sum(matches) as totalmatches,count(goals) as
countgoals,count(matches) as countmatches from football;

TOTALGOALS TOTALMATCHES COUNTGOALS COUNTMATCHES
-----
1963          4080           20            20

SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql

SQL> @@
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
      select sum(goals),sum(matches),count(goals),count(matches) into
      totalgoals,totalmatches,countgoals,countmatches from
football;

*
ERROR at line 14:
ORA-06550: line 14, column 98:
PLS-00201: identifier 'COUNTGOALS' must be declared
ORA-06550: line 14, column 122:
PL/SQL: ORA-00904: : invalid identifier
ORA-06550: line 14, column 3:
PL/SQL: SQL Statement ignored
ORA-06550: line 15, column 31:
PLS-00201: identifier 'COUNTGOALS' must be declared
ORA-06550: line 15, column 3:
PL/SQL: Statement ignored
ORA-06550: line 16, column 32:
PLS-00201: identifier 'COUNTMATCHES' must be declared
ORA-06550: line 16, column 3:
PL/SQL: Statement ignored

SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql

SQL> @@
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
      select sum(goals),sum(matches),count(goals),count(matches) into
totalgoals,totalmatches,countgoals,countmatches from football;

*
ERROR at line 14:
ORA-06550: line 14, column 91:

```

```
PLS-00201: identifier 'COUNTGOALS' must be declared
ORA-06550: line 14, column 115:
PL/SQL: ORA-00904: : invalid identifier
ORA-06550: line 14, column 3:
PL/SQL: SQL Statement ignored
ORA-06550: line 15, column 31:
PLS-00201: identifier 'COUNTGOALS' must be declared
ORA-06550: line 15, column 3:
PL/SQL: Statement ignored
ORA-06550: line 16, column 32:
PLS-00201: identifier 'COUNTMATCHES' must be declared
ORA-06550: line 16, column 3:
PL/SQL: Statement ignored
```

```
SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
```

```
SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
```

```
SQL> @@
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
      select sum(goals),sum(matches),count(goals),count(matches) into
totalgoals,totalmatches,countgoals,countmatches from football;
```

```
*
```

```
ERROR at line 14:
ORA-06550: line 14, column 91:
PLS-00201: identifier 'COUNTGOALS' must be declared
ORA-06550: line 14, column 115:
PL/SQL: ORA-00904: : invalid identifier
ORA-06550: line 14, column 3:
PL/SQL: SQL Statement ignored
ORA-06550: line 15, column 31:
PLS-00201: identifier 'COUNTGOALS' must be declared
ORA-06550: line 15, column 3:
PL/SQL: Statement ignored
ORA-06550: line 16, column 32:
PLS-00201: identifier 'COUNTMATCHES' must be declared
ORA-06550: line 16, column 3:
PL/SQL: Statement ignored
```

```
SQL> edit
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
```

```
SQL> @  
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql  
totalgoals 1963  
totalmatches 4080  
mean of goals is : 98.15  
mean of matches is : 204
```

PL/SQL procedure successfully completed.

```
SQL> edit  
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql
```

```
SQL> @  
C:\Users\Ayush\OneDrive\Desktop\DATA_SCIENTIST\ORACLE_AND_MONGODB\PRACTISE\PL_SQL\PL_SQL_1\sql18.sql  
totalgoals 1963  
totalmatches 4080  
mean of goals is : 98.15  
mean of matches is : 204  
mean percent is 48.11274509803921568627450980392156862745
```

PL/SQL procedure successfully completed.

```
SQL>
```