- New approaches to teachers' experience of stress: Do heart rate measurements with fitness
- trackers provide an efficient, inexpensive, and robust measurement method?
- Mandy Klatt¹, Peer Keßler¹, Gregor Kachel^{1,2}, Christin Lotz¹, & Anne Deiglmayr¹
- ¹ Leipzig University
- ² Max Planck Institute for Evolutionary Anthropology

6 Author Note

- We received funding from QualiFond of University Leipzig. We have no conflicts of
- 8 interest to disclose. This article is based on data used at conference presentations
- 9 (DACH-Nachwuchsakademie, 2022; EARLI SIG 11, 2022; EARLI SIG 27, 2022).
- The authors made the following contributions. Mandy Klatt: Conceptualization,
- Writing Original Draft Preparation, Writing Review & Editing; Peer Keßler: Writing -
- Original Draft Preparation, Writing Review & Editing; Gregor Kachel:
- 13 Conceptualization, Writing Original Draft Preparation, Writing Review & Editing;
- ¹⁴ Christin Lotz: Conceptualization, Writing Original Draft Preparation, Writing Review
- ¹⁵ & Editing; Anne Deiglmayr: Supervision.
- 16 Correspondence concerning this article should be addressed to Mandy Klatt,
- Dittrichring 5-7, 04109 Leipzig. E-mail: mandy.klatt@uni-leipzig.de

Abstract 18

34

One or two sentences providing a basic introduction to the field, comprehensible to a scientist in any discipline.

Two to three sentences of more detailed background, comprehensible to scientists 21 in related disciplines.

One sentence clearly stating the **general problem** being addressed by this particular 23 study. 24

One sentence summarizing the main result (with the words "here we show" or their 25 equivalent).

Two or three sentences explaining what the main result reveals in direct comparison to what was thought to be the case previously, or how the main result adds to previous knowledge.

One or two sentences to put the results into a more **general context**. 30

Two or three sentences to provide a **broader perspective**, readily comprehensible to 31 a scientist in any discipline.

Keywords: heart rate; photoplethysmography; wearable electronic device; teaching 33 Word count: X

New approaches to teachers' experience of stress: Do heart rate measurements with fitness trackers provide an efficient, inexpensive, and robust measurement method?

Introduction

37

Physiological data such as heart rate are becoming increasingly important in research on stress experience. They represent an important indicator of physical or emotional stress, as increased workload is associated with increased heart rate (Sachs, 2014). Furthermore, they allow a more objective recording of stress than self-reports (Runge, Haarman, & Fisher, n.d.). However, capturing heart rate in an educational context requires the use of low-cost and non-invasive instruments. Fitness trackers worn on the wrist have the potential to be such a useful tool (Ferguson, Rowlands, Olds, & Maher, 2015).

To date, there is still little evidence on the usefulness of heart rate measurements using fitness trackers in teaching and learning settings (Ertzberger & Martin, 2016; Lowe, 2016). Runge et al. (n.d.) alone examined teacher stress in a relatively small sample (N = 4 teachers) and showed that high heart rate, high step count, and little sleep indicate more stress in teachers.

Thus, there remains a lack of robust studies on whether fitness trackers are an
efficient, inexpensive, and robust measurement method for assessing teachers' experience of
stress. Since, among other things, greater professional experience is associated with lower
feelings of stress in the teaching profession (Fisher, 2011), this study will also consider the
heart rate measurements of experienced and inexperienced teachers.

$_{55}$ Aim of the study

Against this background, we investigated whether heart rate measurements using
fitness trackers in a controlled teaching-learning setting are suitable to map differences
between (1) anticipation, arousal, and rest phases. We expected heart rates to be higher in

the arousal phase than in the rest phases.

60 Methods

We report how we determined our sample size, all data exclusions (if any), all manipulations, and all measures in the study.

63 Participants

- The sample consisted of N=63 participants. Data of two participants were excluded from the analyses due to insufficient data quality.
- The subjects (40 women; 63.49 %) had a mean age of 29.30 years (SD = 10.30; range: 19-59) and an average teaching experience of 4.51 years (SD = 9.18; range: 0-37).

68 Material

We used a Fitbit Charge 4 to measure the teachers' heart rate. The device was
attached 2-finger widths above the ulnar styloid process to the subject's wrist following the
manufacturer's instructions. To determine the heart rate, the Fitbit flashes green LEDs
many times per second and uses light-sensitive photodiodes to measure the volume changes
in the capillaries and then calculates how many times the heart beats per minute (bpm).

Data were automatically wireless synced with an iPad via Bluetooth to a Fitbit account,
and subsequently, the intraday second-by-second data were exported for each session using
the opensource software Pulse Watch (PulseWatch. URL:
https://iccir919.github.io/pulseWatch/public/index.html [accessed 2022-08-03]).

78 Procedure

In a laboratory setting, three trained actors performed teaching disruptions in a counter balanced fashion while the subject taught a 15-minute micro-teaching unit prepared in advance. To record the subject's heart rate, the Fitbit Charge 4 was put on at least 10 minutes before the start of the lesson. The lesson was recorded by four cameras and an audio recorder. In addition, the subject wore eye-tracking glasses to record gaze behavior.

Subsequently, the subjects as well as the actors were given a short questionnaire,
which contained items to collect demographic information as well as items about the
previously given lesson on teaching quality using a validated questionnaire (EMU, Helmke
et al. (2014)) and self developed scales on the teacher's presence behavior derived from the
research literature via the online survey website SoSci Survey (4-point Likert scale; 1 =
strongly disagree; 2 = disagree; 3 = agree; 4 = strongly agree). The completion of the
questionnaire took approximately 5 minutes.

The experimenter then conducted a Stimulated Recall Interview (SRI), where the subject commented and rated the reactions to classroom events while watching the eye tracking video.

Finally, a Situational Judgment Test (SJT, Gold and Holodynski (2015)) was used to assess the subject's strategic knowledge of classroom management. The subject was asked to judge alternative actions on school scenarios on a 6-point rating scale from 1 (A) to 6 (F) according to school grades. Data from the SJT were again collected as an online questionnaire via the website www.soscisurvey.de and lastet approximately 10 minutes.

The Fitbit watch was removed only after the last questionnaire to obtain heart rate at three different measurement time points: before, during, and after the lesson.

101 Data analysis

We used R (Version 4.1.3; R Core Team, 2022) and the R-packages broom (Version 1.0.1; Robinson, Hayes, & Couch, 2022), cowplot (Version 1.1.1; Wilke, 2020), DescTools (Version 0.99.45; Andri et mult. al., 2022), dplyr (Version 1.0.10; Wickham, François, Henry, & Müller, 2022), forcats (Version 0.5.1; Wickham, 2021), qqplot2 (Version 3.3.5;

```
Wickham, 2016), qqpubr (Version 0.4.0; Kassambara, 2020), qqthemes (Version 4.2.4;
106
    Arnold, 2021), qridExtra (Version 2.3; Auguie, 2017), imputeTS (Version 3.2; Moritz &
107
   Bartz-Beielstein, 2017), janitor (Version 2.1.0; Firke, 2021), jtools (Version 2.2.0; Long,
108
   2022), lm. beta (Version 1.6.2; Behrendt, 2022), lme4 (Version 1.1.30; Bates, Mächler,
109
   Bolker, & Walker, 2015), ltm (Version 1.2.0; Rizopoulos, 2006), lubridate (Version 1.8.0;
110
    Grolemund & Wickham, 2011), MASS (Version 7.3.55; Venables & Ripley, 2002), Matrix
111
    (Version 1.5.1; Bates, Maechler, & Jagan, 2022), msm (Version 1.6.9; Jackson, 2011), needs
112
    (Version 0.0.3; Katz, 2016), papaja (Version 0.1.0.9999; Aust & Barth, 2020), polycor
113
    (Version 0.8.1; Fox, 2022), ppcor (Version 1.1; Kim, 2015), purrr (Version 0.3.4; Henry &
114
    Wickham, 2020), readr (Version 2.1.2; Wickham, Hester, & Bryan, 2022), readxl (Version
115
   1.4.0; Wickham & Bryan, 2022), rstatix (Version 0.7.0; Kassambara, 2021), stringr
116
    (Version 1.4.0; Wickham, 2019), tibble (Version 3.1.6; Müller & Wickham, 2021), tidyr
    (Version 1.2.0; Wickham & Girlich, 2022), tidyverse (Version 1.3.1; Wickham et al., 2019),
118
    tinylabels (Version 0.2.3; Barth, 2022), viridis (Version 0.6.2; Garnier et al., 2021a, 2021b),
119
   and viridisLite (Version 0.4.0; Garnier et al., 2021b) for all our analyses.
120
```

FitBit. All participants were given a FitBit Smart Watch Charge 4 to wear during the experiment.

3 Heart Rate

124

The heart rate of each subject were measured before, during and after the experiment.

Steps. Using the FitBit we measured the steps a person walked during the
experiment as well. We validated the steps in six randomly selected videos by manual step
counting. A step was considered to be the movement of the subject's foot forward,
backward, or sideways. The measurement was not as reliable as hoped.

129 Results

130

Discussion and implication

131 References

- Andri et mult. al., S. (2022). DescTools: Tools for descriptive statistics. Retrieved from
- https://cran.r-project.org/package=DescTools
- Arnold, J. B. (2021). Ggthemes: Extra themes, scales and geoms for 'ggplot2'. Retrieved
- from https://CRAN.R-project.org/package=ggthemes
- Auguie, B. (2017). gridExtra: Miscellaneous functions for "grid" graphics. Retrieved from
- https://CRAN.R-project.org/package=gridExtra
- Aust, F., & Barth, M. (2020). papaja: Prepare reproducible APA journal articles with R
- 139 Markdown. Retrieved from https://github.com/crsh/papaja
- Barth, M. (2022). tinylabels: Lightweight variable labels. Retrieved from
- https://cran.r-project.org/package=tinylabels
- Bates, D., Mächler, M., Bolker, B., & Walker, S. (2015). Fitting linear mixed-effects
- models using lme4. Journal of Statistical Software, 67(1), 1–48.
- https://doi.org/10.18637/jss.v067.i01
- Bates, D., Maechler, M., & Jagan, M. (2022). Matrix: Sparse and dense matrix classes and
- methods. Retrieved from https://CRAN.R-project.org/package=Matrix
- Behrendt, S. (2022). Lm.beta: Add standardized regression coefficients to lm-objects.
- Retrieved from https://CRAN.R-project.org/package=lm.beta
- Ertzberger, J., & Martin, F. (2016). Use of fitness bands by teachers in the classroom.
- 150 Tech Trends, 60(4), 392-397.
- Ferguson, T., Rowlands, A. V., Olds, T., & Maher, C. (2015). The validity of
- consumer-level, activity monitors in healthy adults worn in free-living conditions: A
- cross-sectional study. International Journal of Behavioral Nutrition and Physical
- 154 Activity, 12(1), 1-9.
- Firke, S. (2021). Janitor: Simple tools for examining and cleaning dirty data. Retrieved
- from https://CRAN.R-project.org/package=janitor
- Fisher, M. H. (2011). Factors influencing stress, burnout, and retention of secondary

- teachers. Current Issues in Education, 14(1).
- Fox, J. (2022). Polycor: Polychoric and polyserial correlations. Retrieved from
- https://CRAN.R-project.org/package=polycor
- Garnier, Simon, Ross, Noam, Rudis, Robert, ... Cédric. (2021a). viridis -
- colorblind-friendly color maps for r. https://doi.org/10.5281/zenodo.4679424
- Garnier, Simon, Ross, Noam, Rudis, Robert, ... Cédric. (2021b). viridis -
- colorblind-friendly color maps for r. https://doi.org/10.5281/zenodo.4679424
- Gold, B., & Holodynski, M. (2015). Development and construct validation of a situational
- judgment test of strategic knowledge of classroom management in elementary schools.
- Educational Assessment, 20(3), 226-248.
- Grolemund, G., & Wickham, H. (2011). Dates and times made easy with lubridate.
- Journal of Statistical Software, 40(3), 1–25. Retrieved from
- https://www.jstatsoft.org/v40/i03/
- Helmke, A., Helmke, T., Lenske, G., Pham, G., Praetorius, A.-K., Schrader, F.-W., &
- AdeThurow, M. (2014). Unterrichtsdiagnostik mit EMU. Aus-Und Fortbildung Der
- 173 Lehrkräfte in Hinblick Auf Verbesserung Der Diagnosefähigkeit, Umgang Mit
- Heterogenität Und Individuelle Förderung, 149–163.
- Henry, L., & Wickham, H. (2020). Purrr: Functional programming tools. Retrieved from
- https://CRAN.R-project.org/package=purrr
- Jackson, C. H. (2011). Multi-state models for panel data: The msm package for R. Journal
- of Statistical Software, 38(8), 1–29. Retrieved from https://www.jstatsoft.org/v38/i08/
- Kassambara, A. (2020). Gapubr: 'qaplot2' based publication ready plots. Retrieved from
- https://CRAN.R-project.org/package=ggpubr
- 181 Kassambara, A. (2021). Rstatix: Pipe-friendly framework for basic statistical tests.
- Retrieved from https://CRAN.R-project.org/package=rstatix
- ¹⁸³ Katz, J. (2016). Needs: Attaches and installs packages. Retrieved from
- https://CRAN.R-project.org/package=needs

- 185 Kim, S. (2015). Ppcor: Partial and semi-partial (part) correlation. Retrieved from
- https://CRAN.R-project.org/package=ppcor
- Long, J. A. (2022). Jtools: Analysis and presentation of social scientific data. Retrieved
- from https://cran.r-project.org/package=jtools
- Lowe, H. (2016). Educational behavior apps and wearable devices: Current research and
- prospects. Educational Technology, 30–33.
- Moritz, S., & Bartz-Beielstein, T. (2017). imputeTS: Time Series Missing Value
- Imputation in R. The R Journal, 9(1), 207–218. https://doi.org/10.32614/RJ-2017-009
- ¹⁹³ Müller, K., & Wickham, H. (2021). Tibble: Simple data frames. Retrieved from
- https://CRAN.R-project.org/package=tibble
- R Core Team. (2022). R: A language and environment for statistical computing. Vienna,
- Austria: R Foundation for Statistical Computing. Retrieved from
- https://www.R-project.org/
- Rizopoulos, D. (2006). Ltm: An r package for latent variable modelling and item response
- theory analyses. Journal of Statistical Software, 17(5), 1–25. Retrieved from
- 200 https://doi.org/10.18637/jss.v017.i05
- Robinson, D., Hayes, A., & Couch, S. (2022). Broom: Convert statistical objects into tidy
- 202 tibbles. Retrieved from https://CRAN.R-project.org/package=broom
- Runge, N., Haarman, S., & Fisher, M. H. (n.d.). Using fithit fitness trackers to measure
- teacher stress and coping.
- Sachs, S. (2014). Physiologische parameter zur bewertung der lernwirksamkeit von
- lernsituationen (PhD thesis). Universität Ulm.
- Venables, W. N., & Ripley, B. D. (2002). Modern applied statistics with s (Fourth). New
- York: Springer. Retrieved from https://www.stats.ox.ac.uk/pub/MASS4/
- Wickham, H. (2016). ggplot2: Elegant graphics for data analysis. Springer-Verlag New
- York. Retrieved from https://ggplot2.tidyverse.org
- Wickham, H. (2019). Stringr: Simple, consistent wrappers for common string operations.

- Retrieved from https://CRAN.R-project.org/package=stringr
- ²¹³ Wickham, H. (2021). Forcats: Tools for working with categorical variables (factors).
- Retrieved from https://CRAN.R-project.org/package=forcats
- Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., ...
- Yutani, H. (2019). Welcome to the tidyverse. Journal of Open Source Software, 4(43),
- 217 1686. https://doi.org/10.21105/joss.01686
- Wickham, H., & Bryan, J. (2022). Readxl: Read excel files. Retrieved from
- 219 https://CRAN.R-project.org/package=readxl
- Wickham, H., François, R., Henry, L., & Müller, K. (2022). Dplyr: A grammar of data
- manipulation. Retrieved from https://CRAN.R-project.org/package=dplyr
- Wickham, H., & Girlich, M. (2022). Tidyr: Tidy messy data. Retrieved from
- https://CRAN.R-project.org/package=tidyr
- Wickham, H., Hester, J., & Bryan, J. (2022). Readr: Read rectangular text data. Retrieved
- from https://CRAN.R-project.org/package=readr
- Wilke, C. O. (2020). Cowplot: Streamlined plot theme and plot annotations for 'qqplot2'.
- Retrieved from https://CRAN.R-project.org/package=cowplot

 $\label{eq:continuous_problem} \begin{tabular}{ll} Table 1 \\ Demographic Information \\ \end{tabular}$

N	Gender female in percent	M Age in years	SD Age in years	Min Age in years	Max Age in years	M Teaching Experience in years	SD Teaching E
63	63.49	29.32	10.34	19.00	59.00	4.51	9.18