

Through the eyes of the teacher

Mandy Klatt¹, Dr. Gregor Kachel^{1, 2}, Dr. Christin Lotz¹, & Prof. Dr. Anne Deiglmayr¹

¹ University of Leipzig

² MPI for Evolutionary Anthropology, Leipzig

Author Note

The study was carried out with the permission of Ethics Committee of the University of Leipzig.

Correspondence concerning this article should be addressed to Mandy Klatt, Egelstraße 2a 04103 Leipzig. E-mail: mandy.klatt@uni-leipzig.de

Abstract

10

11 This document is a supplement to the paper.

12 *Keywords:* keywords

13 Word count: X

Through the eyes of the teacher

State of research

Teaching and classroom management are multidimensional settings in which teachers have to respond immediately to events as they develop (Barnes, 2004). The different interests and abilities of students must be managed in a way that maximizes the active learning time of students and minimizes disruptions whilst teaching. Learning to develop such classroom management skills and to teach effectively is a complicated and complex process (Wolff, Jarodzka, & Boshuizen, 2017).

During teaching, teachers must be able to select from a variety of visual and acoustic impressions to focus their attention on the essential and to distinguish between relevant and irrelevant events. This ability is called professional vision and is a key component of teacher expertise and successful teaching (Barth, 2017). Eye tracking technology has become a reliable means to study teachers' visual focus of attention (Bogert, 2016; Pouta, Lehtinen, & Palonen, 2020; Wolff, Jarodzka, & Boshuizen, 2017)

Educational research has repeatedly shown that there are differences between experienced and novice teachers in terms of perception and behavioral competencies (Barth, 2017; Bogert, 2016; Wolff, Jarodzka, & Boshuizen, 2017). For example, experts direct their attention more often and more evenly to all students, whereas novices only direct their attention to some students. The frequency and duration of fixations as eye movement are decisive (Stuermer, Seidel, Mueller, Häusler, & Cortina, 2017). Mobile eye-tracking technology has also shown that experienced teachers distribute their focus more efficiently to solve tasks (Jarodzka, Scheiter, Gerjets, & Van Gog, 2010). Furthermore, in contrast to novices, experts are able to focus their attention on the entire class and guide the class while giving feedback to individual students and answering questions (Cortina, Miller, McKenzie, & Epstein, 2015).

Research questions

The first study is a laboratory study that uses a quasi-experimental cross-sectional study design to investigate whether the experience of teachers has an influence on the perception of and response to disruptions. The disturbances are experimentally varied using a previously written script. Thus, the aim is to find out whether differences in the allocation of attention between expertise groups can be detected in this controlled context.

In order to answer this question, the hypothesis was formulated that teachers with more professional experience not only notice more disturbances but also notice them faster. In the hypothesis, therefore, it is necessary to check what has already been shown in the research literature: In complex teaching situations, experts have a more structured and elaborate professional knowledge than novices in order to perceive and interpret relevant events and to act appropriately (Berliner, 2001; Lachner, Jarodzka, & Nückles, 2016).

Methods

We report how we determined our sample size, all data exclusions (if any), all manipulations, and all measures in the study.

Participants

For the sample recruitment of the subjects ($N = 48$, experts $n = 24$, novices $n = 24$), schools in the city of Leipzig in Saxony were contacted. The institutions as well as the subjects were informed in detail about the aim and intention of the dissertation project in advance. Participation in the study was voluntary and only took place after written consent has been given.

The selection of the subjects was based on extreme groups, whereby professional experience is the crucial criterion for the selection of experts or novices. Novices were recruited as teachers who have been working in the teaching profession for no more than 3

Table 1

Demographic Information and Teaching Experience

group	N	Male	M age	Min age	Max age	SD age	M exp.	Min exp.	Max exp.	SD exp.
expert	2	1	47.50	44	51	4.95	20.00	15.00	25.00	7.07
novice	6	2	25.67	20	33	4.89	0.68	0.00	1.50	0.68

years, whereas experts were considered to have professional experience of 10 years or more
(Messner & Reusser, 2000).

Data collection

(ref:data_collection-caption) Illustration of comic material that made the second
author of this paper chuckle a bit. For advice on how to insert images, please see the code
chunk.

\begin{figure}



\caption{(ref:data_collection-caption)}(#fig:data collection) \end{figure}

For this study, lesson units of $n = 24$ experts and $n = 24$ novices were recorded by the mobile laboratory of the Department of Empirical School and Classroom Research at the University of Leipzig. The two extreme groups were each divided into groups of four, with one group being invited on each of six different dates. All participants were asked to hold a 15-minute lesson. The duration of each appointment was approximately 2h30min: per extreme group 4 x 15min briefing, 15min lesson units, 10min technical preparation and follow-up and 5min buffer/break.

One person from the group of 4 acted as a teacher, the other three subjects acted as the class. The subjects, who represented the class, were given behavioral instructions in a pre-written script to simulate typical events and disturbances in the classroom (e.g. putting their heads on the table, chatting, looking at their mobile phones, etc.).

The lesson disturbances were displayed as instructions during the lesson for all “students” but not the teacher. In order to avoid learning effects, the disruptions in each lesson were distributed pseudo-randomly over the short teaching phase. In addition, the order of the data collection was taken into account in the analyses and variance caused by order was controlled.

By using mobile eye-trackers, the gaze and behavior of the experts and novices was recorded during the lesson. In addition, what the participating teachers said was recorded with a portable microphone. Other sounds and voices were recorded with an audio recorder installed in the middle of the laboratory. Movements, facial expressions and gestures of the subjects were recorded by four cameras from different angles. One camera was installed to film the class from the side. Two more cameras were installed on the blackboard and at the end of the laboratory to film the teacher and class from the front and back. In addition, it the fourth camera was installed in such a way that only facial expressions and gestures of the teacher were recorded, which enables a semi-automated analysis of the movement sequences.

The lessons recorded on video were coded in a post-hoc procedure with a coding software by previously trained raters. The statistical data have been analyzed by using the program RStudio [Link: <https://rstudio.com/>].

Measures

Questionnaire Data. *Describe how we collect questionnaire data (paper or online). Add some basic information about the structure of the questionnaire.*

The questionnaire contains the following scales:

- (1) classroom management
- (2) positive climate and motivation
- (3) clarity and structuredness

- (4) activation and support
- (5) presence: posture and gaze
- (6) presence: voice
- (7) presence: verbal and non-verbal intervention
- (8) turn taking
- (9) natural behaviour

The table below provides an overview over the mean, min, max and standard deviation of all scales.

```
## Warning in mean.default(value): argument is not numeric or logical: returning NA
```

```
## Warning in mean.default(value): argument is not numeric or logical: returning NA
```

```
## Warning in mean.default(value): argument is not numeric or logical: returning NA
```

```
## Warning in mean.default(value): argument is not numeric or logical: returning NA
```

```
## Warning in mean.default(value): argument is not numeric or logical: returning NA
```

```
## Warning in mean.default(value): argument is not numeric or logical: returning NA
```

```
## Warning in mean.default(value): argument is not numeric or logical: returning NA
```

```
## Warning in mean.default(value): argument is not numeric or logical: returning NA
```

```
## Warning in mean.default(value): argument is not numeric or logical: returning NA
```



```
135 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
136
137 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
138
139 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
140
141 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
142
143 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
144
145 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
146
147 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
148
149 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
150
151 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
152
153 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
154
155 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
156
157 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
158
159 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
160
161 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
```

162

```
163 ## Warning in mean.default(value): argument is not numeric or logical: returning NA
```

```
164 ## Warning in var(if (is.vector(x) || is.factor(x)) x else as.double(x), na.rm =
```

```
165 ## na.rm): NAs durch Umwandlung erzeugt
```

166

```
167 ## Warning in var(if (is.vector(x) || is.factor(x)) x else as.double(x), na.rm =
```

```
168 ## na.rm): NAs durch Umwandlung erzeugt
```

169

```
170 ## Warning in var(if (is.vector(x) || is.factor(x)) x else as.double(x), na.rm =
```

```
171 ## na.rm): NAs durch Umwandlung erzeugt
```

172 **Eye-tracking equipment.** A binocular Tobii Pro Glasses 2 eye-tracker consisting of a
 173 wearable head unit and a recording unit was used to record the eye movements. The head
 174 unit is a measuring device with different sensitive sensors. A high-definition scene camera
 175 captures a full HD video and an integrated microphone records the surrounding sounds.

176 Infrared light illuminators support the eye tracking sensors which record the eye
 177 orientation. The videos were recorded with a sampling rate of 50 Hz and a video resolution
 178 with 1920 x 1080 at 25 frames per second. The scene camera has a field of view of 90 deg.
 179 in 16:9 format (82 deg. horizontal and 52 deg. vertical) and has a frame dimension of 179 x
 180 159 x 57mm (width x depth x height). The Tobii Pro Glasses Controller software was used
 181 to record and calibrate the eye movements.

182 The Tobii Pro Glasses 2 software allows for non-screen based recordings of a participants'
 183 attention while moving in real-world settings. The recordings of the glasses contain both
 184 HD-video from the subject's perspective as well as the respective gaze data mapped onto
 185 the video. In order to map multiple recordings to AOIs, it is necessary to import the
 186 eye-tracking recordings into the Tobii Pro Analyzer software. Also, it is necessary to create
 187 a reference image of the scene in which one wishes to plot the gaze data (i.e. snapshot).

Once the snapshot is imported, the gaze recordings of multiple recordings can be mapped to the reference image and analyzed in aggregated form. Tobii Pro does not allow to do AOI based analyses within Pro Lab. Also, the dependency on snapshot reference images makes this approach impractical when working in different settings, i.e. different classrooms with various participants. Finally, mapping gaze to people or any moving objects complicated the analyses further.

Data analysis

We used R [Version 4.0.3; R Core Team (2019)] and the R-packages *dplyr* [R-dplyr], *forcats* [Version 0.5.0; Wickham (2020a)], *ggplot2* [Version 3.3.2; Wickham (2016)], *papaja* [Version 0.1.0.9997; Aust and Barth (2020)], *papayar* (Muschelli, 2016), *purrr* [Version 0.3.4; Henry and Wickham (2020)], *readr* [Version 1.4.0; Wickham, Hester, and Francois (2018)], *stringr* [Version 1.4.0; Wickham (2019)], *tibble* [Version 3.0.4; Müller and Wickham (2021)], *tidyr* [Version 1.1.2; Wickham (2020b)], and *tidyverse* [Version 1.3.0; Wickham et al. (2019)] for all our analyses.

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Results

Questionnaire Data. *Start entering descriptives and plots here* Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et

dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo
dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum
dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy
eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At
vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea
takimata sanctus est Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor
invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et
accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata
sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing
elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat,
sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita
kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Discussion

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor
invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et
accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata
sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing
elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat,
sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita
kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

References

- Aust, F., & Barth, M. (2020). *papaja: Create APA manuscripts with R Markdown*. Retrieved from <https://github.com/crsh/papaja>
- Barnes, D. (2004). The significance of teachers' frames for teaching. In *Teachers and teaching* (pp. 16–38). Routledge.
- Barth, V. L. (2017). *Professionelle wahrnehmung von störungen im unterricht*. Springer.
- Berliner, D. C. (2001). Learning about and learning from expert teachers. *International Journal of Educational Research*, 35(5), 463–482.
- Bogert, N. J. van den. (2016). *On teachers' visual perception and interpretation of classroom events using eye tracking and collaborative tagging methodologies*. Technische Universiteit Eindhoven.
- Cortina, K. S., Miller, K. F., McKenzie, R., & Epstein, A. (2015). Where low and high inference data converge: Validation of CLASS assessment of mathematics instruction using mobile eye tracking with expert and novice teachers. *International Journal of Science and Mathematics Education*, 13(2), 389–403.
- Henry, L., & Wickham, H. (2020). *Purrr: Functional programming tools*. Retrieved from <https://CRAN.R-project.org/package=purrr>
- Jarodzka, H., Scheiter, K., Gerjets, P., & Van Gog, T. (2010). In the eyes of the beholder: How experts and novices interpret dynamic stimuli. *Learning and Instruction*, 20(2), 146–154.
- Lachner, A., Jarodzka, H., & Nückles, M. (2016). What makes an expert teacher? Investigating teachers' professional vision and discourse abilities. *Instructional Science*, 44(3), 197–203.

Messner, H., & Reusser, K. (2000). Die berufliche entwicklung von lehrpersonen als lebenslanger prozess. *Beiträge Zur Lehrerinnen-Und Lehrerbildung*, 18(2), 157–171.

Muschelli, J. (2016). *Papayar: View medical research images using the papaya JavaScript library*. Retrieved from <https://CRAN.R-project.org/package=papayar>

Müller, K., & Wickham, H. (2021). *Tibble: Simple data frames*. Retrieved from <https://CRAN.R-project.org/package=tibble>

Pouta, M., Lehtinen, E., & Palonen, T. (2020). Student teachers' and experienced teachers' professional vision of students' understanding of the rational number concept.

R Core Team. (2019). *R: A language and environment for statistical computing*. Vienna, Austria: R Foundation for Statistical Computing. Retrieved from <https://www.R-project.org/>

Stuermer, K., Seidel, T., Mueller, K., Häusler, J., & Cortina, K. S. (2017). What is in the eye of preservice teachers while instructing? An eye-tracking study about attention processes in different teaching situations. *Zeitschrift für Erziehungswissenschaft*, 20(1), 75–92.

Wickham, H. (2016). *ggplot2: Elegant graphics for data analysis*. Springer-Verlag New York. Retrieved from <https://ggplot2.tidyverse.org>

Wickham, H. (2019). *Stringr: Simple, consistent wrappers for common string operations*. Retrieved from <https://CRAN.R-project.org/package=stringr>

Wickham, H. (2020a). *Forcats: Tools for working with categorical variables (factors)*. Retrieved from <https://CRAN.R-project.org/package=forcats>

281 Wickham, H. (2020b). *Tidyr: Tidy messy data*. Retrieved from

282 <https://CRAN.R-project.org/package=tidyr>

283 Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., . . .

284 Yutani, H. (2019). Welcome to the tidyverse. *Journal of Open Source Software*,

285 4(43), 1686. <https://doi.org/10.21105/joss.01686>

286 Wickham, H., Hester, J., & François, R. (2018). *Readr: Read rectangular text data*.

287 Retrieved from <https://CRAN.R-project.org/package=readr>

288 Wolff, C. E., Jarodzka, H., & Boshuizen, H. P. (2017). See and tell: Differences

289 between expert and novice teachers' interpretations of problematic classroom

290 management events. *Teaching and Teacher Education*, 66, 295–308.

Table 2

Mean values of all scales

group	scale	M scale	min scale	max scale	SD scale
expert	Aktivierung und Förderung	NA	1	4	1.11
expert	Klarheit und Strukturiertheit	NA	1	4	0.89
expert	Klassenmanagement	NA	1	4	0.80
expert	Lernförderliches Klima und Motivierung	NA	2	4	0.62
expert	Manipulationsitem	NA	2	4	0.69
expert	Manipulationsitem	NA	3	4	0.52
expert	Präsenz/Haltung_Blick	NA	1	4	0.92
expert	Präsenz/Stimme	NA	1	4	1.16
expert	Präsenz/Stimme	NA	2	4	0.63
expert	Präsenz/verbale_nonverbale Intervention	NA	2	4	0.78
expert	Redeanteil	NA	60	95	10.53
novice	Aktivierung und Förderung	NA	-	4	NA
novice	Klarheit und Strukturiertheit	NA	1	4	0.87
novice	Klassenmanagement	NA	0	4	0.91
novice	Lernförderliches Klima und Motivierung	NA	0	4	0.90
novice	Manipulationsitem	NA	2	4	0.45
novice	Manipulationsitem	NA	2	4	0.75
novice	Nachdenkzeit	NA	-	5-10	NA
novice	Präsenz/Haltung_Blick	NA	0	4	0.95
novice	Präsenz/Stimme	NA	0	4	1.04
novice	Präsenz/Stimme	NA	2	4	0.69
novice	Präsenz/verbale_nonverbale Intervention	NA	1	4	0.91
novice	Redeanteil	NA	50	95	12.97
novice	Störung	NA	-	Stift auf Papier schreiben	NA