

Model/Dataset	User				Agent				
	Query		Feedback		Request		Answer (Response)		
	Information	Prompt	Positive	Negative	Offer	Understand	Results	Backchannel	Empty
COR	request	withdraw	accept	reject	offer		assert	promise	reject
10			be contented	be disconte	withdraw				
CS	rt		rr		a0		a1i		
10			rp		a1p		a2+i		
			rnp		a2+p				
			rc						
SCS	Initial informati	SERP information	Confirms		Query refinement offer		SERP without modification	Confirms	
13	Intent clarification				Asks to repeat		SERP with modification		
	Query repeat						SERP with modification + Suggestion		
	Query embellishment						Scanning document theme		
ODE	set(keywords)	question(data)	confirm()	reject()	list(keywords)	prompt(keyword)	bool(data)	confirm()	
17		more()	success()		prompt(link)	verify()	count(data)	success()	
		prompt(link)					top(keywords)		
		verify()					link(dataset)		
DSTC1	inform	restart	affirm	negate	request		schedule	ack	sorry
32	nextbus	repeat			open-request	are-you-there	morebuses	hold-on	canthelp.cant_find_stop
	prevbus	tellchoices			example	bebrief		impl-conf	canthelp.from_equals_to
		goback				expl-conf			canthelp.no_buses_at_time
						please-repeat			canthelp.no_connection
						please-rephrase			canthelp.nonextbus
									canthelp.route_doesnt_run
									canthelp.system_error
									canthelp.uncovered_route
									canthelp.uncovered_stop
DSTC2	inform		ack	negate	request		inform	impl-conf	canthelp
22	request		affirm		welcomemsg	expl-conf	offer		canthelp.exception
	confirm		thankyou		reqmore	repeat			
	deny				select	confirm-domain			
	repeat								
	reqalts								

Start/End	Participant (A	Activity	Resource+activ	Models	Description	sameAs	new	Example
S	U	request	0	CfA Sitter			Query	where does the
	A	promise	0	CfA Sitter			Response	One moment, I
	U	counter	0	CfA			Query	
	A	counter	0	CfA			Request	Wouldn't it be b
	U	accept	0	CfA Sitter			Feedback	OK.
E	A	renege	0	CfA	abandon		Response	
	A	assert	0	CfA Sitter	ready		Response	In Australia. Here it is.
E	U	declare	0	CfA	evaluation		Feedback	Thanks. No, I can't find
E	U	withdraw	0	CfA Sitter			Query	
	A	withdraw	0	CfA Sitter			Request	Wouldn't it be b
E	U	reject	0	CfA Sitter			Feedback	
	A	reject	0	CfA Sitter			Response	I don't know, I c
S	A	offer	0	Sitter		A counter (Cf/	Request	But I can show
E	U	be discontented	0	Sitter	evaluation	U declare (Cf/	Feedback	
E	U	be contented	0	Sitter	evaluation	U declare (Cf/	Feedback	Thanks.
	A	a0	0	Radlinski	request user to	A offer	Request	
	A	a1p	0	Radlinski	provide a single	A assert	Response	
	A	a2+p	0	Radlinski	provide numbe	A assert	Response	
	A	a1i	0	Radlinski	provide a single	A assert	Response	
	A	a2+i	0	Radlinski	provide numbe	A assert	Response	
	U	rr	0	Radlinski	rating of the cu	U declare (Cf/	Feedback	
	U	rp	0	Radlinski	preference of th	U declare (Cf/	Feedback	
	U	rnp	0	Radlinski	lack of preferer	U declare (Cf/	Feedback	
	U	rc	0	Radlinski	critique of the i	U declare (Cf/	Feedback	
	U	rt	0	Radlinski	describe inform	U request	Query	

Star	Participant	Class	Occurrence	Occurrence	Example	A1	A2	Final	New	Description
	A	S	1868	0,26%		A	A	A		
	A	S ack	30998	4,23%	Alright Right	A assert	A assert	A assert	Response	
	A	S are-you-there	231	0,03%	Are you still there?	<b>A request*</b>	<b>A request*</b>	<b>A request*</b>	Request	
	A	S bebrief	851	0,12%	I need you to give me	<b>A request*</b>	<b>A request*</b>	<b>A request*</b>	Request	
	A	S bye	30	0,00%		<b>A bye*</b>	<b>A bye*</b>	<b>A bye*</b>	Bye	
	A	S canthelp.cant_find_stop	320	0,04%	Right I'm sorry but I do	A reject	A reject	A reject	Response	
	A	S canthelp.from_equals_to	583	0,08%		A reject	A reject	A reject	Response	
	A	S canthelp.no_buses_at_time	754	0,10%		A reject	A reject	A reject	Response	
	A	S canthelp.no_connection	2259	0,31%	I'm sorry, I don't know	A reject	A reject	A reject	Response	
	A	S canthelp.nonextbus	8	0,00%		A reject	A reject	A reject	Response	
	A	S canthelp.route_doesnt_run	113	0,02%		A reject	A reject	A reject	Response	
	A	S canthelp.system_error	48	0,01%		A reject	A reject	A reject	Response	
	A	S canthelp.uncovered_route	3187	0,44%	I'm sorry but I do not h	A reject	A reject	A reject	Response	
	A	S canthelp.uncovered_stop	2151	0,29%	I'm sorry but I do not h	A reject	A reject	A reject	Response	
	A	S didnthear	60	0,01%		A	A	A		
	<b>A</b>	<b>S example</b>	<b>169560</b>	<b>23,14%</b>	<b>you can say 10:30 in th</b>	<b>A offer</b>	<b>A assert</b>	<b>A offer</b>	<b>Request</b>	<b>flash out option</b>
	A	S expl-conf	100719	13,74%	Adelaide street. Did I g	<b>A request*</b>	<b>A request*</b>	<b>A request*</b>	Request	
	A	S goback	304	0,04%		A	A	A		
S	A	S hello	15882	2,17%	Welcome to the CMU I	A greeting	A greeting	A greeting	Hello	
	A	S hold-on	11644	1,59%	Just a minute. I'll look f	A promise	A promise	A promise	Response	
	A	S impl-conf	25850	3,53%	61C	A assert	A assert	A assert	Response	
	<b>A</b>	<b>S morebuses</b>	<b>482</b>	<b>0,07%</b>	<b>There are more buses</b>	<b>A offer</b>	<b>A promise</b>	<b>A offer</b>	<b>Response</b>	
	A	S null	1	0,00%		A	A	A		
S	A	S open-request	22028	3,01%	What can I do for you?	A offer	A offer	A offer	Request	
	A	S please-repeat	298	0,04%	Can you repeat that?	<b>A request*</b>	<b>A request*</b>	<b>A request*</b>	Request	
	A	S please-rephrase	26	0,00%		<b>A request*</b>	<b>A request*</b>	<b>A request*</b>	Request	
	A	S request	59066	8,06%	what is your	<b>A request*</b>	<b>A request*</b>	<b>A request*</b>	Request	
	A	S restart	3431	0,47%	Okay, let's start from th	A offer	A offer	A offer	Request	
	A	S schedule	12474	1,70%	The next 61C leaves F	A assert	A assert	A assert	Response	
	A	S sorry	7458	1,02%		A reject	A reject	A reject	Response	
	U	U	6432	0,88%		U	U	U		
E	U	U affirm	37624	5,13%	yes	U accept	U accept	U accept	Feedback	
	U	U bye	858	0,12%		<b>U bye*</b>	<b>U bye*</b>	<b>U bye*</b>	Bye	
	U	U goback	471	0,06%	go back	U request	U request	U request	Query	
	U	U hello	1807	0,25%	hello	<b>U hello*</b>	<b>U hello*</b>	<b>U hello*</b>	Hello	
E	<b>U</b>	<b>U inform</b>	<b>152967</b>	<b>20,87%</b>	<b>5c</b>	<b>U request</b>	<b>U request</b>	<b>U request</b>	<b>Query</b>	
	U	U negate	24809	3,39%	no	U reject	U reject	U reject	Feedback	
E	U	U nextbus	6447	0,88%	next bus	U request	U request	U request	Query	
E	U	<b>U null</b>	<b>21423</b>	<b>2,92%</b>	<b>501 what</b>	<b>U </b>	<b>U </b>	<b>U </b>		
	U	U prevbus	2347	0,32%	when is the previous b	U request	U request	U request	Query	
	U	U repeat	1081	0,15%	what	U request	U request	U request	Query	
	U	U restart	3836	0,52%	start a new query	U request	U request	U request	Query	
	U	U tellchoices	55	0,01%	tell me my choices	U request	U request	U request	Query	

Start/End	Participant	Class	Occurrences (a)	Occurrences (r)	A1	A2	Final	New	Example	Description
	A	S canthelp	1764	4,32%	A reject	A reject	A reject	Response	Sorry there is no greek restaur	
	A	S canthelp.exception	114	0,28%	A reject	A reject	A reject	Response	I am sorry but there is no other	
	A	S confirm-domain	99	0,24%	A offer	A offer	A offer	Request	You are looking for a restauran	
	A	S expl-conf	705	1,73%	A request*	A request*	A request*	Request	You are looking for a tuscan re	
	A	S impl-conf	20	0,05%	A assert	A assert	A assert	Response	There are restaurants in the ex	
	A	S inform	10384	25,42%	A assert	A assert	A assert	Response	la margherita is a nice	
	A	S offer	8074	19,76%	A assert	A assert	A assert	Response	taj tandoori is a nice restaurant	
	A	S repeat	18	0,04%	A offer	A offer	A offer	Request	Sorry I am a bit confused ; plea	
	A	S reqmore	119	0,29%	A offer	A offer	A offer	Request	Can I help you with anything el	
	A	S request	2541	6,22%	A offer	A offer	A offer	Request	What part of town do you have	
	A	S select	346	0,85%	A offer	A offer	A offer	Request	Sorry would you like romanian	
	A	S welcomemsg	2118	5,18%	A offer	A offer	A offer	Request	Hello , welcome to the Cambrid	
	U	U ack	26	0,06%	U accept	U accept	U accept	Feedback	okay	
	U	U affirm	599	1,47%	U accept	U accept	U accept	Feedback	yes	
	U	U bye	2133	5,22%	U bye*	U be contentec	U bye*	Bye	thank you	
	U	U confirm	42	0,10%	U request	U request	U request	Query	is it asian oriental	
	U	U deny	2	0,01%	U request	U request	U request	Query	hi i like a restau mistaken requ	
	U	U hello	93	0,23%	U hello*	U hello*	U hello*	Hello		
	U	U inform	6528	15,98%	U request	U request	U request	Query	i'm looking for a cheaper restau	
	U	U negate	50	0,12%	U reject	U reject	U reject	Feedback	no	
	U	U repeat	10	0,02%	U request	U request	U request	Query	can you good b mistaken requ	
	U	U reqalts	774	1,90%	U request	U request	U request	Query	how about chinese	
	U	U request	4187	10,25%	U request	U request	U request	Query	what is the	
	U	U thankyou	108	0,26%	U be contented	U be contented	U be contented	Feedback	ok thank you	

Start	Part	Class	Occur	Occurrence	A1	A2	Final	New	Example
S	U	A:Initial information request	39	38,61%	U request	U request	U request	Query	new security
	A	B:Asks to repeat	11	10,89%	<b>A request*</b>	<b>A request*</b>	<b>A request*</b>	Request	can you repeat
	U	A:Intent clarification	7	6,93%	U request	U request	U request	Query	put uhm... put i
	U	A:Query repeat	6	5,94%	U request	U request	U request	Query	compare avera
	U	A:Query embellishment	5	4,95%	U request	U request	U request	Query	New caledonia
	U	A:SERP information request	3	2,97%	U request	U request	U request	Query	what results ca
	<b>A</b>	<b>B:Query refinement offer</b>	<b>9</b>	<b>8,91%</b>	<b>A offer</b>	<b>A request*</b>	<b>A offer</b>	<b>Request</b>	<b>can I put in</b>
	A	B:SERP without modification	8	7,92%	A assert	A assert	A assert	Response	the first result
	A	B:SERP with modification	5	4,95%	A assert	A assert	A assert	Response	ok I have an ar
	A	B:Confirms	3	2,97%	A assert	A assert	A assert	Response	yes
	A	B:SERP with modification + Suggestion	2	1,98%	A assert	A assert	A assert	Response	okay... uhm dri
	A	B:Scanning document theme	1	0,99%	A assert	A assert	A assert	Response	the first result t
	U	A:Confirms	2	1,98%	U accept	U accept	U accept	Feedback	yes

Start/End	Participant	Class	Occurr	Occurrences (r	A1	A2	Final	New	Example
	A	A bool(data)	13	3,12%	A assert	A assert	A assert	Response	yes, we have d
	A	A confirm()	14	3,36%	A promise	A promise	A promise	Response	okay, give me a
	A	A count(data)	13	3,12%	A assert	A assert	A assert	Response	There are 314
	A	A greeting()	12	2,88%	<b>A hello*</b>	<b>A hello*</b>	<b>A hello*</b>	Hello	hello
	A	A link(dataset)	9	2,16%	A assert	A assert	A assert	Response	there you go: h
	A	A list(keywords)	102	24,46%	A offer	A offer	A offer	Request	I can group the
	A	A prompt(keywords)	26	6,24%	A offer	A offer	A offer	Request	Any state that i
	A	A prompt(link)	1	0,24%	A offer	A offer	A offer	Request	Should I send a
	A	A success()	10	2,40%	<b>A be contente</b>	<b>A be contente</b>	<b>A be contente</b>	Response	It was my pleas
	A	A top(keywords)	3	0,72%	A assert	A assert	A assert	Response	the most popul
	A	A verify()	3	0,72%	<b>A request*</b>	<b>A request*</b>	<b>A request*</b>	Request	is that what you
	U	U confirm()	37	8,87%	U accept	U accept	U accept	Feedback	that would be p
	U	U greeting()	8	1,92%	<b>U hello*</b>	<b>U hello*</b>	<b>U hello*</b>	Hello	hello
	U	U more()	3	0,72%	U request	U request	U request	Query	Is there only or
	U	U prompt(link)	1	0,24%	U request	U request	U request	Query	send me a link
	U	U question(data)	31	7,43%	U request	U request	U request	Query	what data do y
	U	U reject()	19	4,56%	U reject	U reject	U reject	Feedback	I think this is ac
	U	U set(keywords)	85	20,38%	U request	U request	U request	Query	have you got s
	U	U success()	26	6,24%	U be contentec	U be contentec	U be contentec	Response	Thank you very
	U	U verify()	1	0,24%	U request	U request	U request	Query	are you sure?

[illegible]



Start/End	Parti	Class	Occurrences	Occurrences (%)	A1	A2	Final	New	Example	Description
	A	Bisd	36635	16.53%	AJassert	AJassert	AJassert	Statement	{C So } I've been	Statement-non
	U	AJsd	33875	15.29%	UJassert	UJassert	UJassert	Statement	{C and } he thir	Statement-non
	A	Ab	18478	8.34%	AJaccept	AJaccept	AJaccept	Feedback	Uh-huh. /	acknowledge b
	U	Bjb	17709	7.99%	UJaccept	UJaccept	AJaccept	Feedback	Uh-huh. /	acknowledge b
	A	Bisv	13101	5.91%	AJassert	AJassert	AJassert	Statement	{F Uh. } it's rea	Statement-opir
	U	Bisv	12618	5.69%	UJassert	UJassert	UJassert	Statement	{D Well. } there	Statement-opir
	U	AJ+	9087	4.10%	UJassert	UJassert	UJassert	Statement	-- to hear about	all the problem
	A	AJ+	8737	3.94%	AJassert	AJassert	AJassert	Statement	I. - /	uninterpretab
	U	Bj%	8013	3.62%	AJ	AJ	AJ		{C But } [ th-. +	
	A	AJaa	5088	2.30%	AJaccept	AJaccept	AJaccept	Feedback	Yes, /	agree accept
	U	BJaa	5052	2.28%	UJaccept	UJaccept	UJaccept	Feedback	Yes. /	agree accept
	A	AJba	2329	1.05%	AJaccept	AJbe contented	AJbe contented	Feedback	{D Well } that's	appreciation
	U	BJba	2194	0.99%	UJaccept	AJbe contented	AJbe contented	Feedback	Wow. /	appreciation
	A	AJqy	2086	0.94%	AJrequest*	AJrequest*	AJrequest*	Query	Ever been? /	Yes-no-questio
	U	Bjx	1961	0.89%	UJ	UJ	UJ	Feedback	<Laughter>.	Non-verbal
	U	Bjy	1702	0.77%	UJrequest	UJrequest	UJrequest	Query	# Do you? # /	Yes-no-questio
	A	AJx	1669	0.75%	AJ	AJ	AJ	Feedback	<Laughter>.	Non-verbal
	U	Bjny	1492	0.67%	UJassert	UJassert	UJassert	Response	Uh-huh. /	yes answers
	A	AJny	1335	0.60%	AJassert	AJassert	AJassert	Response	yes	yes answers
	A	AJfc	1238	0.56%	AJbe contented	AJbe contented	AJbe contented	Bye	well it's been ni	conventional cl
	U	Bjfc	1166	0.53%	AJbe contented	AJbe contented	AJbe contented	Bye	well it's been ni	conventional cl
	A	AJ'r	1102	0.50%	AJaccept	AJaccept	AJaccept	Feedback	Yeah, /	Backchannel/B
	A	AJqw	1049	0.47%	AJrequest	AJrequest	AJrequest	Query	Well, how old e	Wh-question
	U	Bjsd'e	1033	0.47%	UJassert	AJassert	AJassert	Response	I would travel e	descriptive and
	U	Bj'r	1000	0.45%	UJaccept	UJaccept	UJaccept	Feedback	Uh-huh. /	Backchannel/B
	A	AJsd'e	906	0.41%	AJassert	AJassert	AJassert	Response	it's certain crim	descriptive and
	U	Bjw	843	0.38%	UJrequest	AJrequest	AJrequest	Query	What was that?	Wh-question
	A	AJsd('%	753	0.34%	AJassert	AJassert	AJassert	Statement	-- to hear about	all the problem
	A	AJqy'd	685	0.31%	AJrequest	AJrequest	AJrequest	Query	I wondered if y	yes-no questio
	A	AJh	673	0.30%	AJassert	AJreject	AJreject	Response	I don't know. /	hedge
	U	Bjnn	662	0.30%				0		no answers
	A	AJbk	641	0.29%				0		response ackn
	U	Bjbk	613	0.28%				0		response ackn
	A	AJo	598	0.27%				0		other
	U	Bjsd('%	592	0.27%				0		
	A	AJnn	570	0.26%				0		no answers
	A	AJbh	546	0.25%				0		acknowledge
	U	Bjrh	545	0.25%				0		
	U	Bjy'd	533	0.24%				0		
	A	AJsd'ti	527	0.24%				0		
	A	AJ'q	513	0.23%				0		
	U	Bjbh	498	0.23%				0		
		AJbf	480	0.22%						
		AJaa'r	462	0.21%						
		Bj'q	462	0.21%						
		Bjbf	456	0.21%						
		AJaa'r	454	0.21%						
		Bjna	438	0.20%						
		AJ'2	420	0.19%						
		Bjsd'ti	403	0.18%						
		AJad	382	0.17%						
		AJb'm	380	0.17%						
		AJgo	357	0.16%						
		AJna	326	0.15%						
		Bj'b'm	308	0.14%						
		Bj'h	299	0.14%						
		Bj'2	296	0.13%						
		Bjgo	287	0.13%						
		Bjad	286	0.13%						
		Bjqh	283	0.13%						
		AJqh	281	0.13%						
		AJ'h	254	0.12%						
		AJqy'g	246	0.11%						
		Bjo	208	0.09%						
		Bjy'g	194	0.09%						
		Bjng	186	0.08%						
		AJar	178	0.08%						
		Bjsv('%	151	0.07%						
		AJsv('%	151	0.07%						
		Bjno	150	0.07%						
		AJsd'r	141	0.06%						
		Ajno	129	0.06%						
		Bjbr	128	0.06%						
		AJjar	125	0.06%						
		AJqr	120	0.05%						
		AJqr	119	0.05%						
		AJbr	109	0.05%						
		AJfp	109	0.05%						
		Bjsd'r	107	0.05%						
		Bjny'r	106	0.05%						
		AJng	104	0.05%						
		Bjqr	101	0.05%						
		Bjfp	98	0.04%						
		Bjnd	93	0.04%						
		AJsv't	92	0.04%						
		AJny'r	90	0.04%						
		AJnd	88	0.04%						
		Bjt3	78	0.04%						
		Bjnn'r	78	0.04%						
		Bjqr	78	0.04%						
		AJfc'm	73	0.03%						
		AJqy'ti	70	0.03%						
		AJfe	70	0.03%						
		Bjsv't	65	0.03%						
		Bjfe	64	0.03%						
		Bjsv'e	61	0.03%						
		AJba'r	60	0.03%						
		AJnn'r	59	0.03%						
		Bjfc'm	58	0.03%						
		AJsv'e	57	0.03%						
		Bjt1	52	0.02%						
		AJsv'r	52	0.02%						
		AJ'g	52	0.02%						
		AJt1	50	0.02%						
		AJbd	50	0.02%						
		AJad't	46	0.02%						
		Bjbd	46	0.02%						
		Bjft	44	0.02%						
		Bjy't	44	0.02%						
		AJba'r	43	0.02%						
		AJqw'c	43	0.02%						
		Bj'g	40	0.02%						
		AJt3	39	0.02%						
		AJfa	39	0.02%						
		Bjw'c	37	0.02%						
		Bjsv'r	36	0.02%						
		Bjfa	36	0.02%						
		Bjsd'n	36	0.02%						
		AJaa'n	35	0.02%						
		BJaa'n	34	0.02%						
		AJco	33	0.02%						
		AJft	32	0.01%						
		AJsd'n	31	0.01%						
		Bjbr'm	30	0.01%						
		AJar'r	30	0.01%						
		AJap	29	0.01%						
		AJbr'm	29	0.01%						
		BJap	28	0.01%						
		AJsd'c	28	0.01%						
		AJam	26	0.01%						
		AJqw't	26	0.01%						
		Bjw't	23	0.01%						
		Bjsd'c	22	0.01%						
		Bjcc	21	0.01%						
		AJna'r	19	0.01%						
		Bjad'ti	18	0.01%						
		Bjna'r	18	0.01%						
		Bjam	18	0.01%						
		Bjna'n	17	0.01%						
		AJna'n	17	0.01%						
		Bjsv'n	16	0.01%						
		AJsd('%	16	0.01%						
		AJqy'r	16	0.01%						
		AJbk'r	16	0.01%						
		Bjco	16	0.01%						
		AJc't	15	0.01%						
		AJ"	15	0.01%						
		AJcc	14	0.01%						
		Bjfc't	14	0.01%						
		Bjbk'r	14	0.01%						
		Bjy'g	13	0.01%						
		Bjy'r	13	0.01%						
		Bjy'h	13	0.01%						
		Bjarp	12	0.01%						
		AJby	12	0.01%						
		AJy'd	12	0.01%						
		AJbk'n	12	0.01%						
		Bj"	11	0.01%						
		AJw'r	11	0.01%						
		AJarp	11	0.01%						
		Bjarp'r	11	0.01%						
		Bjfp'm	11	0.01%						
		AJfc'r	10	0.01%						
		AJsv'n	9	0.00%						
		Bjbk'n	9	0.00%						
		AJco't	9	0.00%						
		Bjfc'r	8	0.00%						
		AJqy'n	8	0.00%						
		AJqy'c	8	0.00%						
		Bjy'h	8	0.00%						
		Bjy'n	8	0.00%						
		Bjy'c	8	0.00%						
		AJq'r	7	0.00%						
		Bjbd'r	7	0.00%						
		Bjbc	7	0.00%						
		AJy'2	7	0.00%						
		Bjby	7	0.00%						
		Bjqr'd	6	0.00%						
		AJy'g	6	0.00%						
		Bjqr't	6	0.00%						
		Bjfx	6	0.00%						
		AJ'q't	6	0.00%						
		AJw't	6	0.00%						
		AJsd('%	6	0.00%						
		AJsd'e	5	0.00%						
		Bjna't	5	0.00%						
		Bjnn'n	5	0.00%						
		AJsd'2	5	0.00%						
		Bjsd'e	5	0.00%						
		AJy'd	5	0.00%						
		Bjw't	5	0.00%						
		AJf'r	4	0.00%						
		AJbc</								



Label	New	Example	Evidence	
A hello*	Hello		5_ConvBrows	
U hello*	Hello		5_ConvBrows	
A bye*	Bye		1_DSTC1	
U bye*	Bye		1_DSTC1	
A request*	Request	Can you repeat that?	1_DSTC1	
		I need you to give me a short answer.	1_DSTC1	
		Are you still there?	1_DSTC1	
		please-rephrase	1_DSTC1	
		Ever been? /	3_SwDA	
		can you repeat the sentence?	4_ConvSearch	
		is that what you are looking for?	5_ConvBrows	
A be contented*	Response	It was my pleasure	5_ConvBrows	

model	DSTC1	DSTC2	SWDA	ConvSearch	ConvBrows
request	S example				
promise	U inform				
counter	S expl-conf				
accept	S request				
renege	U affirm				
assert	S ack				
declare	S impl-conf				
withdraw	U negate				
reject	S open-request				
offer	U null				
be discontented	S hello				
be contented	S schedule				
	S hold-on				
	S sorry				
	U nextbus				
	U				
	U restart				
	S restart				
	S canthelp.uncovered_route				
	U prevbus				
	S canthelp.no_connection				
	S canthelp.uncovered_stop				
	S				
	U hello				
	U repeat				