I. INTRODUCTION



FIG. 1: Test



FIG. 2: Test



FIG. 3: Test



FIG. 6: Test



FIG. 4: Test



FIG. 5: Test



FIG. 7: Test



FIG. 8: Test

I

DATA AVAILABILITY

The data that support the findings of this study are available from the corresponding author upon reasonable request.

	Counter		**Words**	
	1 Col	2 Col	1 Col	2 Col
Words	———		134	
Figure	5	4	200	400
Table	0	0	13	26
Table Row	0	0	5	13
Eq Row	0	0	7	13
Pages	———		**3**	
Total	———		**2734**	

[1] A. G. Peeters, F. Rath, R. Buchholz, Y. Camenen, J. Candy, F. J. Casson, S. R. Grosshauser, W. A. Hornsby, D. Strintzi, and A. Weikl, "Gradient-driven flux-tube simulations of ion temperature gradient turbulence close to the non-linear threshold," Phys. Plasmas **23**, 082517 (2016).

[2] F. Rath, A. G. Peeters, R. Buchholz, S. R. Grosshauser, P. Migliano, A. Weikl, and D. Strintzi, "Comparison of gradient and flux driven gyro-kinetic turbulent transport," Phys. Plasmas **23**, 052309 (2016).

[3] A. M. Dimits, G. Bateman, M. A. Beer, B. I. Cohen, W. Dorland, G. W. Hammett, C. Kim, J. E. Kinsey, M. Kotschenreuther, A. H. Kritz, L. L. Lao, J. Mandrekas, W. M. Nevins, S. E. Parker, A. J. Redd, D. E. Shumaker, R. Sydora, and J. Weiland, "Comparisons and physics basis of tokamak transport models and turbulence simulations," Phys. of Plasmas **7**, 969–983 (2000).

[4] F. Rath, A. G. Peeters, and A. Weikl, "Analysis of zonal flow pattern formation and the modification of staircase states by electron dynamics in gyrokinetic near marginal turbulence," Phys. of Plasmas **28**, 072305 (2021).

[5] A. Weikl, A. G. Peeters, F. Rath, S. R. Grosshauser, R. Buchholz, W. A. Hornsby, F. Seiferling, and D. Strintzi, "Ion temperature gradient turbulence close to the finite heat flux threshold," Phys. Plasmas **24**, 102317 (2017).

[6] R. E. Waltz, G. D. Kerbel, J. Milovich, and G. W. Hammett, "Advances in the simulation of toroidal gyro-landau fluid model turbulence," Physics of Plasmas **2**, 2408–2416 (1995).

[7] X. Garbet, Y. Idomura, L. Villard, and T. H. Watanabe, "Gyrokinetic simulations of turbulent transport," Nuclear Fusion **50** (2010).

[8] A. Hasegawa, C. G. Maclennan, and Y. Kodama, Phys. Fluids **22**, 2122 (1979).

[9] R. E. Waltz, G. D. Kerbel, and J. Milovich, Phys. Plasmas **1**, 2229 (1994).

[10] P. H. Diamond, S.-I. Itoh, K. Itoh, and T. S. Hahm, Plasma Phys. Controlled Fusion **47**, R35 (2005).

[11] A. G. Peeters, Y. Camenen, F. J. Casson, W. A. Hornsby, A. P. Snodin, D. Strintzi, and G. Szepesi, Comput. Phys. Commun. **180**, 2650 (2009).

[12] J. Candy and R. E. Waltz, Phys. Plasmas **13**, 032310 (2006).

[13] T.-H. Watanabe and H. Sugama, Nucl. Fusion **46**, 24 (2006).

[14] T. Tatsuno, W. Dorland, A. A. Schekochihin, G. G. Plunk, M. Barnes, S. C. Cowley, and G. G. Howes, Phys. Rev. Lett. **103**, 015003 (2009).

[15] M. Barnes, F. I. Parra, and A. A. Schekochihin, Phys. Rev. Lett. **107**, 115003 (2011).

[16] J. Candy and R. E. Waltz, J. Comput. Phys. **186**, 545 (2003).

[17] A. I. Smolyakov, P. H. Diamond, and A. I. Shevchenko, Phys. Plasmas **7**, 1349 (2000).

[18] L. Chen, Z. Lin, and R. White, Phys. Plasmas **7**, 3129 (2000).

[19] B. N. Rogers, W. Dorland, and M. Kotschenreuther, Phys. Rev. Lett. **85**, 5336 (2000).

[20] G. Dif-Pradalier, P. H. Diamond, V. Grandgirard, Y. Sarazin, J. Abiteboul, X. Garbet, P. Ghendrih, A. Strugarek, S. Ku, and C. S. Chang, Phys. Rev. E **82**, 025401 (2010).