

Specification Document

Source Column Name	Source Datatype	Transformation	BMG Column Name	BMG Datatype	Nulls?	Business Name	Description	PII Type	Encrypt Category
CR0001. R-ACT-NO	NO		ACCT_NUM	DECIMAL(18,0)	N	Account Number	Number assigned by source system	Account Identifier	Identifiable account
CR0001. R-ACT-NO	Formatting: UBLN/Prior to Encryption DBA Encryption Database Procedure: ETL Load/work Column Name = ACCT_NUM		ACCT_NUM_ENCRYPTED	DECIMAL(18,0)	N	Account Number	Encrypted Field: Number assigned by source system Note: It must be used with company identifier and product code	Account Identifier	Identifiable account
CR0001. R-CO-ID			CO_ID	SMALLINT	N	Company Identifier	Represents the company (bank) to which the account belongs	Company Identifier	Identifiable account
N/A	BMGP ETL Derived: set to 'previous POSTED Day' value Also used as load control column for the process (SPERIOD parameter in SETUP job)		POSTED_DATE	DATEYYYYMMDD	N	Post Date	The date the transaction is to be posted to the system	None	Not identifiable

Source Column Name	Transformation	BMG Column Name	BMG Datatype	Nulls?	Business Name	Description	PII Type
CR0001. R-TRANS-NO (CR01-S-NEW-SQNO > 0) then CR1X. R-NEW-SQNO	CR01-S-NEW-SQNO	TRAN_SEQ	INTEGER	N	Transaction Sequence Number	The order in which transactions were posted	N/A
Derived	Hard code as HD	APPL_ID	CHAR(2)	N	Application Identifier	The System of Record from which the account originated	N/A
Derived	Month and year of file 'YYYYMM'	ASOF_YYMM	INTEGER	N	As Of Year Month	Represents the year and month when the data snapshot was taken	N/A
CR1X. TN-ATM-SURCHARGE		ATM_SURCHARGE	DECIMAL(10,2)	N	ATM Surcharge Fee Amount	Amount of ATM surcharge fee. This amount is included in the transaction amount	N/A
CR0001. R-CARD-NO #1- If OOH-IND = 'O' then insert '0' as the first digit CR0001. R-OOH-IND #2- Remove trailing zeros for all card numbers >17 digits	CR01-S-NEW-SQNO	CARD_SEQ	INTEGER	N	Card Number	The debit/ATM card number used for the transaction	N/A

XIII. View Specifications (new naming conventions)

VIEW 1,2

Attribute	Value
View Name	TRAN_YYYYMM_HG, TRAN_CURR_HG
View Database Name	BMGPDD
View Source	BMGP_HG_TRAN_DLY.T_TRAN_DY_HG
Rows to include	All rows for most recent complete month; Internal transactions excluded
Columns to include	All columns, EXCEPT CARD_NUM
Security Requirements	n/a
Join Paths	Join to BMGPDD.ACCT_MSTR_YYYYMM_HG on ACCT_NUM, CO_ID
Comments	Monthly view of checks and non-checks.
How / When Triggered	Runs every 3rd calendar day of the month. Triggered by ETL
Row Validation	None

VIEW 3

Attribute	Value
View Name	TRAN_DY_HIST_HG
View Database Name	BMGPDD
View Source	BMGP_HG_TRAN_DLY.T_TRAN_DY_HG
Rows to include	All rows for all months in base table; Internal transactions excluded
Columns to include	All columns, EXCEPT CARD_NUM
Security Requirements	n/a
Join Paths	Join to BMGPDD.ACCT_MSTR_YYYYMM_HG on ACCT_NUM, CO_ID, ASOF_YYYYMM
Comments	Multi Month (historical) view of checks and non-checks.
How / When Triggered	Static HIST view. Not dynamically built.
Row Validation	None

VIEW 4,5

Attribute	Value
View Name	TRAN_INTERN_YYYYMM_HG, TRAN_INTERN_CURR_HG
View Database Name	BMGPDD
View Source	BMGP_HG_TRAN_DLY.T_TRAN_INTERN_DY_HG
Rows to include	Internal transactions included; All rows for most recent complete month
Columns to include	All columns, EXCEPT CARD_NUM
Security Requirements	n/a
Join Paths	Join to BMGPDD.ACCT_MSTR_YYYYMM_HG on ACCT_NUM, CO_ID
Comments	Monthly view of internal transactions.
How / When Triggered	Runs every 3rd calendar day of the month. Triggered by ETL

Attribute	Value
Row Validation	None