

MINGW64:/c/Users/pc/documents/manee96

```
pc@DESKTOP-CSD106D MINGW64 ~
$ cd documents

pc@DESKTOP-CSD106D MINGW64 ~/documents
$ git clone https://github.com/Maneeshagk/manee96.git
Cloning into 'manee96'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

pc@DESKTOP-CSD106D MINGW64 ~/documents
$ ls
'My Music'@ 'My Pictures'@ 'My Videos'@ desktop.ini manee96/

pc@DESKTOP-CSD106D MINGW64 ~/documents
$ cd manee96/

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ ls
README.md

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  Add1.py

nothing added to commit but untracked files present (use "git add" to track)

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git add Add1.py

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
```



Type here to search



14:46
22-05-2023



MINGW64:/c/Users/pc/documents/manee96

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git status

On branch main

Your branch is up to date with 'origin/main'.

Untracked files:

(use "git add <file>..." to include in what will be committed)

Add1.py

nothing added to commit but untracked files present (use "git add" to track)

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git add Add1.py

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git status

On branch main

Your branch is up to date with 'origin/main'.

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

new file: Add1.py

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git commit -m "Third Commit"

Author identity unknown

*** Please tell me who you are.

Run

git config --global user.email "you@example.com"

git config --global user.name "Your Name"

to set your account's default identity.

Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'pc@DESKTOP-CSD106D.(none)')

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git log

commit 0a4cf5f51b1d41f3bb7eb2fe4eba5fb31ea65df7 (HEAD -> main, origin/main, origin/HEAD)

Author: Maneeshagk <95557842+Maneeshagk@users.noreply.github.com>

Date: Mon May 22 13:02:12 2023 +0530

Initial commit

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git push



Type here to search



ENG

14:46

22-05-2023



MINGW64:/c/Users/pc/documents/manee96

```
commit 0a4cf5f51b1d41f3bb7eb2fe4eba5fb31ea65df7 (HEAD -> main, origin/main, origin/HEAD)
Author: Maneeshagk <95557842+Maneeshagk@users.noreply.github.com>
Date: Mon May 22 13:02:12 2023 +0530
```

Initial commit

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git push
```

Everything up-to-date

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git push
Everything up-to-date
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git commit -m "Third Commit"
Author identity unknown
```

*** Please tell me who you are.

Run

```
git config --global user.email "you@example.com"
git config --global user.name "Your Name"
```

to set your account's default identity.

Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'pc@DESKTOP-CSD106D.(none)')

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git config --global user.email "you@example.com"
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git config --global user.name "maneeshakrishnan604"
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git config --global user.email "maneeshakrishnan604.com"
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git config --global user.name "maneeshakrishnan604@gmail.com"
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git config --global user.email "maneeshakrishnan604@gmail.com"
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
```



Type here to search



14:46
22-05-2023



MINGW64:/c/Users/pc/documents/manee96

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git config --global user.email "maneeshakrishnan604@gmail.com"
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ ^C
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git config --global user.name "Maneeshagk"
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git commit -m "Third Commit"
[main b951e32] Third Commit
1 file changed, 9 insertions(+)
create mode 100644 Add1.py
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 400 bytes | 400.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Maneeshagk/manee96.git
0a4cf5f..b951e32 main -> main
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git log
commit b951e3210dfc20e9274b76401342fe49bbbed397b (HEAD -> main, origin/main, origin/HEAD)
Author: Maneeshagk <maneeshakrishnan604@gmail.com>
Date: Mon May 22 13:59:16 2023 +0530
```

Third Commit

```
commit 0a4cf5f51b1d41f3bb7eb2fe4eba5fb31ea65df7
Author: Maneeshagk <95557842+Maneeshagk@users.noreply.github.com>
Date: Mon May 22 13:02:12 2023 +0530
```

Initial commit

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git push
Everything up-to-date
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
```



Type here to search



14:46
22-05-2023



MINGW64:/c/Users/pc/documents/manee96

```
Compressing objects: 100% (3/3), done.  
Writing objects: 100% (3/3), 400 bytes | 400.00 KiB/s, done.  
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0  
To https://github.com/Maneeshagk/manee96.git  
    0a4cf5f..b951e32  main -> main
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)  
$ git log  
commit b951e3210dfc20e9274b76401342fe49bbbed397b (HEAD -> main, origin/main, origin/HEAD)  
Author: Maneeshagk <maneeshakrishnan604@gmail.com>  
Date: Mon May 22 13:59:16 2023 +0530
```

Third Commit

```
commit 0a4cf5f51b1d41f3bb7eb2fe4eba5fb31ea65df7  
Author: Maneeshagk <95557842+Maneeshagk@users.noreply.github.com>  
Date: Mon May 22 13:02:12 2023 +0530
```

Initial commit

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)  
$ git push  
Everything up-to-date
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)  
$ git status  
On branch main  
Your branch is up to date with 'origin/main'.
```

nothing to commit, working tree clean

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)  
$ git diff
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)  
$ git status  
On branch main  
Your branch is up to date with 'origin/main'.
```

nothing to commit, working tree clean

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)  
$ git diff
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)  
$ git status  
On branch main  
Your branch is up to date with 'origin/main'.
```

nothing to commit, working tree clean



Type here to search



ENG

14:46
22-05-2023



MINGW64:/c/Users/pc/documents/manee96

```
$ git push
Everything up-to-date
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git diff
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git diff
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git log
commit b951e3210dfc20e9274b76401342fe49bbcd397b (HEAD -> main, origin/main, origin/HEAD)
Author: Maneeshagk <maneeshakrishnan604@gmail.com>
Date: Mon May 22 13:59:16 2023 +0530
```

Third Commit

```
commit 0a4cf5f51b1d41f3bb7eb2fe4eba5fb31ea65df7
Author: Maneeshagk <95557842+Maneeshagk@users.noreply.github.com>
Date: Mon May 22 13:02:12 2023 +0530
```

Initial commit

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git push
To https://github.com/Maneeshagk/manee96.git
! [rejected] main -> main (fetch first)
error: failed to push some refs to 'https://github.com/Maneeshagk/manee96.git'
hint: Updates were rejected because the remote contains work that you do
```



Type here to search



14:46
22-05-2023



MINGW64:/c/Users/pc/documents/manee96

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git log
commit b951e3210dfc20e9274b76401342fe49bbbed397b (HEAD -> main, origin/main, origin/HEAD)
Author: Maneeshagk <maneeshakrishnan604@gmail.com>
Date: Mon May 22 13:59:16 2023 +0530
```

Third Commit

```
commit 0a4cf5f51b1d41f3bb7eb2fe4eba5fb31ea65df7
Author: Maneeshagk <95557842+Maneeshagk@users.noreply.github.com>
Date: Mon May 22 13:02:12 2023 +0530
```

Initial commit

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git push
To https://github.com/Maneeshagk/manee96.git
! [rejected] main -> main (fetch first)
error: failed to push some refs to 'https://github.com/Maneeshagk/manee96.git'
hint: Updates were rejected because the remote contains work that you do
hint: not have locally. This is usually caused by another repository pushing
hint: to the same ref. You may want to first integrate the remote changes
hint: (e.g., 'git pull ...') before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git pull
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), 701 bytes | 4.00 KiB/s, done.
From https://github.com/Maneeshagk/manee96
   b951e32..3e4999a  main       -> origin/main
   * [new branch]   test       -> origin/test
Updating b951e32..3e4999a
Fast-forward
 Add1.py | 3 ++-
 1 file changed, 2 insertions(+), 1 deletion(-)
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git push
Everything up-to-date
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```



Type here to search



14:46

22-05-2023



MINGW64:/c/Users/pc/documents/manee96

```
! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/Maneeshagk/manee96.git'
hint: Updates were rejected because the remote contains work that you do
hint: not have locally. This is usually caused by another repository pushing
hint: to the same ref. You may want to first integrate the remote changes
hint: (e.g., 'git pull ...') before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git pull
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), 701 bytes | 4.00 KiB/s, done.
From https://github.com/Maneeshagk/manee96
   b951e32..3e4999a  main      -> origin/main
   * [new branch]   test      -> origin/test
Updating b951e32..3e4999a
Fast-forward
 Add1.py | 3 ++-
 1 file changed, 2 insertions(+), 1 deletion(-)
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git push
Everything up-to-date
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
```

```
nothing to commit, working tree clean
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git stash
No local changes to save
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'
hint: Turn this message off by running
hint: "git config advice.addEmptyPathsSpec false"
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git branch test
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$
```



Type here to search



14:46

22-05-2023




```
commit b951e3210dfc20e9274b76401342fe49bbbed397b (origin/test)
Author: Maneeshagk <maneeshakrishnan604@gmail.com>
Date: Mon May 22 13:59:16 2023 +0530
```

Third Commit

```
commit 0a4cf5f51b1d41f3bb7eb2fe4eba5fb31ea65df7
Author: Maneeshagk <95557842+Maneeshagk@users.noreply.github.com>
Date: Mon May 22 13:02:12 2023 +0530
```

Initial commit

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git push
Everything up-to-date
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
```

nothing to commit, working tree clean

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git diff
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git stash
No local changes to save
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git add Add1.py
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
```

```
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    modified:   Add1.py
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git stash
Saved working directory and index state WIP on main: e8d2a23 Revert "Update Add1.py"
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$
```



Type here to search



15:18
22-05-2023



MINGW64:/c/Users/pc/documents/manee96

On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git log

commit e8d2a23e29858ef7e089b5ead4ea1cb56fd86238 (HEAD -> main, origin/main, origin/HEAD)

Author: Maneeshagk <maneeshakrishnan604@gmail.com>

Date: Mon May 22 15:00:18 2023 +0530

Revert "Update Add1.py"

This reverts commit 3e4999a352c8f9240bf7b8b28d415dc76eaf5917.

commit 3e4999a352c8f9240bf7b8b28d415dc76eaf5917 (test, task)

Author: Maneeshagk <95557842+Maneeshagk@users.noreply.github.com>

Date: Mon May 22 14:14:52 2023 +0530

Update Add1.py

commit b951e3210dfc20e9274b76401342fe49bbbed397b (origin/test)

Author: Maneeshagk <maneeshakrishnan604@gmail.com>

Date: Mon May 22 13:59:16 2023 +0530

Third Commit

commit 0a4cf5f51b1d41f3bb7eb2fe4eba5fb31ea65df7

Author: Maneeshagk <95557842+Maneeshagk@users.noreply.github.com>

Date: Mon May 22 13:02:12 2023 +0530

Initial commit

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git push

Everything up-to-date

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git status

On branch main

Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git diff

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git stash

No local changes to save



Type here to search



15:19
22-05-2023



MINGW64:/c/Users/pc/documents/manee96

```
pc@DESKTOP-CSD106D MINGW64 ~
$ cd documents

pc@DESKTOP-CSD106D MINGW64 ~/documents
$ git clone https://github.com/Maneeshagk/manee96.git
fatal: destination path 'manee96' already exists and is not an empty directory.

pc@DESKTOP-CSD106D MINGW64 ~/documents
$ git status
fatal: not a git repository (or any of the parent directories): .git

pc@DESKTOP-CSD106D MINGW64 ~/documents
$ git clone https://github.com/Maneeshagk/manee96.git
fatal: destination path 'manee96' already exists and is not an empty directory.

pc@DESKTOP-CSD106D MINGW64 ~/documents
$ ls
Add1.py  'My Music'@  'My Pictures'@  'My Videos'@  add.py  addition.py  addition.txt  desktop.ini  manee96/

pc@DESKTOP-CSD106D MINGW64 ~/documents
$ cd manee/
bash: cd: manee/: No such file or directory

pc@DESKTOP-CSD106D MINGW64 ~/documents
$ cd manee96/

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git add Add1.py
fatal: pathspec 'Add1.py' did not match any files

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git add Add1.py
fatal: pathspec 'Add1.py' did not match any files

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git add Add1.py

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   Add1.py

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
```



Type here to search



15:46
22-05-2023



MINGW64:/c/Users/pc/documents/manee96

```
$ git add Add1.py
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
```

```
$ git status
```

```
On branch main
```

```
Your branch is ahead of 'origin/main' by 1 commit.
```

```
(use "git push" to publish your local commits)
```

```
Changes to be committed:
```

```
(use "git restore --staged <file>..." to unstage)
```

```
new file:   Add1.py
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
```

```
$ git commit -m "first commit"
```

```
[main 56f11f9] first commit
```

```
1 file changed, 10 insertions(+)
```

```
create mode 100644 Add1.py
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
```

```
$ git push -u origin main
```

```
Enumerating objects: 7, done.
```

```
Counting objects: 100% (7/7), done.
```

```
Delta compression using up to 2 threads
```

```
Compressing objects: 100% (4/4), done.
```

```
Writing objects: 100% (5/5), 581 bytes | 581.00 KiB/s, done.
```

```
Total 5 (delta 1), reused 1 (delta 0), pack-reused 0
```

```
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
```

```
To https://github.com/Maneeshagk/manee96.git
```

```
   e8d2a23..56f11f9  main -> main
```

```
branch 'main' set up to track 'origin/main'.
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
```

```
$ git diff
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
```

```
$ git add Add1.py
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
```

```
$ git diff
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
```

```
$ git commit -m "second commit"
```

```
On branch main
```

```
Your branch is up to date with 'origin/main'.
```

```
nothing to commit, working tree clean
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
```

```
$ git status
```



Type here to search



ENG

15:46

22-05-2023



MINGW64:/c/Users/pc/documents/manee96

remote: Resolving deltas: 100% (1/1), completed with 1 local object.

To https://github.com/Maneeshagk/manee96.git

e8d2a23..56f11f9 main -> main

branch 'main' set up to track 'origin/main'.

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git diff

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git add Add1.py

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git diff

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git commit -m "second commit"

On branch main

Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git status

On branch main

Your branch is up to date with 'origin/main'.

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: Add1.py

no changes added to commit (use "git add" and/or "git commit -a")

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git add Add1.py

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git status

On branch main

Your branch is up to date with 'origin/main'.

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

modified: Add1.py

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git commit -m "second commit"

[main 74ece6d] second commit

1 file changed, 2 insertions(+), 1 deletion(-)



Type here to search



ENG

15:46

22-05-2023



MINGW64:/c/Users/pc/documents/manee96

Your branch is up to date with 'origin/main'.

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: Add1.py

no changes added to commit (use "git add" and/or "git commit -a")

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git add Add1.py

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git status

On branch main

Your branch is up to date with 'origin/main'.

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

modified: Add1.py

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git commit -m "second commit"

[main 74ece6d] second commit

1 file changed, 2 insertions(+), 1 deletion(-)

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git log

commit 74ece6d2df8a5069d7ad6350276d647ea41b7006 (HEAD -> main)

Author: Maneeshagk <maneeshakrishnan604@gmail.com>

Date: Mon May 22 15:43:23 2023 +0530

second commit

commit 56f11f928d7283b5aecb6cddf261ae74f0a9424a (origin/main, origin/HEAD)

Author: Maneeshagk <maneeshakrishnan604@gmail.com>

Date: Mon May 22 15:39:28 2023 +0530

first commit

commit 0cf12f809e6c2e9aac3dea7a31d6ab9c2c734c59

Author: Maneeshagk <maneeshakrishnan604@gmail.com>

Date: Mon May 22 15:29:07 2023 +0530

Revert "Third Commit"

This reverts commit b951e3210dfc20e9274b76401342Fe49bbbed397b.

commit e8d2a23e29858ef7e089b5ead4ea1cb56fd86238 (merged)



Type here to search



15:46
22-05-2023



MINGW64:/c/Users/pc/documents/manee96

second commit

commit 56f11f928d7283b5aecb6cddf261ae74f0a9424a (origin/main, origin/HEAD)

Author: Maneeshagk <maneeshakrishnan604@gmail.com>

Date: Mon May 22 15:39:28 2023 +0530

first commit

commit 0cf12f809e6c2e9aac3dea7a31d6ab9c2c734c59

Author: Maneeshagk <maneeshakrishnan604@gmail.com>

Date: Mon May 22 15:29:07 2023 +0530

Revert "Third Commit"

This reverts commit b951e3210dfc20e9274b76401342fe49bbbed397b.

commit e8d2a23e29858ef7e089b5ead4ea1cb56fd86238 (merged)

Author: Maneeshagk <maneeshakrishnan604@gmail.com>

Date: Mon May 22 15:00:18 2023 +0530

Revert "Update Add1.py"

This reverts commit 3e4999a352c8f9240bf7b8b28d415dc76eaf5917.

commit 3e4999a352c8f9240bf7b8b28d415dc76eaf5917 (test, task)

Author: Maneeshagk <95557842+Maneeshagk@users.noreply.github.com>

Date: Mon May 22 14:14:52 2023 +0530

Update Add1.py

commit b951e3210dfc20e9274b76401342fe49bbbed397b (origin/test)

Author: Maneeshagk <maneeshakrishnan604@gmail.com>

Date: Mon May 22 13:59:16 2023 +0530

Third Commit

commit 0a4cf5f51b1d41f3bb7eb2fe4eba5fb31ea65df7

Author: Maneeshagk <95557842+Maneeshagk@users.noreply.github.com>

Date: Mon May 22 13:02:12 2023 +0530

Initial commit

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)

\$ git branch

* main

merged

task

test

pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)



Type here to search



15:46
22-05-2023



MINGW64:/c/Users/pc/documents/manee96

Author: Maneeshagk <maneeshakrishnan604@gmail.com>
Date: Mon May 22 15:00:18 2023 +0530

Revert "Update Add1.py"

This reverts commit 3e4999a352c8f9240bf7b8b28d415dc76eaf5917.

commit 3e4999a352c8f9240bf7b8b28d415dc76eaf5917 (test, task)
Author: Maneeshagk <95557842+Maneeshagk@users.noreply.github.com>
Date: Mon May 22 14:14:52 2023 +0530

Update Add1.py

commit b951e3210dfc20e9274b76401342fe49bbbed397b (origin/test)
Author: Maneeshagk <maneeshakrishnan604@gmail.com>
Date: Mon May 22 13:59:16 2023 +0530

Third Commit

commit 0a4cf5f51b1d41f3bb7eb2fe4eba5fb31ea65df7
Author: Maneeshagk <95557842+Maneeshagk@users.noreply.github.com>
Date: Mon May 22 13:02:12 2023 +0530

Initial commit

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git branch
* main
  merged
  task
  test
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git branch task
fatal: a branch named 'task' already exists
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (main)
$ git checkout task
Switched to branch 'task'
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (task)
$ git add Add1.py
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (task)
$ git commit -m "branch task"
On branch task
nothing to commit, working tree clean
```

```
pc@DESKTOP-CSD106D MINGW64 ~/documents/manee96 (task)
$ |
```



Type here to search



ENG 15:46
22-05-2023

