



Cognitive CanSat - Mission Summary: 06_delayed_chute_deployment

Flight Dynamics Parameter	Calibrated Value
Mission Name	06_delayed_chute_deployment
Apogee (m)	647.0
Time to Apogee (s)	109.6
Max Ascent Velocity (m/s)	7.82
Max Descent Velocity (m/s)	-22.36
Max G-Shock (Gs)	5.46
Touchdown Shock (Gs)	1.01
Mission Duration (s)	259.2
Min Temperature (°C)	20.73
Max Temperature (°C)	25.05
Min Pressure (hPa)	937.76
Max Pressure (hPa)	1013.37
Lapse Rate (°C/100m)	0.667
Telemetry Frames	325
Landing Lat	22.575165
Landing Lon	88.36837


Altitude vs. Time — 06_delayed_chute_deployment



Vertical Velocity Profile — 06_delayed_chute_deployment




G-Shock & Acceleration — 06_delayed_chute_deployment




Atmospheric Sounding (Lapse Rate: 0.667 °C/100m)

Ambient Temperature (°C)




Cognitive CanSat Mission Dynamics: 06_delayed_chute_deployment


A. Trajectory Profile



B. Vertical Velocity Curve



C. G-Shock (Peak: 5.46G)



D. Atmospheric Sounding Profile

