



Cognitive CanSat - Mission Summary: 09_low_battery_voltage_sag

Flight Dynamics Parameter	Calibrated Value
Mission Name	09_low_battery_voltage_sag
Apogee (m)	495.61
Time to Apogee (s)	109.6
Max Ascent Velocity (m/s)	5.85
Max Descent Velocity (m/s)	-6.09
Max G-Shock (Gs)	1.01
Touchdown Shock (Gs)	1.01
Mission Duration (s)	239.2
Min Temperature (°C)	21.77
Max Temperature (°C)	25.05
Min Pressure (hPa)	954.78
Max Pressure (hPa)	1013.34
Lapse Rate (°C/100m)	0.661
Telemetry Frames	300
Landing Lat	22.57489
Landing Lon	88.36807


Altitude vs. Time — 09_low_battery_voltage_sag



Vertical Velocity Profile — 09_low_battery_voltage_sag




G-Shock & Acceleration — 09_low_battery_voltage_sag



**Peak: 1.01 G
(T+100.8s)**


Atmospheric Sounding (Lapse Rate: 0.661 °C/100m)

Ambient Temperature (°C)




Cognitive CanSat Mission Dynamics: 09_low_battery_voltage_sag


A. Trajectory Profile



B. Vertical Velocity Curve



C. G-Shock (Peak: 1.01G)



D. Atmospheric Sounding Profile

