

```

> restart;
Maple calculations regarding example 4
=====
> for i from 1 to 20 do yc[i]:=a1*x[i] end do:
> for i from 1 to 20 do s[i]:=s0+s1*abs(yc[i]) end do:
> lns:=add(ln(s[i]),i=1..20):
> lt:=add((y[i]-yc[i])^2/2/s[i]^2,i=1..20);

```

$$\begin{aligned}
 lt := & \frac{(-a1 x_1 + y_1)^2}{2 (s0 + s1 |a1 x_1|)^2} + \frac{(-a1 x_2 + y_2)^2}{2 (s0 + s1 |a1 x_2|)^2} + \frac{(-a1 x_3 + y_3)^2}{2 (s0 + s1 |a1 x_3|)^2} \\
 & + \frac{(-a1 x_4 + y_4)^2}{2 (s0 + s1 |a1 x_4|)^2} + \frac{(-a1 x_5 + y_5)^2}{2 (s0 + s1 |a1 x_5|)^2} + \frac{(-a1 x_6 + y_6)^2}{2 (s0 + s1 |a1 x_6|)^2} \\
 & + \frac{(-a1 x_7 + y_7)^2}{2 (s0 + s1 |a1 x_7|)^2} + \frac{(-a1 x_8 + y_8)^2}{2 (s0 + s1 |a1 x_8|)^2} + \frac{(-a1 x_9 + y_9)^2}{2 (s0 + s1 |a1 x_9|)^2} \\
 & + \frac{(-a1 x_{10} + y_{10})^2}{2 (s0 + s1 |a1 x_{10}|)^2} + \frac{(-a1 x_{11} + y_{11})^2}{2 (s0 + s1 |a1 x_{11}|)^2} + \frac{(-a1 x_{12} + y_{12})^2}{2 (s0 + s1 |a1 x_{12}|)^2} \\
 & + \frac{(-a1 x_{13} + y_{13})^2}{2 (s0 + s1 |a1 x_{13}|)^2} + \frac{(-a1 x_{14} + y_{14})^2}{2 (s0 + s1 |a1 x_{14}|)^2} + \frac{(-a1 x_{15} + y_{15})^2}{2 (s0 + s1 |a1 x_{15}|)^2} \\
 & + \frac{(-a1 x_{16} + y_{16})^2}{2 (s0 + s1 |a1 x_{16}|)^2} + \frac{(-a1 x_{17} + y_{17})^2}{2 (s0 + s1 |a1 x_{17}|)^2} + \frac{(-a1 x_{18} + y_{18})^2}{2 (s0 + s1 |a1 x_{18}|)^2} \\
 & + \frac{(-a1 x_{19} + y_{19})^2}{2 (s0 + s1 |a1 x_{19}|)^2} + \frac{(-a1 x_{20} + y_{20})^2}{2 (s0 + s1 |a1 x_{20}|)^2}
 \end{aligned}$$

(1)

The probability density function 'Prob_ex4' is defined:

```

> Prob_ex4:=exp(-(20/2)*ln(2*Pi)-lns-lt):

```

The data points x[i] and y[i] are introduced:

```

> y[1]:=-6.65647123;y[2]:=-0.011729798;y[3]:=4.34198;y[4]:=4.56334;
y[5]:=8.37979;y[6]:=10.2627;y[7]:=10.22623;y[8]:=14.28611;y[9]:=
13.79561;y[10]:=21.09856;y[11]:=17.50144;y[12]:=20.10634;y[13]:=
23.32865;y[14]:=18.41583;y[15]:=36.10625;y[16]:=34.69508;y[17]:=
33.13127;y[18]:=43.87842;y[19]:=34.06836;y[20]:=43.07314;

```

$$y_1 := -6.65647123$$

$$y_2 := -0.011729798$$

$$y_3 := 4.34198$$

$$y_4 := 4.56334$$

$$y_5 := 8.37979$$

$$y_6 := 10.2627$$

$$y_7 := 10.22623$$

$$\begin{aligned}
 y_8 &:= 14.28611 \\
 y_9 &:= 13.79561 \\
 y_{10} &:= 21.09856 \\
 y_{11} &:= 17.50144 \\
 y_{12} &:= 20.10634 \\
 y_{13} &:= 23.32865 \\
 y_{14} &:= 18.41583 \\
 y_{15} &:= 36.10625 \\
 y_{16} &:= 34.69508 \\
 y_{17} &:= 33.13127 \\
 y_{18} &:= 43.87842 \\
 y_{19} &:= 34.06836 \\
 y_{20} &:= 43.07314
 \end{aligned}$$

(2)

```
> x[1]:=-10;x[2]:=-5;x[3]:=0;x[4]:=5;x[5]:=10;x[6]:=15;x[7]:=20;x
[8]:=25;x[9]:=30;x[10]:=35;x[11]:=40;x[12]:=45;x[13]:=50;x[14]:=
55;x[15]:=60;x[16]:=65;x[17]:=70;x[18]:=75;x[19]:=80;x[20]:=85;
```

$$\begin{aligned}
 x_1 &:= -10 \\
 x_2 &:= -5 \\
 x_3 &:= 0 \\
 x_4 &:= 5 \\
 x_5 &:= 10 \\
 x_6 &:= 15 \\
 x_7 &:= 20 \\
 x_8 &:= 25 \\
 x_9 &:= 30 \\
 x_{10} &:= 35 \\
 x_{11} &:= 40 \\
 x_{12} &:= 45 \\
 x_{13} &:= 50 \\
 x_{14} &:= 55 \\
 x_{15} &:= 60 \\
 x_{16} &:= 65 \\
 x_{17} &:= 70 \\
 x_{18} &:= 75 \\
 x_{19} &:= 80
 \end{aligned}$$

(3)

```
> with (LinearAlgebra) :
> with (VectorCalculus) ;
```

```
[&x, `*`, `+`, `-`, `.` , <, >, <|>, About, AddCoordinates, ArcLength, BasisFormat, Binormal,
  ConvertVector, CrossProduct, Curl, Curvature, D, Del, DirectionalDiff, Divergence,
  DotProduct, Flux, GetCoordinateParameters, GetCoordinates, GetNames,
  GetPVDDescription, GetRootPoint, GetSpace, Gradient, Hessian, IsPositionVector,
  IsRootedVector, IsVectorField, Jacobian, Laplacian, LineInt, MapToBasis,  $\nabla$ , Norm,
  Normalize, PathInt, PlotPositionVector, PlotVector, PositionVector, PrincipalNormal,
  RadiusOfCurvature, RootedVector, ScalarPotential, SetCoordinateParameters,
  SetCoordinates, SpaceCurve, SurfaceInt, TNBFrame, TangentLine, TangentPlane,
  TangentVector, Torsion, Vector, VectorField, VectorPotential, VectorSpace, Wronskian,
  diff, eval, evalVF, int, limit, series]
```

(4)

The gradient 'g1' is calculated, i.e. the partial derivatives 'delpdela1=partial(Prob_ex4)/partial(a1)', 'delpdels0=partial(Prob_ex3)/partial(s0)' and 'delpdels1=partial(Prob_ex3)/partial(s1)' with respect to 'a1', 's0' and 's1' are computed:

```
> g1 := Gradient(Prob_ex4, [s0, s1, a1]) :
> delpdels0 := (-1/s0 - 2/(s0+10*s1*abs(a1)) - 1/(s0+45*s1*abs(a1)) - 1/
  (s0+40*s1*abs(a1)) - 1/(s0+35*s1*abs(a1)) - 1/(s0+30*s1*abs(a1)) - 1/
  (s0+25*s1*abs(a1)) - 1/(s0+20*s1*abs(a1)) - 1/(s0+15*s1*abs(a1)) - 2/
  (s0+5*s1*abs(a1)) - 1/(s0+85*s1*abs(a1)) - 1/(s0+80*s1*abs(a1)) - 1/
  (s0+75*s1*abs(a1)) - 1/(s0+70*s1*abs(a1)) - 1/(s0+65*s1*abs(a1)) - 1/
  (s0+60*s1*abs(a1)) - 1/(s0+55*s1*abs(a1)) - 1/(s0+50*s1*abs(a1)) +
  (-30*a1+13.79561)^2/(s0+30*s1*abs(a1))^3 + (-35*a1+21.09856)^2/
  (s0+35*s1*abs(a1))^3 + (-40*a1+17.50144)^2/(s0+40*s1*abs(a1))^3 +
  (-45*a1+20.10634)^2/(s0+45*s1*abs(a1))^3 + (-50*a1+23.32865)^2/
  (s0+50*s1*abs(a1))^3 + (-55*a1+18.41583)^2/(s0+55*s1*abs(a1))^3 +
  (-60*a1+36.10625)^2/(s0+60*s1*abs(a1))^3 + (-65*a1+34.69508)^2/
  (s0+65*s1*abs(a1))^3 + (-70*a1+33.13127)^2/(s0+70*s1*abs(a1))^3 +
  (-75*a1+43.87842)^2/(s0+75*s1*abs(a1))^3 + (-80*a1+34.06836)^2/
  (s0+80*s1*abs(a1))^3 + (-85*a1+43.07314)^2/(s0+85*s1*abs(a1))^3 +
  (10*a1-6.65647123)^2/(s0+10*s1*abs(a1))^3 + (5*a1-0.11729798e-1)^2/
  (s0+5*s1*abs(a1))^3 + (-5*a1+4.56334)^2/(s0+5*s1*abs(a1))^3 + (-10*
  a1+8.37979)^2/(s0+10*s1*abs(a1))^3 + (-15*a1+10.2627)^2/(s0+15*s1*
  abs(a1))^3 + (-20*a1+10.22623)^2/(s0+20*s1*abs(a1))^3 + (-25*
  a1+14.28611)^2/(s0+25*s1*abs(a1))^3 + 18.85279032/(s0^3)) * exp(-(10*
  a1-6.65647123)^2/(2*(s0+10*s1*abs(a1))^2) - (-85*a1+43.07314)^2/(2*
  (s0+85*s1*abs(a1))^2) - (-80*a1+34.06836)^2/(2*(s0+80*s1*abs(a1))
  ^2) - (-75*a1+43.87842)^2/(2*(s0+75*s1*abs(a1))^2) - (-70*
  a1+33.13127)^2/(2*(s0+70*s1*abs(a1))^2) - (-65*a1+34.69508)^2/(2*
  (s0+65*s1*abs(a1))^2) - (-60*a1+36.10625)^2/(2*(s0+60*s1*abs(a1))
  ^2) - (-55*a1+18.41583)^2/(2*(s0+55*s1*abs(a1))^2) - (-50*
  a1+23.32865)^2/(2*(s0+50*s1*abs(a1))^2) - (-45*a1+20.10634)^2/(2*
  (s0+45*s1*abs(a1))^2) - (-40*a1+17.50144)^2/(2*(s0+40*s1*abs(a1))
  ^2) - (-35*a1+21.09856)^2/(2*(s0+35*s1*abs(a1))^2) - (-30*
  a1+13.79561)^2/(2*(s0+30*s1*abs(a1))^2) - ln(s0+85*s1*abs(a1)) - ln
  (s0+80*s1*abs(a1)) - ln(s0+75*s1*abs(a1)) - ln(s0+70*s1*abs(a1)) - ln
  (s0+65*s1*abs(a1)) - ln(s0+60*s1*abs(a1)) - ln(s0+55*s1*abs(a1)) - ln
  (s0+50*s1*abs(a1)) - ln(s0+45*s1*abs(a1)) - ln(s0+40*s1*abs(a1)) - ln
  (s0+35*s1*abs(a1)) - ln(s0+30*s1*abs(a1)) - ln(s0+25*s1*abs(a1)) - ln
```

```
(s0+20*s1*abs(a1))-ln(s0+15*s1*abs(a1))-2*ln(s0+5*s1*abs(a1))-ln
(s0)-2*ln(s0+10*s1*abs(a1))-9.426395160/(s0^2)-10*ln(2*Pi)-(-25*
a1+14.28611)^2/(2*(s0+25*s1*abs(a1))^2)-(-20*a1+10.22623)^2/(2*
(s0+20*s1*abs(a1))^2)-(-15*a1+10.2627)^2/(2*(s0+15*s1*abs(a1))^2)
-(-10*a1+8.37979)^2/(2*(s0+10*s1*abs(a1))^2)-(-5*a1+4.56334)^2/
(2*(s0+5*s1*abs(a1))^2)-(5*a1-0.11729798e-1)^2/(2*(s0+5*s1*abs
(a1))^2)):
```

```
> delpdels1:=(80*(-80*a1+34.06836)^2*abs(a1)/(s0+80*s1*abs(a1))
^3+85*(-85*a1+43.07314)^2*abs(a1)/(s0+85*s1*abs(a1))^3+10*(10*a1
-6.65647123)^2*abs(a1)/(s0+10*s1*abs(a1))^3+5*(5*a1
-0.11729798e-1)^2*abs(a1)/(s0+5*s1*abs(a1))^3+5*(-5*a1+4.56334)
^2*abs(a1)/(s0+5*s1*abs(a1))^3+10*(-10*a1+8.37979)^2*abs(a1)/
(s0+10*s1*abs(a1))^3+15*(-15*a1+10.2627)^2*abs(a1)/(s0+15*s1*abs
(a1))^3+20*(-20*a1+10.22623)^2*abs(a1)/(s0+20*s1*abs(a1))^3+25*
(-25*a1+14.28611)^2*abs(a1)/(s0+25*s1*abs(a1))^3+30*(-30*
a1+13.79561)^2*abs(a1)/(s0+30*s1*abs(a1))^3+35*(-35*a1+21.09856)
^2*abs(a1)/(s0+35*s1*abs(a1))^3+40*(-40*a1+17.50144)^2*abs(a1)/
(s0+40*s1*abs(a1))^3+45*(-45*a1+20.10634)^2*abs(a1)/(s0+45*s1*abs
(a1))^3+50*(-50*a1+23.32865)^2*abs(a1)/(s0+50*s1*abs(a1))^3+55*
(-55*a1+18.41583)^2*abs(a1)/(s0+55*s1*abs(a1))^3+60*(-60*
a1+36.10625)^2*abs(a1)/(s0+60*s1*abs(a1))^3+65*(-65*a1+34.69508)
^2*abs(a1)/(s0+65*s1*abs(a1))^3+70*(-70*a1+33.13127)^2*abs(a1)/
(s0+70*s1*abs(a1))^3+75*(-75*a1+43.87842)^2*abs(a1)/(s0+75*s1*abs
(a1))^3-20*abs(a1)/(s0+10*s1*abs(a1))-85*abs(a1)/(s0+85*s1*abs
(a1))-80*abs(a1)/(s0+80*s1*abs(a1))-75*abs(a1)/(s0+75*s1*abs(a1))
-70*abs(a1)/(s0+70*s1*abs(a1))-65*abs(a1)/(s0+65*s1*abs(a1))-60*
abs(a1)/(s0+60*s1*abs(a1))-55*abs(a1)/(s0+55*s1*abs(a1))-50*abs
(a1)/(s0+50*s1*abs(a1))-45*abs(a1)/(s0+45*s1*abs(a1))-40*abs(a1)/
(s0+40*s1*abs(a1))-35*abs(a1)/(s0+35*s1*abs(a1))-30*abs(a1)/
(s0+30*s1*abs(a1))-25*abs(a1)/(s0+25*s1*abs(a1))-20*abs(a1)/
(s0+20*s1*abs(a1))-15*abs(a1)/(s0+15*s1*abs(a1))-10*abs(a1)/
(s0+5*s1*abs(a1))*exp(-9.426395160/(s0^2)-(-25*a1+14.28611)^2/
(2*(s0+25*s1*abs(a1))^2)-(-20*a1+10.22623)^2/(2*(s0+20*s1*abs(a1)
)^2)-(-15*a1+10.2627)^2/(2*(s0+15*s1*abs(a1))^2)-(-10*a1+8.37979)
^2/(2*(s0+10*s1*abs(a1))^2)-(-5*a1+4.56334)^2/(2*(s0+5*s1*abs(a1)
)^2)-(5*a1-0.11729798e-1)^2/(2*(s0+5*s1*abs(a1))^2)-(10*a1
-6.65647123)^2/(2*(s0+10*s1*abs(a1))^2)-(-85*a1+43.07314)^2/(2*
(s0+85*s1*abs(a1))^2)-(-80*a1+34.06836)^2/(2*(s0+80*s1*abs(a1))
^2)-(-75*a1+43.87842)^2/(2*(s0+75*s1*abs(a1))^2)-(-70*
a1+33.13127)^2/(2*(s0+70*s1*abs(a1))^2)-(-65*a1+34.69508)^2/(2*
(s0+65*s1*abs(a1))^2)-(-60*a1+36.10625)^2/(2*(s0+60*s1*abs(a1))
^2)-(-55*a1+18.41583)^2/(2*(s0+55*s1*abs(a1))^2)-ln(s0+85*s1*abs
(a1))-ln(s0+80*s1*abs(a1))-ln(s0+75*s1*abs(a1))-ln(s0+70*s1*abs
(a1))-ln(s0+65*s1*abs(a1))-ln(s0+60*s1*abs(a1))-ln(s0+55*s1*abs
(a1))-ln(s0+50*s1*abs(a1))-ln(s0+45*s1*abs(a1))-ln(s0+40*s1*abs
(a1))-ln(s0+35*s1*abs(a1))-ln(s0+30*s1*abs(a1))-ln(s0+25*s1*abs
(a1))-ln(s0+20*s1*abs(a1))-ln(s0+15*s1*abs(a1))-2*ln(s0+5*s1*abs
(a1))-ln(s0)-2*ln(s0+10*s1*abs(a1))-(-50*a1+23.32865)^2/(2*
(s0+50*s1*abs(a1))^2)-(-45*a1+20.10634)^2/(2*(s0+45*s1*abs(a1))
^2)-(-40*a1+17.50144)^2/(2*(s0+40*s1*abs(a1))^2)-(-35*
a1+21.09856)^2/(2*(s0+35*s1*abs(a1))^2)-(-30*a1+13.79561)^2/(2*
(s0+30*s1*abs(a1))^2)-10*ln(2*Pi)):
```

```
> delpdela1:=((15*(-15*a1+10.2627))/(s0+15*s1*abs(a1))^2+(10*(-10*
a1+8.37979))/(s0+10*s1*abs(a1))^2+(5*(-5*a1+4.56334))/(s0+5*s1*
abs(a1))^2-(5*(5*a1-0.11729798e-1))/(s0+5*s1*abs(a1))^2-(10*(10*
a1-6.65647123))/(s0+10*s1*abs(a1))^2+(85*(-85*a1+43.07314)))/
```

```

(s0+85*s1*abs(a1))^2+(80*(-80*a1+34.06836))/ (s0+80*s1*abs(a1))
^2+5*(5*a1-0.11729798e-1)^2*s1*abs(1, a1)/(s0+5*s1*abs(a1))^3+5*
(-5*a1+4.56334)^2*s1*abs(1, a1)/(s0+5*s1*abs(a1))^3+10*(-10*
a1+8.37979)^2*s1*abs(1, a1)/(s0+10*s1*abs(a1))^3+15*(-15*
a1+10.2627)^2*s1*abs(1, a1)/(s0+15*s1*abs(a1))^3+20*(-20*
a1+10.22623)^2*s1*abs(1, a1)/(s0+20*s1*abs(a1))^3+25*(-25*
a1+14.28611)^2*s1*abs(1, a1)/(s0+25*s1*abs(a1))^3+30*(-30*
a1+13.79561)^2*s1*abs(1, a1)/(s0+30*s1*abs(a1))^3+35*(-35*
a1+21.09856)^2*s1*abs(1, a1)/(s0+35*s1*abs(a1))^3+40*(-40*
a1+17.50144)^2*s1*abs(1, a1)/(s0+40*s1*abs(a1))^3+45*(-45*
a1+20.10634)^2*s1*abs(1, a1)/(s0+45*s1*abs(a1))^3+50*(-50*
a1+23.32865)^2*s1*abs(1, a1)/(s0+50*s1*abs(a1))^3+55*(-55*
a1+18.41583)^2*s1*abs(1, a1)/(s0+55*s1*abs(a1))^3+60*(-60*
a1+36.10625)^2*s1*abs(1, a1)/(s0+60*s1*abs(a1))^3+65*(-65*
a1+34.69508)^2*s1*abs(1, a1)/(s0+65*s1*abs(a1))^3+70*(-70*
a1+33.13127)^2*s1*abs(1, a1)/(s0+70*s1*abs(a1))^3+75*(-75*
a1+43.87842)^2*s1*abs(1, a1)/(s0+75*s1*abs(a1))^3+80*(-80*
a1+34.06836)^2*s1*abs(1, a1)/(s0+80*s1*abs(a1))^3+85*(-85*
a1+43.07314)^2*s1*abs(1, a1)/(s0+85*s1*abs(a1))^3+10*(10*a1
-6.65647123)^2*s1*abs(1, a1)/(s0+10*s1*abs(a1))^3+(75*(-75*
a1+43.87842))/(s0+75*s1*abs(a1))^2+(70*(-70*a1+33.13127))/(s0+70*
s1*abs(a1))^2+(65*(-65*a1+34.69508))/(s0+65*s1*abs(a1))^2+(60*
(-60*a1+36.10625))/(s0+60*s1*abs(a1))^2+(55*(-55*a1+18.41583))/
(s0+55*s1*abs(a1))^2+(50*(-50*a1+23.32865))/(s0+50*s1*abs(a1))^2+
(45*(-45*a1+20.10634))/(s0+45*s1*abs(a1))^2+(40*(-40*a1+17.50144)
)/(s0+40*s1*abs(a1))^2+(35*(-35*a1+21.09856))/(s0+35*s1*abs(a1))
^2-35*s1*abs(1, a1)/(s0+35*s1*abs(a1))-30*s1*abs(1, a1)/(s0+30*
s1*abs(a1))-25*s1*abs(1, a1)/(s0+25*s1*abs(a1))-20*s1*abs(1, a1)/
(s0+20*s1*abs(a1))-15*s1*abs(1, a1)/(s0+15*s1*abs(a1))-10*s1*abs
(1, a1)/(s0+5*s1*abs(a1))-20*s1*abs(1, a1)/(s0+10*s1*abs(a1))-85*
s1*abs(1, a1)/(s0+85*s1*abs(a1))-80*s1*abs(1, a1)/(s0+80*s1*abs
(a1))-75*s1*abs(1, a1)/(s0+75*s1*abs(a1))-70*s1*abs(1, a1)/
(s0+70*s1*abs(a1))-65*s1*abs(1, a1)/(s0+65*s1*abs(a1))-60*s1*abs
(1, a1)/(s0+60*s1*abs(a1))-55*s1*abs(1, a1)/(s0+55*s1*abs(a1))
-50*s1*abs(1, a1)/(s0+50*s1*abs(a1))-45*s1*abs(1, a1)/(s0+45*s1*
abs(a1))-40*s1*abs(1, a1)/(s0+40*s1*abs(a1))+ (30*(-30*
a1+13.79561))/(s0+30*s1*abs(a1))^2+(25*(-25*a1+14.28611))/(s0+25*
s1*abs(a1))^2+(20*(-20*a1+10.22623))/(s0+20*s1*abs(a1))^2)*exp(-
(-25*a1+14.28611)^2/(2*(s0+25*s1*abs(a1))^2)-(-20*a1+10.22623)^2/
(2*(s0+20*s1*abs(a1))^2)-(-15*a1+10.2627)^2/(2*(s0+15*s1*abs(a1))
^2)-(-10*a1+8.37979)^2/(2*(s0+10*s1*abs(a1))^2)-ln(s0+85*s1*abs
(a1))-ln(s0+80*s1*abs(a1))-ln(s0+75*s1*abs(a1))-ln(s0+70*s1*abs
(a1))-ln(s0+65*s1*abs(a1))-ln(s0+60*s1*abs(a1))-ln(s0+55*s1*abs
(a1))-ln(s0+50*s1*abs(a1))-ln(s0+45*s1*abs(a1))-ln(s0+40*s1*abs
(a1))-ln(s0+35*s1*abs(a1))-ln(s0+30*s1*abs(a1))-ln(s0+25*s1*abs
(a1))-ln(s0+20*s1*abs(a1))-ln(s0+15*s1*abs(a1))-2*ln(s0+5*s1*abs
(a1))-ln(s0)-2*ln(s0+10*s1*abs(a1))-(-5*a1+4.56334)^2/(2*(s0+5*
s1*abs(a1))^2)-(5*a1-0.11729798e-1)^2/(2*(s0+5*s1*abs(a1))^2)-
(10*a1-6.65647123)^2/(2*(s0+10*s1*abs(a1))^2)-(-85*a1+43.07314)
^2/(2*(s0+85*s1*abs(a1))^2)-(-80*a1+34.06836)^2/(2*(s0+80*s1*abs
(a1))^2)-(-75*a1+43.87842)^2/(2*(s0+75*s1*abs(a1))^2)-(-70*
a1+33.13127)^2/(2*(s0+70*s1*abs(a1))^2)-(-65*a1+34.69508)^2/(2*
(s0+65*s1*abs(a1))^2)-(-60*a1+36.10625)^2/(2*(s0+60*s1*abs(a1))
^2)-(-55*a1+18.41583)^2/(2*(s0+55*s1*abs(a1))^2)-(-50*
a1+23.32865)^2/(2*(s0+50*s1*abs(a1))^2)-(-45*a1+20.10634)^2/(2*
(s0+45*s1*abs(a1))^2)-(-40*a1+17.50144)^2/(2*(s0+40*s1*abs(a1))
^2)-(-35*a1+21.09856)^2/(2*(s0+35*s1*abs(a1))^2)-(-30*

```

```
a1+13.79561)^2/(2*(s0+30*s1*abs(a1))^2)-10*ln(2*Pi)-9.426395160/
(s0^2)):
```

```
> f:=delpdels1=0:g:=delpdela1=0:u:=delpdels0=0:
```

The partial derivatives are all set to zero, and the objective function Z_1 (Eq. 18) is minimized providing the optimized parameters $a1, s0$ and $s1$ (see also Table 3):

```
> fsolve({f,g,u}, {s0 = 1.5 .. 3, s1 = 0.04 .. 0.1, a1 = 0.4 ..
0.6});
```

```
{a1=0.4989582900, s0=2.545834529, s1=0.05819734350}
```

(5)

```
> Z:=-2*ln(Prob_ex4);
```

```
Z:=
```

(6)

$$\begin{aligned}
 & -2 \\
 & \ln \left(e \right. \\
 & \quad -\ln(s0 + 30 s1 |aI|) - \ln(s0 + 35 s1 |aI|) - \ln(s0 + 40 s1 |aI|) - \ln(s0 + 45 s1 |aI|) - \ln(s0 + 50 s1 |aI|) \\
 & \quad - \ln(s0 + 55 s1 |aI|) - \ln(s0 + 60 s1 |aI|) - \ln(s0 + 65 s1 |aI|) - \ln(s0 + 70 s1 |aI|) - \ln(s0 + 75 s1 |aI|) - \ln(s0 \\
 & \quad + 80 s1 |aI|) - \ln(s0 + 85 s1 |aI|) - \frac{9.426395160}{s0^2} - 2 \ln(s0 + 10 s1 |aI|) - 2 \ln(s0 + 5 s1 |aI|) - \ln(s0) - \ln(s0 \\
 & \quad + 15 s1 |aI|) - \ln(s0 + 20 s1 |aI|) - \ln(s0 + 25 s1 |aI|) - \frac{(-60 aI + 36.10625)^2}{2 (s0 + 60 s1 |aI|)^2} - \frac{(-65 aI + 34.69508)^2}{2 (s0 + 65 s1 |aI|)^2} \\
 & \quad - \frac{(-70 aI + 33.13127)^2}{2 (s0 + 70 s1 |aI|)^2} - \frac{(-75 aI + 43.87842)^2}{2 (s0 + 75 s1 |aI|)^2} - \frac{(-80 aI + 34.06836)^2}{2 (s0 + 80 s1 |aI|)^2} - \frac{(-85 aI + 43.07314)^2}{2 (s0 + 85 s1 |aI|)^2} \\
 & \quad - \frac{(-25 aI + 14.28611)^2}{2 (s0 + 25 s1 |aI|)^2} - \frac{(-30 aI + 13.79561)^2}{2 (s0 + 30 s1 |aI|)^2} - \frac{(-35 aI + 21.09856)^2}{2 (s0 + 35 s1 |aI|)^2} - \frac{(-40 aI + 17.50144)^2}{2 (s0 + 40 s1 |aI|)^2} \\
 & \quad - \frac{(-45 aI + 20.10634)^2}{2 (s0 + 45 s1 |aI|)^2} - \frac{(-50 aI + 23.32865)^2}{2 (s0 + 50 s1 |aI|)^2} - \frac{(-55 aI + 18.41583)^2}{2 (s0 + 55 s1 |aI|)^2} - \frac{(10 aI - 6.65647123)^2}{2 (s0 + 10 s1 |aI|)^2} \\
 & \quad - \frac{(5 aI - 0.011729798)^2}{2 (s0 + 5 s1 |aI|)^2} - \frac{(-5 aI + 4.56334)^2}{2 (s0 + 5 s1 |aI|)^2} - \frac{(-10 aI + 8.37979)^2}{2 (s0 + 10 s1 |aI|)^2} - \frac{(-15 aI + 10.2627)^2}{2 (s0 + 15 s1 |aI|)^2} \\
 & \quad \left. - \frac{(-20 aI + 10.22623)^2}{2 (s0 + 20 s1 |aI|)^2} - 10 \ln(2\pi) \right)
 \end{aligned}$$

The Hessian matrix is calculated for the minimum of the objective function $Z1$:

```
> hess:=Hessian(Z, [a1,s0,s1]):
```

```
> hess0:=subs(a1=.4989582900,hess):hess1:=subs(s0=2.545834529,
hess0):hess2:=subs(s1=0.05819734350e-1,hess1):hess_matrix:=evalf
(hess2):
```

The covariance matrix (inverse of the Hessian matrix) is calculated:

```
> cov:=MatrixInverse(hess_matrix);
```


$$\text{cov} := \begin{bmatrix} 0.000213218991015571 & -0.000650605339946647 & 0.0000142006428288282 \\ -0.000650605339946647 & 0.273325442046615 & -0.00962063551685165 \\ 0.0000142006428288282 & -0.00962063551685165 & 0.000729633182700327 \end{bmatrix} \quad (7)$$

> with(Statistics) ;

[AbsoluteDeviation, AgglomeratedPlot, AreaChart, AutoCorrelation, BarChart, Biplot, Bootstrap, BoxPlot, BubblePlot, CDF, CGF, CentralMoment, CharacteristicFunction, ChiSquareGoodnessOfFitTest, ChiSquareIndependenceTest, ChiSquareSuitableModelTest, ColumnGraph, Correlation, CorrelationMatrix, Count, CountMissing, Covariance, CovarianceMatrix, CrossCorrelation, Cumulant, CumulantGeneratingFunction, CumulativeDistributionFunction, CumulativeProduct, CumulativeSum, CumulativeSumChart, DataSummary, Decile, DensityPlot, DiscreteValueMap, Distribution, ErrorPlot, EvaluateToFloat, Excise, ExpectedValue, ExponentialFit, ExponentialSmoothing, FailureRate, FisherInformation, Fit, FivePointSummary, FrequencyPlot, FrequencyTable, GeometricMean, GridPlot, HarmonicMean, HazardRate, HeatMap, Histogram, HodgesLehmann, Information, InteractiveDataAnalysis, InterquartileRange, InverseSurvivalFunction, Join, KernelDensity, KernelDensityPlot, KernelDensitySample, Kurtosis, Likelihood, LikelihoodRatioStatistic, LineChart, LinearFilter, LinearFit, LogLikelihood, LogarithmicFit, Lowess, MGF, MLE, MakeProcedure, MaximumLikelihoodEstimate, Mean, MeanDeviation, Median, MedianDeviation, MillsRatio, Mode, Moment, MomentGeneratingFunction, MovingAverage, MovingMedian, MovingStatistic, NonlinearFit, NormalPlot, OneSampleChiSquareTest, OneSampleTTest, OneSampleZTest, OneWayANOVA, OrderByRank, OrderStatistic, PCA, PDF, ParetoChart, Percentile, PieChart, PointPlot, PolynomialFit, PowerFit, PredictiveLeastSquares, PrincipalComponentAnalysis, Probability, ProbabilityDensityFunction, ProbabilityFunction, ProbabilityPlot, ProfileLikelihood, ProfileLogLikelihood, QuadraticMean, Quantile, QuantilePlot, Quartile, RandomVariable, Range, Rank, Remove, RemoveInRange, RemoveNonNumeric, RepeatedMedianEstimator, RousseeuwCrouxQn, RousseeuwCrouxSn, Sample, Scale, ScatterPlot, ScatterPlot3D, Score, ScreePlot, Select, SelectInRange, SelectNonNumeric, ShapiroWilkWTest, Shuffle, Skewness, Sort, Specialize, SplitByColumn, StandardDeviation, StandardError, StandardizedMoment, SunflowerPlot, Support, SurfacePlot, SurvivalFunction, SymmetryPlot, Tally, TallyInto, TreeMap, Trim, TrimmedMean, TwoSampleFTest, TwoSamplePairedTTest, TwoSampleTTest, TwoSampleZTest, Variance, Variation, VennDiagram, ViolinPlot, WeibullPlot, WeightedMovingAverage, Winsorize, WinsorizedMean] (8)

The correlation coefficients (Eq. 24) follow from the covariance matrix (compare Table 4):

> rho12:=cov(1,2)/sqrt(cov(1,1))/sqrt(cov(2,2)); rho13:=cov(1,3)/sqrt(cov(1,1))/sqrt(cov(3,3)); rho23:=cov(2,3)/sqrt(cov(2,2))/sqrt(cov(3,3));

$\rho_{12} := -0.0852245372892805$

$\rho_{13} := 0.0360033385194894$

$\rho_{23} := -0.681257730547091$

(9)

The uncertainties of the parameters follow from the diagonal terms of the covariance matrix (compare Table 3):

```
> dela0:=sqrt(cov(1,1));
dela0 := 0.0146020201005056 (10)
```

```
> dela1:=sqrt(cov(2,2));
dela1 := 0.522805357706494 (11)
```

```
> dels0:=sqrt(cov(3,3));
dels0 := 0.0270117230605589 (12)
```

```
> with(LinearAlgebra);
[&x, Add, Adjoint, BackwardSubstitute, BandMatrix, Basis, BezoutMatrix, BidiagonalForm, (13)
```

BilinearForm, CARE, CharacteristicMatrix, CharacteristicPolynomial, Column, ColumnDimension, ColumnOperation, ColumnSpace, CompanionMatrix, CompressedSparseForm, ConditionNumber, ConstantMatrix, ConstantVector, Copy, CreatePermutation, CrossProduct, DARE, DeleteColumn, DeleteRow, Determinant, Diagonal, DiagonalMatrix, Dimension, Dimensions, DotProduct, EigenConditionNumbers, Eigenvalues, Eigenvectors, Equal, ForwardSubstitute, FrobeniusForm, FromCompressedSparseForm, FromSplitForm, GaussianElimination, GenerateEquations, GenerateMatrix, Generic, GetResultDataType, GetResultShape, GivensRotationMatrix, GramSchmidt, HankelMatrix, HermiteForm, HermitianTranspose, HessenbergForm, HilbertMatrix, HouseholderMatrix, IdentityMatrix, IntersectionBasis, IsDefinite, IsOrthogonal, IsSimilar, IsUnitary, JordanBlockMatrix, JordanForm, KroneckerProduct, LA_Main, LUdecomposition, LeastSquares, LinearSolve, LyapunovSolve, Map, Map2, MatrixAdd, MatrixExponential, MatrixFunction, MatrixInverse, MatrixMatrixMultiply, MatrixNorm, MatrixPower, MatrixScalarMultiply, MatrixVectorMultiply, MinimalPolynomial, Minor, Modular, Multiply, NoUserValue, Norm, Normalize, NullSpace, OuterProductMatrix, Permanent, Pivot, PopovForm, ProjectionMatrix, QRdecomposition, RandomMatrix, RandomVector, Rank, RationalCanonicalForm, ReducedRowEchelonForm, Row, RowDimension, RowOperation, RowSpace, ScalarMatrix, ScalarMultiply, ScalarVector, SchurForm, SingularValues, SmithForm, SplitForm, StronglyConnectedBlocks, SubMatrix, SubVector, SumBasis, SylvesterMatrix, SylvesterSolve, ToeplitzMatrix, Trace, Transpose, TridiagonalForm, UnitVector, VandermondeMatrix, VectorAdd, VectorAngle, VectorMatrixMultiply, VectorNorm, VectorScalarMultiply, ZeroMatrix, ZeroVector, Zip]

```
> Determinant(hess_matrix);
4.424648160 107 (14)
```

```
> ConditionNumber(hess_matrix);
1375.109792 (15)
```