

API DOCUMENTATION

Informasi Umum

Base URL (Production): http://localhost:8081/api

Format Data: application/json

Autentikasi: Tidak ada mekanisme authentication pada endpoint saat ini, tidak ada JWT/Bearer Token, tidak ada API Key, endpoint terbuka untuk siapa saja

CORS: @CrossOrigin(origins = "**") // LONGGAR - Terima dari semua domain

Daftar Endpoint

Method	Endpoint	Deskripsi
GET	/api/dragons	Ambil semua data dragon
GET	/api/heroes	Ambil semua data hero
POST	/api/combat/hero-attack	Jalankan logika pertempuran
GET	/api/slots	Ambil semua save slot
POST	/api/slots	Buat/simpan save slot baru
DELETE	/api/slots/{id}	Hapus save slot berdasarkan ID

Detail Setiap Endpoint

A. GET /api/dragons

Fungsi: Mengambil daftar lengkap semua dragon di game

Method: GET

Auth: Tidak Diperlukan

Response (200 OK):

```
[  
  {  
    "id": 1,  
    "name": "Fire Dragon",  
    "health": 150,  
    "attack": 35,  
    "element": "FIRE"  
  },  
  {  
    "id": 2,  
    "name": "Water Dragon",  
    "health": 120,  
    "attack": 30,  
    "element": "WATER"  
  }  
]
```

Kode Controller:

```
@RestController  
@RequestMapping("/api")  
@CrossOrigin(origins = "*")  
public class DragonController {  
    @GetMapping("/dragons")  
    public List<Dragon> getAllDragons() { ... }  
}
```

```
}
```

B. GET /api/heroes

Fungsi: Mengambil daftar lengkap semua hero yang tersedia

Method: GET

Auth: Tidak Diperlukan

Response (200 OK):

```
[
```

```
{
```

```
  "id": 1,
```

```
  "name": "Knight",
```

```
  "level": 1,
```

```
  "experience": 0,
```

```
  "health": 100,
```

```
  "attack": 20,
```

```
  "defense": 10
```

```
},
```

```
{
```

```
  "id": 2,
```

```
  "name": "Archer",
```

```
  "level": 1,
```

```
  "experience": 0,
```

```
  "health": 80,
```

```
  "attack": 25,
```

```
  "defense": 5
```

```
}
```

]

Kode Controller:

```
@RestController
@RequestMapping("/api")
@CrossOrigin(origins = "*")
public class HeroController {
    @GetMapping("/heroes")
    public List<Hero> getAllHeroes() { ... }
}
```

C. POST /api/combat/hero-attack

Fungsi: Eksekusi logika pertempuran antara hero dan musuh

Method: POST

Content-Type: application/json

Auth: Tidak Diperlukan

Request Body:

```
{
  "heroId": 1,
  "enemyId": 2
}
```

Response (200 OK):

```
{
  "heroId": 1,
  "enemyId": 2,
```

```
"heroDamage": 18,  
"enemyDamage": 12,  
"heroHealthRemaining": 88,  
"enemyHealthRemaining": 102,  
"heroExperienceGain": 10,  
"battleStatus": "ONGOING",  
"winner": null  
}
```

Status Battle:

- ONGOING – Pertempuran masih berlangsung
- HERO_WIN – Hero menang
- ENEMY_WIN – Musuh menang

Kode Controller:

```
@RestController  
  
@RequestMapping("/api")  
  
@CrossOrigin(origins = "*")  
  
public class CombatController {  
  
    @PostMapping("/combat/hero-attack")  
  
    public ResponseEntity<AttackResponse> heroAttack(  
  
        @RequestBody AttackRequest request) { ... }  
  
}
```

D. GET /api/slots

Fungsi: Mengambil semua save slot yang tersimpan

Method: GET

Auth: Tidak diperlukan

Response (200 OK):

```
[  
  {  
    "id": 1,  
    "slotNumber": 1,  
    "heroData": { /* hero object */ },  
    "enemyData": { /* enemy object */ },  
    "saveTimestamp": "2026-07-21T10:30:00Z"  
  }  
]
```

E. POST /api/slots

Fungsi: Membuat atau memperbarui save slot baru

Method: POST

Content-Type: application/json

Auth: Tidak diperlukan

Request Body:

```
{  
  "slotNumber": 1,  
  "heroData": { /* hero object */ },  
  "enemyData": { /* enemy object */ },  
  "saveTimestamp": "2026-07-21T10:30:00Z"  
}
```

```
"heroData": {  
  "id": 1,  
  "name": "Knight",  
  "level": 5,  
  "health": 150  
},  
"enemyData": {  
  "id": 2,  
  "name": "Fire Dragon",  
  "health": 80  
}  
}
```

Response (201 Created):

```
{  
  "id": 1,  
  "slotNumber": 1,  
  "heroData": { /* ... */ },  
  "enemyData": { /* ... */ },  
  "saveTimestamp": "2026-07-21T11:45:30Z"  
}
```

F. Delete /api/slots/{id}

Fungsi: Menghapus save slot berdasarkan ID

Method: DELETE

Auth: Tidak diperlukan

Path Parameter:

- id: Integer (ID save slot)

Response (204 No Content):

(kosong, status 204 mengindikasikan sukses)

Response Error (404 Not Found):

```
{
```

```
"error": "Save slot not found"
```

```
}
```