

UNIVERSITÀ DEGLI STUDI DI TRIESTE
Dipartimento Universitario Clinico di Scienze
mediche, chirurgiche e della salute



Laurea Magistrale in Medicina e Chirurgia

**Cost-effectiveness of the italian screening protocol
for international adoptees**

Ottobre 2018

Laureando
Sebastiano Genna

Relatore
Prof. Egidio Barbi

Anno Accademico 2017/2018

*“Every single minute matters,
every single child matters,
every single childhood matters.”*

- Kailash Satyarthi, Indian children's rights activist

Abstract (Italian)

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Cras volutpat eu lorem et euismod. Vivamus ut elit volutpat augue dignissim condimentum vitae id ex. Praesent nunc turpis, facilisis nec risus eu, tristique cursus felis. Aenean finibus eros ut nulla dapibus euismod. Aliquam quis erat vel ligula suscipit venenatis id at est. Donec ornare suscipit lacus eget iaculis. Suspendisse a ex ut urna commodo pharetra et et nulla. In hac habitasse platea dictumst.

Donec eu sem vel nisl venenatis consequat sed at diam. Nullam sagittis tortor ex. Suspendisse pharetra nisl ac metus lacinia, suscipit semper neque posuere. Praesent finibus ornare ipsum ut consectetur. Vestibulum auctor suscipit libero eget vulputate. Aliquam odio magna, feugiat a vestibulum non, ultrices ut quam. Etiam facilisis et risus feugiat finibus. In eleifend ultrices libero, sed facilisis nulla pellentesque at. Aliquam erat volutpat. Quisque dictum eleifend dui eget feugiat. Nam molestie sed mauris non iaculis. Sed vel nisi commodo libero sollicitudin semper quis sit amet purus. Nam elementum a orci at rutrum. Vivamus sit amet lacus non quam rutrum tincidunt tristique id quam.

Sed et facilisis lorem. Sed aliquam pulvinar est ac dignissim. Mauris scelerisque risus ut quam molestie aliquam. Quisque ultrices orci nec purus semper suscipit. Donec eleifend augue vitae est sollicitudin, at commodo nisi pretium. Fusce sollicitudin nibh ut nulla interdum, ornare sagittis neque varius. Sed vulputate hendrerit ornare. Ut vehicula sapien ut efficitur congue.

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Cras volutpat eu lorem et euismod. Vivamus ut elit volutpat augue dignissim condimentum vitae id ex. Praesent nunc turpis, facilisis nec risus eu, tristique cursus felis. Aenean finibus eros ut nulla dapibus euismod. Aliquam quis erat vel ligula suscipit venenatis id at est. Donec ornare suscipit lacus eget iaculis. Suspendisse a ex ut urna commodo pharetra et et nulla. In hac habitasse platea dictumst.

Donec eu sem vel nisl venenatis consequat sed at diam. Nullam sagittis tortor ex. Suspendisse pharetra nisl ac metus lacinia, suscipit semper neque posuere. Praesent finibus ornare ipsum ut consectetur. Vestibulum auctor suscipit libero eget vulputate. Aliquam odio magna, feugiat a vestibulum non, ultrices ut quam. Etiam facilisis et risus feugiat finibus. In eleifend ultrices libero, sed facilisis nulla pellentesque at. Aliquam erat volutpat. Quisque dictum eleifend dui eget feugiat. Nam molestie sed mauris non iaculis. Sed vel nisi commodo libero sollicitudin semper quis sit amet purus. Nam elementum a orci at rutrum. Vivamus sit amet lacus non quam rutrum tincidunt tristique id quam.

Sed et facilisis lorem. Sed aliquam pulvinar est ac dignissim. Mauris scelerisque risus ut quam molestie aliquam. Quisque ultrices orci nec purus semper suscipit. Donec eleifend augue vitae est sollicitudin, at commodo nisi pretium. Fusce sollicitudin nibh ut nulla interdum, ornare sagittis neque varius. Sed vulputate hendrerit ornare. Ut vehicula sapien ut efficitur congue.

Acknowledgements

To my friends *I Cazzilli*: Fede, Lorenz, Grismina and Ste, for always being worthy of being the family I chose for myself and for looking out for me day after day.

To Emme, for showing me what true compassion is and inspiring me to be a better version of myself everyday.

To Carol, the closest tea-brewing sister I could hope for. I'm truly proud of you.

To my Mom, for teaching me, among another thousand things, her own personal special way of calling somewhere "*home*".

To my Dad, for always trying to be the man he ought to be.

To the rest of my strange, enlarged family, for always supporting me in every possible way.

To Luca, my tireless desk-mate and friend, who never called himself out of an all-nighter and who always speaks a word of kindness or dedication in times of need.

To Valentina, who helped me stand in times when I couldn't stand for myself.

To Matteo, an amazing companion in this journey through pediatrics, data sets and enthusiastic English-vocabulary show off.

To dott. Monasta, for making sense of numbers that didn't seem to have any.

To prof. Barbi and prof. Ventura, for remembering me that medicine can be how i dreamed it.

And lastly, to myself, for always believing that, even when your heart's lost all its hope, after dawn there will be sunshine.

Contents

| | |
|--|-------------|
| Abstract (Italian) | ii |
| Abstract | iii |
| Acknowledgements | iv |
| List of Figures | viii |
| List of Tables | ix |
| Abbreviations | x |
| 1 Introduction | 1 |
| 1.1 Intercountry and international adoptees | 1 |
| 1.1.1 Levels and trends in intercountry adoption worldwide | 3 |
| 1.1.2 International adoptions in Italy | 6 |
| 1.2 Health status and screening protocols | 7 |
| 1.3 Illnesses and dysfunctions under exam | 7 |
| 1.3.1 Infectious diseases | 7 |
| 1.3.2 Blood count disorders and deficiency states | 8 |
| 1.3.2.1 Iron-deficient anemia | 8 |
| 1.3.2.2 Vitamin D deficiency | 8 |
| 1.3.3 Height-weight disorders | 8 |
| 2 Materials and Methods | 9 |
| 2.1 The data set | 9 |
| 2.1.1 The population in exam | 9 |
| 2.1.2 Inclusion and exclusion criteria | 10 |
| 2.2 Data set elaboration | 10 |
| 2.2.1 VBA expressions | 10 |
| 2.2.2 Cut-off values | 11 |

| | | |
|----------|--|-----------|
| 2.2.2.1 | Haemoglobin | 11 |
| 2.2.2.2 | MCV | 11 |
| 2.2.2.3 | Circulating Iron | 11 |
| 2.2.2.4 | Vitamin D | 11 |
| 2.3 | Statistical Analyses | 11 |
| 3 | Results | 13 |
| 3.1 | Introduction | 13 |
| 3.2 | Risultati 1 | 13 |
| 3.3 | Risultati 2 | 14 |
| 3.4 | Risultati 3 | 14 |
| 4 | Discussion | 15 |
| 4.1 | Objectives achieved | 15 |
| 4.2 | Our recommendations | 16 |
| 4.3 | Future work | 16 |
| 5 | How to Do | 17 |
| 5.1 | Including Sections and Subsections | 17 |
| 5.1.1 | I like myself | 17 |
| 5.1.2 | but I'm weird | 17 |
| 5.1.2.1 | LOST OF FUN! | 17 |
| 5.1.2.2 | I'm calm and shit | 18 |
| 5.2 | Including references and citations | 18 |
| 5.2.1 | Referencing images and tables! | 18 |
| 5.2.2 | Referencing chapters and subchapters | 18 |
| 5.2.3 | Using footnotes | 18 |
| 5.3 | Including quotes | 19 |
| 5.4 | Including URLs | 19 |
| 5.5 | Including code | 19 |
| 5.6 | Formatting Text | 21 |
| 5.7 | Including bulleted list | 21 |
| 5.8 | Including Figures | 22 |
| 5.9 | Including Tables | 22 |
| A | Data set elaboration: VBA expressions | 25 |
| A.1 | Age (in months) | 26 |
| A.2 | Geographic area of origin | 26 |
| A.3 | Pathological values | 28 |

| | | |
|---------------------|-----------------------------|-----------|
| A.3.1 | Weight and height | 28 |
| A.3.2 | Haemoglobin | 28 |
| A.3.3 | MCV | 30 |
| A.3.4 | Circulating iron | 33 |
| A.3.5 | Ferritin | 34 |
| A.3.6 | Vitamin D | 34 |
| Bibliography | | 37 |

List of Figures

| | | |
|-----|---|----|
| 1.1 | Adoptions to US by top countries from 1999 to 2016. | 6 |
| 5.1 | Living room as I imagine it | 23 |

List of Tables

| | | |
|-----|---|----|
| 1.1 | Countries of destination with the largest number of intercountry adoption | 4 |
| 1.2 | Countries of origin with the largest number of intercountry adoption . | 5 |
| 1.4 | Countries with the highest percentual international adoptions | 5 |
| 5.1 | Max and min temps recorded in the first two weeks of July | 23 |
| 5.2 | ParaView-VTK Architecture (simplified) | 24 |
| A.2 | Column-parameter correspondence | 26 |
| A.1 | Column-parameter correspondence | 36 |

Abbreviations

MCV Mean **C**orpuscular **V**alue

VBA Visual **B**asic for **A**pplications

Chapter 1

Introduction

Children's health has historically always been a sensitive and concerning matter for human kind. We can find reason for this in our universal instinctive draw towards the protection and care for our offspring, and in how children can be struck by some of the most devastating and life-wrecking diseases. Sometimes, these are the phenotypical expression of genetical marks, scarred onto and into these kids. Despite the origin, the color of the skin or the culture the child bears in his lineage, human beings feel the need to raise and safeguard them from all harms, on a physical, emotional and spiritual level. This is one of the strongest biological calls to action.

Thus, pediatrics must care and remember that children's health and well-being must be guarded across political borders, across poverty, across starvation. This thesis, and the paper it's so deeply bound to, set themselves to renew this vow.

1.1 Intercountry and international adoptees

International adoptees are children with special needs: a vulnerable paediatric population with a chronic condition that requires access to a wide variety of health care services (as defined by [7] and [8]). Compared to 19% of the general population, approximately 39% of adopted children require special healthcare attention

(as extensively explained in [1]). They are of school age, part of a sibling group, members of historically oppressed racial or ethnic groups, or they have considerable physical, emotional, or developmental need: all potential elements of vulnerability endangering the child's healthy upbringing. This is not a limited problem: annually more than 30.000 kids are adopted across countries, and, in the United States, of all 136.000 national adoptees in 2008, almost 25% come from foreign countries; U.S. families adopted 22.884 children in 2004, mostly from China (which accounts for 33% alone), Ehtiopia, Russia and South Korea (see [1]), 8.868 more in 2012 and 4.714 in 2017 (see [3]). Further data on annual U.S. international adoptions and their social and financial costs can be found at [4].

Although personal experiences obviously vary, most children placed for international adoption have some history of poverty and social hardship in their home countries, and approximately 65% are adopted from orphanage or institutional settings. As explained in [1], the effects of institutionalization and other early life stresses impact all areas of early growth and development. As a result, many children require specialized support and understanding to overcome such impacts and to reach their full potential.

Moreover, as in [2], internationally adopted children may withstand a number of juridical and social impairments even after adoption. No generalization can be made on this matter though, since laws and policies greatly differing among countries. They may be stripped of their name (a.e. in Cape Verde, Argentina and Turkey), have no right to inheritance (a.e. in Republic of Moldova and France), see the termination of the relationship with birth parents and relatives (a.e. in Japan, Albania and Togolese Republic), loose their citizenship and not acquire a new one (a.e. Hungary and New Zealand), or even bear limitations on marriage in their adult life (a.e. in Argentina and France). These boundaries are to be considered associated to the emotional and psychological stress of new surroundings, new affections, new habits, and even new climatic environments (which can be clinically relevant, as explained in 1.3.2.2).

All these elements account for some of the factors that contribute to the hardships an adoptee must endure throughout his life and call for a strong action from

pediatric physicians and social services employees, as possible support figures which may change these kids' lives forever.

1.1.1 Levels and trends in intercountry adoption worldwide

International adoption is increasingly considered a measure of last resort worldwide, if the child's birth family or community are unable or unwilling to care for him anymore (see [1]), justifying the downward trend on international adoptions across the globe.

The United Nations Population Division estimates that about 40.000 intercountry adoptions took place each year around 2005, accounting for 15% of the total number of adoptions (see [2]). As shown in Table 1.1 and 1.2, the involved countries, both for destination and origin, are relatively few.

Destination countries are led by the United States with over 127.000 total adoptions in 2001. Even though it accounts for nearly half of all adoptions, only 15% of American families decide to take care of a child coming from outside the US. France and Spain (both with a significant annual adoptions, ranging from 4,000 to 5,000 adoptions per year), instead, embrace 80-90% of all adoptions from foreign lands, although they have far less total adoptions per year. Almost all countries adopt primarily from China and Russia, confirming data shown in 1.2. The median percentage of international adoptions in all examined countries is 64 a remarkable value and effort in helping children from developing countries.

The Italian adoption status will be discussed in 1.1.2.

| Rank | Receiving country ¹ | Number | Percentage | Main country of origin |
|----------|--------------------------------|--------------|------------|------------------------|
| 1 | United States of America | 19.056 | 15 | China |
| 2 | France | 3.995 | 90 | Haiti |
| 3 | Spain | 3.951 | 82 | Russia |
| 4 | Italy | 2.177 | 68 | Russia |
| 5 | Germany | 1.919 | 34 | Russia |
| 6 | Canada | 1.875 | 46 | China |
| 7 | Sweden | 1.093 | 65 | China |
| 8 | Netherlands | 1.069 | 78 | China |
| 9 | Denmark | 688 | 55 | China |
| 10 | Norway | 664 | 76 | China |
| 11 | Switzerland | 558 | 79 | Colombia |
| Median | | 370 | 64 | |

Source: United Nations Population Division report (see [2])

Countries of origin are better balanced throughout the globe, with China leading the chart, followed by Russia, Guatemala and Ukraine. Guatemala and Ethiopia stand out for the exceptional percentage of international adoptions among all, with 97% and 93% respectively. As clearly shown in Table 1.2, the United States are the preferred destination country for most of the listed nations.

All of the countries listed below struggle with some sort of social hardship: political instability, poverty, inequality, starvation, ethnic or civil wars, complex and violent pasts. Eyes can't closed and mouths shut, when it so obviously portrayed that children are the ones paying from these adulthood failures. They must run, be saved, separated, deported in order to be granted one single chance, one single hope.

| Rank | Receiving country ¹ | Number | Percentage | Main receiving country |
|--------|--------------------------------|--------|------------|------------------------|
| 1 | China | 8.644 | 19 | United States |
| 2 | Russia | 5.777 | 25 | United States |
| 3 | Guatemala | 3.726 | 97 | United States |
| 4 | Ukraine | 2.672 | 35 | United States |
| 5 | Korea | 2.258 | 58 | United States |
| 6 | Vietnam | 1.419 | 49 | United States |
| 7 | India | 1.098 | 36 | United States |
| 8 | Bulgaria | 1.010 | 44 | Italy |
| 9 | Kazakhstan | 948 | 26 | United States |
| 10 | Colombia | 846 | 60 | France |
| 11 | Ethiopia | 810 | 93 | France |
| Median | | 50 | 34 | |

Source: United Nations Population Division report (see [2])

In Table 1.4 the leading countries both of origin and of destination have been divided for the most oriented towards international adoptions out of all national adoptions per year. Belgium, France and Luxembourg lead the receiving side; Ethiopia, Guatemala, Mali and Thailand the origin side, instead, with over 90%.

| 60 to 74% | 75 to 89% | 90% or more | 60 to 74% | 75 to 89% | 90% or more |
|-------------------------|---------------|-------------|-------------------------|-----------|-------------|
| Andorra | Cyprus | Belgium | Colombia | Georgia | Ethiopia |
| Australia | Liechtenstein | France | Latvia | Haiti | Guatemala |
| Israel | Netherlands | Luxembourg | Grenada | | Mali |
| Italy | Norway | | Honduras | | Thailand |
| Singapore | Spain | | Niger | | |
| Sweden | Switzerland | | Togo | | |
| (A) Receiving Countries | | | (B) Countries of origin | | |

Source: United Nations Population Division report (see [2])

¹Only countries with more than 500 adoptees per year were included. For the complete table, please see the referenced source.

As explained in [5] and [6], in recent years, international adoption rate have been dropping. As shown in the Graph 1.1, the United States' foreign adoptions have dramatically dropped from 18.856 children per year in 2000 to 2.681: more than 75% has been cut. This is a world-wide problem since the motivation for this is found in policy changes in the countries of origin.




FIGURE 1.1: Adoptions to US by top countries from 1999 to 2016.

Source: U.S. State Department

1.1.2 International adoptions in Italy

According to [7], [8] and [9], Italy is the European country with the highest rate of adoptions and the second one worldwide, following the United States. This major role was kept in the next two-year period: 2.716 children were internationally adopted in Italy in 2016-17 (see [10]). As of [2], Italy is the forth country worldwide for international adoptions with 2.177 international adoptions in 1999, amounting to 68% of national total. Most of the Italian adoptees are from the Russia Federation (as shown in Table 1.1) and Italy is Bulgaria's favorite country of destination (in Table 1.2).

1.2 Health status and screening protocols

Screening at arrival is important in order to identify eventual pathological conditions. Several reports focused on infectious disease risk among internationally adopted children (IAC), while data regarding prevalence and spectrum of non-infectious conditions, including special needs, are poor (see [7] and [8]).

1.3 Illnesses and dysfunctions under exam

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

1.3.1 Infectious diseases

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

1.3.2 Blood count disorders and deficiency states

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

1.3.2.1 Iron-deficient anemia

it can occur.

1.3.2.2 Vitamin D deficiency

it can occur too.

1.3.3 Height-weight disorders

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

Chapter 2

Materials and Methods

2.1 The data set

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

2.1.1 The population in exam

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

2.1.2 Inclusion and exclusion criteria

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

2.2 Data set elaboration

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

2.2.1 VBA expressions

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

All VBA expression can be found in Appendix A at page 25.

2.2.2 Cut-off values

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

2.2.2.1 Haemoglobin

This was a little prick.

2.2.2.2 MCV

This was ANOTHER little prick.

2.2.2.3 Circulating Iron

This was easy.

2.2.2.4 Vitamin D

Vitamin D is healthy. 25OH...

2.3 Statistical Analyses

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod

massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

Chapter 3

Results

3.1 Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

3.2 Risultati 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer

nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

3.3 Risultati 2

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

3.4 Risultati 3

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

Chapter 4

Discussion

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

4.1 Objectives achieved

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

4.2 Our recommendations

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

4.3 Future work

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque nibh metus, suscipit a scelerisque sit amet, rhoncus et lectus. Mauris eget erat rutrum, euismod massa id, maximus mauris. Nulla maximus, ex sit amet lacinia consequat, enim ante mollis dui, sit amet tincidunt massa felis id magna. Aenean gravida ante nec volutpat rutrum. Cras eget ullamcorper leo. Curabitur eu volutpat tellus. Integer nec ornare sapien. Fusce ipsum justo, interdum quis libero a, mattis tristique velit. Phasellus rhoncus lorem non ultrices luctus.

Chapter 5

How to Do

This is all I know on LaTeX up to now.

5.1 Including Sections and Subsections

This is my first section.

5.1.1 I like myself

I'm nice.

5.1.2 but I'm weird

but fun.

5.1.2.1 LOST OF FUN!

Writing writing and writing.

5.1.2.2 I'm calm and shit

I write stuff in subsubsections.

And lastly this is new and amazing PARAGRAPH: You can write whatever you want and it's pretty cool and new. I still like subsubsections more.

5.2 Including references and citations

This is pretty simple to cite: developed as open-source C++ software by Rudolf Biczok [11]. We'll learn more about this as we go. Let's see if they change order [7]. They should've change [8].

5.2.1 Referencing images and tables!

So you can see figure 5.1 at page 23. AMAZING
OR you can also see the table 5.1 at page 23!

5.2.2 Referencing chapters and subchapters

You can also ref chapters, as Chapter Results 3.

5.2.3 Using footnotes

Let's try this out.¹ And another one to see if it is progressive and shit.²

¹This is my first footnote.

²CAREFUL! Don't leave any spaces before the command or they will be rendered.

I'll try now to “place them manually”. This is were the sign is.³
Somewhere else in the text. I insert what it contains.

5.3 Including quotes

This is how a quote looks.

From an evolutionary perspective, virtual reality is seen as a way to overcome limitations of standard human-computer interfaces; from a revolutionary perspective, virtual reality technology opens the door to new types of applications that exploit the possibilities offered by presence simulation.

And also in text quotes: “[by] immersing the user in the solution, virtual reality reveals the spatially complex structures in computational science in a way that makes them easy to understand and study”.

And dots...

5.4 Including URLs

We can include `https://github.com/vrcranfield/UnityApplication`.

5.5 Including code

The following code is written by Lorenzo:

³This is my footnote!

```
=IF(
  OR(
    E68 = "Russia";
    E68 = "Albania";
    E68 = "Bulgaria";
    E68 = "Ungheria";
    E68 = "Ucraina";
    E68 = "Moldavia";
    E68 = "Romania"
  );
  "Europa dell'Est";
  IF(
    OR(
      E68 = "Burkina Faso";
      E68 = "Etiopia";
      E68 = "Costa d'Avorio";
      E68 = "Congo";
      E68 = "Guinea Bissau";
      E68 = "Africa";
      E68 = "Ghana";
      E68 = "Benin"
    );
    "Africa";
    IF(
      OR(
        E68 = "Colombia";
        E68 = "Brasile";
        E68 = "Guatemala";
        E68 = "Peru";
        E68 = "Costa Rica"
      );
      "America del Sud";
      IF(
        OR(
          E68 = "Armenia";
          E68 = "India";
          E68 = "Cina";
          E68 = "Vietnam";
          E68 = "Sri Lanka";
          E68 = "Siberia";
          E68 = "Nepal";
          E68 = "Filippine"
        );
        "Asia";
        ""
      )
    )
  )
)
```

5.6 Formatting Text

This is **BOLD** *This is ITALIC* This is SANS SERIF This is TRUE TYPE

In this sentence THIS IS TINY. THIS WHOLE SENCE IS TINY.

I go back to normal.

Then I can go for large, or Large, or Larger, or Huge and even HUGE.

5.7 Including bulleted list

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam quam tellus, venenatis a consectetur non, pretium ac nunc. Nullam eu tellus sed augue laoreet scelerisque.

- The first item of your list
- The second item of your list
- The third item of your list

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam quam tellus, venenatis a consectetur non, pretium ac nunc. Nullam eu tellus sed augue laoreet scelerisque. Curabitur efficitur, dolor ut pretium fermentum, nisi enim pulvinar nunc, non bibendum urna odio nec neque. Cras tellus turpis, posuere in dictum vitae, vestibulum quis velit.

1. The first item of your list
2. The second item of your list
3. The third item of your list

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam quam tellus, venenatis a consectetur non, pretium ac nunc. Nullam eu tellus sed augue laoreet scelerisque. Curabitur efficitur, dolor ut pretium fermentum, nisi enim pulvinar nunc, non bibendum urna odio nec neque. Cras tellus turpis, posuere in dictum vitae, vestibulum quis velit.

- a) The first item of your list
- b) The second item of your list
- c) The third item of your list

5.8 Including Figures

Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Nam vulputate finibus malesuada. Praesent at egestas turpis. Vivamus vitae tellus malesuada, laoreet ex ac, venenatis est. Aliquam dictum tincidunt libero, cursus posuere arcu sodales non. In sed metus sit amet arcu vestibulum mollis ut vel nibh. Nam non velit tortor. Integer ac sapien a purus porta convallis. In vestibulum aliquam nunc vitae faucibus. Etiam tristique iaculis orci, vel aliquam felis accumsan et. Nulla ultricies, nisl eu malesuada lobortis, ante metus faucibus libero, vitae blandit odio enim sit amet tortor.

5.9 Including Tables

Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Nam vulputate finibus malesuada. Praesent at egestas turpis. Vivamus vitae tellus malesuada, laoreet ex ac, venenatis est. Aliquam dictum tincidunt libero, cursus posuere arcu sodales non. In sed metus sit amet arcu vestibulum mollis ut vel nibh. Nam non velit tortor. Integer ac sapien a purus porta convallis. In vestibulum aliquam nunc vitae faucibus. Etiam tristique iaculis orci, vel aliquam



FIGURE 5.1: Living room as I imagine it

Source: Photo courtesy of HTC

felis accumsan et. Nulla ultricies, nisl eu malesuada lobortis, ante metus faucibus libero, vitae blandit odio enim sit amet tortor.

| Day | Max Temp | Min Temp |
|-------|----------|----------|
| Mon | 20 | 13 |
| Tue | 22 | 14 |
| Wed | 23 | 12 |
| Thurs | 25 | 13 |
| Fri | 18 | 7 |
| Sat | 15 | 13 |
| Sun | 20 | 13 |

(A) First Week

| Day | Max Temp | Min Temp |
|-------|----------|----------|
| Mon | 17 | 11 |
| Tue | 16 | 10 |
| Wed | 14 | 8 |
| Thurs | 12 | 5 |
| Fri | 15 | 7 |
| Sat | 16 | 12 |
| Sun | 15 | 9 |

(B) Second Week

TABLE 5.1: Max and min temps recorded in the first two weeks of July

| | | | |
|-----------------|------------|---------------|-------------|
| ParaView | | | |
| VTK | | | |
| OpenGL | MPI | OpenVR | Etc. |

TABLE 5.2: ParaView-VTK Architecture (simplified)

Appendix A

Data set elaboration: VBA expressions

This appendix provides all the code used in this thesis to elaborate the data set. Visual Basic for Application (VBA) is the programming language chosen for this purpose, as the most effective and manageable way of elaborating data in excel sheets. Further information can be found throughout this thesis, especially in Section 2.2 at page 10.

In the following appendix, cells are indicated as combination of a letter (identifying the column) and a number (identifying the line), as they originally were in the database. Every line represents a single child's evaluation; every column represents one of the examined parameters. The full column-parameter correspondence can be found in following Table A.2.

| Column | Parameter | Unit of measure (or cell content type) | Description |
|----------|---------------------|--|---------------|
| <i>A</i> | First and last name | <i>text</i> | The name of |
| <i>B</i> | Sex | <i>text</i> | The sex of th |
| <i>C</i> | Age (in months) | months | The age of th |

²Although registering the name of the patient posed a risk in terms of possible privacy breach, it was added nonetheless to easily identify each patient as the data set got larger through the years.

| | | | |
|---|---------------------------|-------|----------------|
| D | Age (in years) | years | *. For further |
| E | Nation of origin | text | *. |
| F | Geographic area of origin | text | *. |

TABLE A.2: Column-parameter correspondence

A.1 Age (in months)

This VBA expression checks the *Age (in months)* column (C) and, if it's not empty, it divides it's value by 12, rounding it down, just as age works. The `ROUNDOWN` function was implemented in order to avoid overestimating child's age.

```
=IF(  
  C2 <> "" ;  
  ROUNDDOWN(  
    C2 / 12;  
    0  
  );  
  ""  
)
```

A.2 Geographic area of origin

To further understand how geographic origin influenced the results of our screening program, every nation was grouped up in 4 major continents or areas with the following excel expression.

```
=IF(  
  OR(  
    ...
```

```
E2 = "Russia";
E2 = "Albania";
E2 = "Bulgaria";
E2 = "Hungary";
E2 = "Ukraine";
E2 = "Moldavia";
E2 = "Romania"
);
"Eastern Europe";
IF(
  OR(
    E2 = "Burkina Faso";
    E2 = "Ethiopia";
    E2 = "Ivory Coast";
    E2 = "Congo";
    E2 = "Guinea Bissau";
    E2 = "Africa";
    E2 = "Ghana";
    E2 = "Benin"
  );
  "Africa";
  IF(
    OR(
      E2 = "Colombia";
      E2 = "Brazil";
      E2 = "Guatemala";
      E2 = "Peru";
      E2 = "Costa Rica"
    );
    "South America";
    IF(
      OR(
        E2 = "Armenia";
        E2 = "India";
        E2 = "China";
        E2 = "Vietnam";
        E2 = "Sri Lanka";
        E2 = "Siberia";
        E2 = "Nepal";
        E2 = "Philippines"
      );
      "Asia";
      ""
    )
  )
)
```

A.3 Pathological values

The data set contained numerical values for many laboratory analyses. Cut-off values for these results were established via the most recent literature review, as explained in Section 2.2.2. In the following sections, the code used to establish which ones were pathological and which were not, is displayed and shortly explained.

A.3.1 Weight and height

These parameters, since they had already been converted to percentile values, were easily implemented with the following simple VBA expression:

```
=IF(  
    H2 <> "";  
    IF(  
        H2 <= 10;  
        1;  
        0  
    );  
    ""  
)
```

A.3.2 Haemoglobin

Hemoglobin required a more complicated and sophisticated expression, in order to be stratified, because hemoglobin pathological cut-offs depend on various factors, as described in Section 2.2.2.1. Moreover mild, moderate and severe anemias had to be separated in order to properly evaluate the child's health status; each one had an arbitrary value of 1 (*mild*), 2 (*moderate*) or 3 (*severe*) associated to it.

```
=IF(  
    L2 <> "";  
    IF(  
        H2 <= 10;  
        1;  
        0  
    );  
    ""  
)
```

```
AND (
    C2 >= 6;
    C2 < 60
);
IF (
    L2 >= 11;
    0;
    IF (
        AND (
            L2 < 11;
            L2 >= 10
        );
        1;
        IF (
            AND (
                L2 < 10;
                L2 >= 7
            );
            2;
            3
        )
    )
);
IF (
    AND (
        C2 >= 60;
        C2 < 132
    );
    IF (
        L2 >= 11,5;
        0;
        IF (
            AND (
                L2 < 11,5;
                L2 >= 11
            );
            1;
            IF (
                AND (
                    L2 < 11;
                    L2 >= 8
                );
                2;
                3
            )
        )
    )
);
IF (
    AND (
```



```

        C2 >= 132;
        C2 < 168
    );
    IF(
        L2 >= 12;
        0;
        IF(
            AND(
                L2 < 12;
                L2 >= 11
            );
            1;
            IF(
                AND(
                    L2 < 11;
                    L2 >= 8
                );
                2;
                3
            )
        )
    )
)
);
""
)

```

A.3.3 MCV

As just described for haemoglobin, MCV required more complicated techniques in order to be stratified, because of its variability (through age, sex, ecc...), as described in Section 2.2.2.2. Moreover, boolean results couldn't be accepted for this parameter, so arbitrary values were used to appropriately identify microcytic (1) and macrocytic (2) anemias.

```

=IF(
    N2 <> "";
    IF(
        B2 = "F";
        IF(
            AND(

```

```
        C2 >= 0;
        C2 < 60
    );
    IF(
        N2 > 85;
        2;
        IF(
            AND(
                N2 <= 85;
                N2 >= 69
            );
            0;
            1
        )
    );
    IF(
        AND(
            C2 >= 60;
            C2 < 120
        );
        IF(
            N2 > 89;
            2;
            IF(
                AND(
                    N2 <= 89;
                    N2 >= 75
                );
                0;
                1
            )
        );
        IF(
            AND(
                C2 >= 120;
                C2 < 168
            );
            IF(
                N2 > 92;
                2;
                IF(
                    AND(
                        N2 <= 92;
                        N2 >= 78
                    );
                    0;
                    1
                )
            )
        )
    )
```

```
)  
)  
);  
IF(  
    B2 = "M";  
    IF(  
        AND(  
            C2 >= 0;  
            C2 < 60  
        );  
        IF(  
            N2 > 85;  
            2;  
            IF(  
                AND(  
                    N2 <= 85;  
                    N2 >= 71  
                );  
                0;  
                1  
            )  
        );  
        IF(  
            AND(  
                C2 >= 60;  
                C2 < 120  
            );  
            IF(  
                N2 > 88;  
                2;  
                IF(  
                    AND(  
                        N2 <= 88;  
                        N2 >= 76  
                    );  
                    0;  
                    1  
                )  
            );  
            IF(  
                AND(  
                    C2 >= 120;  
                    C2 < 168  
                );  
                IF(  
                    N2 > 90;  
                    2;  
                    IF(  
                        AND(  

```

```
        N2 <= 90;  
        N2 >= 76  
    );  
    0;  
    1  
    )  
    )  
    )  
    )  
    );  
    ""  
    )  
    );  
    ""  
    )
```

A.3.4 Circulating iron

The following VBA expression was used to establish whether circulating iron levels were insufficient.

```
=IF(  
    P2 <> "";  
    IF(  
        AND(  
            P2 >= 16;  
            P2 <= 129  
        );  
        0;  
        1  
    );  
    ""  
)
```

A.3.5 Ferritin

The following VBA expression was used to identify pathological ferritin values. These were, again, stratified for *mild* (1), *moderate* (2) and *severe* (3) deficiencies.

```
=IF(  
  R2 <> " ";  
  IF(  
    R2 >= 20;  
    0;  
    IF(  
      AND(  
        R2 < 20;  
        R2 >= 15  
      );  
      1;  
      IF(  
        AND(  
          R2 < 15;  
          R2 >= 10  
        );  
        2;  
        IF(  
          R2 < 10;  
          3  
        )  
      )  
    )  
  );  
  ""  
)
```

A.3.6 Vitamin D

The following VBA expression was used to establish whether Vitamin D (serum 25-hydroxycholecalciferol) values were *insufficient* (1), *deficient* (2) or *severely deficient* (3). The predictive choice for this marker is explained at Section 2.2.2.4.

```
=IF(  

```

```
AA2 <> "";  
IF(  
    AA2 >= 50;  
    0;  
    IF(  
        AND(  
            AA2 < 50;  
            AA2 >= 25  
        );  
        1;  
        IF(  
            AND(  
                AA2 < 25;  
                AA2 >= 10  
            );  
            2;  
            IF(  
                AA2 < 10;  
                3  
            )  
        )  
    )  
);  
""  
)
```

| Column | Parameter | Unit of measure (or cell content type) | Description |
|--------|-------------------------------------|--|--|
| A | First and last name | <i>text</i> | The name of the kid. ¹ |
| B | Sex | <i>text</i> | The sex of the kid. |
| C | Age (in months) | months | The age of the kid. |
| D | Age (in years) | years | *. For further information, see Section A.1. |
| E | Nation of origin | <i>text</i> | *. |
| F | Geographic area of origin | <i>text</i> | *. |
| G | Residency time in Italy (in months) | months | *. |
| H | Weight | percentile | *. |
| I | Pathological weight | <i>boolean</i> | *. |
| J | Height | percentile | *. |
| K | Pathological height | <i>boolean</i> | *. |
| L | Haemoglobin | g/dl | *. |
| M | Pathological haemoglobin | <i>boolean</i> | *. |
| N | MCV | fl | *. |
| O | Pathological MCV | <i>boolean</i> | *. |
| P | Circulating iron | µg/dl | *. |
| Q | Pathological circulating iron | <i>boolean</i> | *. |
| R | Ferritin | ng/ml | *. |
| S | Pathological ferritin | <i>boolean</i> | *. |

TABLE A.1: Column-parameter correspondence

Bibliography

- [1] Kliegman R, Stanton B, St Geme J, Schor N. *Nelson: Textbook of Pediatrics*. 20th edition, Vol. 1 and 2, pp. 223-227. Elsevier (Philadelphia). 2016.
- [2] Department of Economic and Social Affairs of the United Nations Secretariat, Population Division. *Child Adoption: Trends and Policies*. pp. 45-48, 66-68, 74-83. New York, 2009.
- [3] Bureau of Consular Affairs, U.S. Department of State. *Annual Report on Intercountry Adoptions - FY 2017*. March 2008. Available at: https://travel.state.gov/content/travel/en/Intercountry-Adoption/adopt_ref/adoption-publications.html [accessed July 2018]
- [4] Bureau of Consular Affairs, U.S. Department of State website. *Adoption reference publications page*. Available at: https://travel.state.gov/content/travel/en/Intercountry-Adoption/adopt_ref/adoption-publications.html
- [5] Montgomery M, Powell I. *International adoptions have dropped 72 percent since 2005 – here's why*. The Conversation website. February 2018. Available at: <http://theconversation.com/international-adoptions-have-dropped-72-percent-since-2005-heres-why-91809>
- [6] Montgomery M, Powell I. *Saving International Adoption: An Argument from Economics and Personal Experience*. Vanderbilt University Press, pp. 26-280. January 2018.
- [7] Totaro C, Bortone B, Putignano P, Sollai S, Galli L, De Martino M, Chiappini E. *Internationally adopted children: not only infectious diseases!*. Journal of

- Travel Medicine, Brief Communication, pp. 1–5. 2008. doi: 10.1093/jtm/-tay036
- [8] Totaro C, Bortone B, Putignano P, Galli L, De Martino M, Chiappini E. *Bambino adottato: non pensiamo solo alle infezioni!*. Medico e Bambino, Vol. 37, No. 5/2018, pp. 307–3012. May 2018. Available at: https://www.medicoebambino.com/?id=1805_307.pdf [accessed July 2018]
- [9] Italian Presidency of Council of Ministers, Commission for International Adoptions. *Data e perspectives in international adoptions: years 2014-2015*. International Adoptions. pp. 6-25. 2016. Available at: http://www.commissioneadozioni.it/media/153043/report_statistico_2014-2015.pdf [accessed July 2018]
- [10] Italian Presidency of Council of Ministers, Commission for International Adoptions. *Children and couples in international adoptions: years 2016-2017*. International Adoptions. pp. 2-13. 2018. Available at: <http://www.commissioneadozioni.it/media/155472/reportcai20162017.pdf> [accessed July 2018]
- [11] *Nomenclatore tariffario di specialistica ambulatoriale*. Regione Autonoma Friuli Venezia Giulia. May 2018. Available at: <http://www.regione.fvg.it/rafvvg/cms/RAFVG/salute-sociale/sistema-sociale-sanitario/FOGLIA51/> [accessed July 2018]