

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
1	3888032	36251060283	RMS1	166	165	175	175	681	94.58	94.58	1	18	68
2	3429018	36251060224	RMS1	161	171	170	175	677	94.03	94.03	2	25	97
3	10409677	36251060188	RMS1	157	166	170	170	663	92.08	92.08	3	57	232
4	6790298	36251060727	RMS1	153	157	171	175	656	91.11	91.11	4	80	324
5	6877374	36251060889	RMS1	143	166	170	176	655	90.97	90.97	5	85	343
6	13116625	36251060690	RMS1	155	159	160	180	654	90.83	90.83	6	97	385
7	6890674	36251060785	RMS2	167	165	171	150	653	90.69	90.69	7	104	404
8	4228956	36251060600	RMS1	170	155	155	170	650	90.28	90.28	8	116	451
9	15761171	36251061076	RM06	175	160	155	155	645	89.58	89.58	9	139	565
10	10423869	36251060431	RMS1	161	157	160	165	643	89.31	89.31	10	144	592
11	10677755	36251060686	RMS1	168	147	146	175	636	88.33	88.33	11	172	759
12	6453131	36251060165	RMS1	158	160	151	160	629	87.36	87.36	12	215	981
13	15696987	36251060803	RM06	167	158	138	156	619	85.97	85.97	13	296	1335
14	12822031	36251060537	RMS1	155	146	160	156	617	85.69	85.69	14	313	1401
15	15653871	36251060721	RMS1	157	150	155	155	617	85.69	85.69	15	316	1407
16	6442333	36251060763	RMS1	150	155	150	160	615	85.42	85.42	16	335	1489
17	10475931	36251060616	RMS1	151	161	155	147	614	85.28	85.28	17	355	1566
18	4643120	36251061262	RMS1	143	149	161	160	613	85.14	85.14	18	364	1599
19	10393746	36251060396	RMS1	150	126	175	160	611	84.86	84.86	20	377	1685
20	13530863	36251060961	RM06	146	154	146	165	611	84.86	84.86	19	376	1680
21	7993426	36251060882	RMS1	153	121	166	170	610	84.72	84.72	21	386	1727
22	10699023	36251061023	RM06	146	137	160	165	608	84.44	84.44	22	405	1820
23	15765938	36251061083	RM07	155	151	145	156	607	84.31	84.31	23	419	1884
24	15626915	36251061041	RMS2	131	160	160	155	606	84.17	84.17	25	428	1928
25	3884546	36251061229	RMS2	140	131	160	175	606	84.17	84.17	24	423	1902
26	14014053	36251061142	RM07	162	155	130	155	602	83.61	83.61	26	463	2110
27	10956459	36251061239	RMS2	154	106	165	175	600	83.33	83.33	27	477	2183
28	3932606	36251060688	RMS1	132	131	165	170	598	83.06	83.06	28	500	2308
29	9745680	36251060856	RM06	166	150	131	151	598	83.06	83.06	30	510	2341
30	15716545	36251060858	RM06	166	155	130	147	598	83.06	83.06	31	511	2345

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
31	15800099	36251061124	RM07	150	143	150	155	598	83.06	83.06	29	506	2333
32	15762289	36251060994	RM06	147	153	132	165	597	82.92	82.92	32	515	2366
33	13140936	36251060336	RMS1	155	128	146	166	595	82.64	82.64	33	531	2459
34	6941785	36251061256	SNKLP1	105	142	176	170	593	82.36	82.36	34	553	2575
35	15731161	36251060892	RM06	157	115	155	165	592	82.22	82.22	35	565	2634
36	6988770	36251061015	RMS2	108	152	170	160	590	81.94	81.94	36	587	2758
37	7007129	36251061188	RM07	162	156	131	140	589	81.81	81.81	37	622	2865
38	18020219	18020219	DLP	170	151	112	155	588	81.67	81.67	38	365	2896
39	15890542	15890542	DLP	156	134	133	160	583	80.97	80.97	39	707	3241
40	12888106	36251060775	RMS1	129	157	145	152	583	80.97	80.97	40	710	3253
41	15800073	36251061123	RMS2	130	127	165	160	582	80.83	80.83	41	722	3297
42	2634475	36251060678	RMS1	135	146	140	160	581	80.69	80.69	42	733	3369
43	1940886	36251060786	RM05	133	130	155	160	578	80.28	80.28	43	773	3584
44	15366366	36251060691	RM04	154	143	128	151	576	80	80	44	799	3735
45	16038909	36003580171	RM08	124	127	162	162	575	79.86	79.86	45	814	3791
46	9469443	36251060427	RMS1	115	150	150	160	575	79.86	79.86	46	817	3799
47	15706695	36251060839	RM06	146	156	120	150	572	79.44	79.44	47	875	4074
48	12876974	36251060414	RMS1	134	129	141	165	569	79.03	79.03	48	911	4270
49	15433428	36251060273	RMS1	152	144	116	155	567	78.75	78.75	50	938	4428
50	8061507	36251060641	RMS1	151	120	141	155	567	78.75	78.75	49	937	4425
51	15632755	36251060672	RM05	110	146	163	146	565	78.47	78.47	51	973	4585
52	10821094	36251060894	RMS1	107	146	155	155	563	78.19	78.19	52	992	4710
53	15188092	36251060075	RM01	125	151	130	155	561	77.92	77.92	53	1016	4862
54	15676898	36251060770	RMS1	171	130	125	135	561	77.92	77.92	54	1027	4902
55	15704080	36003575749	SNKLP1	117	137	158	147	559	77.64	77.64	55	1056	5073
56	6008560	36251060557	RMS1	150	139	150	117	556	77.22	77.22	57	1102	5309
57	10845711	36251061231	RM07	149	132	125	150	556	77.22	77.22	56	1097	5277
58	7207688	36251060682	RM05	145	135	110	165	555	77.08	77.08	58	1105	5329
59	15866457	36251061294	RM07	120	156	141	137	554	76.94	76.94	59	1138	5474
60	13257142	36251061181	RMS2	111	125	151	166	553	76.81	76.81	60	1142	5494

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
61	9177737	36251060159	RMS1	103	136	142	171	552	76.67	76.67	61	1154	5560
62	15172488	36251060064	RMS1	131	146	133	140	550	76.39	76.39	63	1206	5821
63	2855340	36251060867	RMS1	153	107	145	145	550	76.39	76.39	62	1204	5811
64	6892878	36251060760	RMS1	143	120	140	145	548	76.11	76.11	64	1243	5994
65	6907002	36251060973	RM05	125	141	140	142	548	76.11	76.11	65	1244	5997
66	16009684	16009684	DLP	150	127	140	130	547	75.97	75.97	66	740	6102
67	16652325	16652325	DLP	126	131	133	155	545	75.69	75.69	67	1289	6254
68	10279908	36251060232	RMS1	172	126	126	120	544	75.56	75.56	68	1322	6404
69	14173578	36003552610	SNKLP1	95	143	150	155	543	75.42	75.42	70	1328	6436
70	15684690	36251061007	RM06	96	117	165	165	543	75.42	75.42	69	1324	6414
71	15817496	36251061197	RM07	145	142	125	130	542	75.28	75.28	71	1355	6549
72	13129885	36251060351	RMS1	144	124	150	123	541	75.14	75.14	73	1381	6651
73	14603415	36251061406	RMS2	151	145	105	140	541	75.14	75.14	72	1377	6635
74	17193140	17193140	DLP	124	111	155	150	540	75	75	75	1391	6707
75	10464426	36251060740	RMS1	133	97	155	155	540	75	75	74	1387	6690
76	15688322	36251060791	RM05	150	125	135	130	540	75	75	76	1400	6748
77	15664025	15664025	DLP	87	131	165	156	539	74.86	74.86	77	1411	6788
78	10091684	36251060208	RMS1	151	105	135	145	536	74.44	74.44	80	1453	7100
79	15625421	36251060638	RMS1	132	118	136	150	536	74.44	74.44	78	1448	7086
80	15859919	36251061276	SNKLP1	154	87	150	145	536	74.44	74.44	79	1451	7096
81	7154235	7154235	DLP	150	155	110	120	535	74.31	74.31	81	1472	7242
82	13065832	36003555836	RMS2	141	96	137	160	534	74.17	74.17	83	1481	7276
83	10418001	36251061014	RMS1	86	113	165	170	534	74.17	74.17	82	1477	7257
84	15787087	36251061180	RM07	123	146	115	150	534	74.17	74.17	84	1483	7304
85	15084728	36251060047	RM01	90	120	162	161	533	74.03	74.03	85	1495	7352
86	2804791	36251060291	RMS1	116	107	155	155	533	74.03	74.03	86	1499	7370
87	16231277	16231277	DLP	80	147	145	160	532	73.89	73.89	87	1516	7446
88	10833609	36251061192	RMS2	132	85	170	145	532	73.89	73.89	88	1521	7480
89	18048228	18048228	DLP	114	140	122	155	531	73.75	73.75	89	1545	7548
90	8703043	36251060642	RMS1	104	121	160	145	530	73.61	73.61	90	1571	7654

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
91	14724687	14724687	DLP	136	112	135	146	529	73.47	73.47	91	1597	7752
92	15595289	36251060747	RM05	114	141	138	136	529	73.47	73.47	94	1606	7773
93	10720201	36251061230	RM08	126	142	121	140	529	73.47	73.47	93	1603	7768
94	15837766	36251061238	RM07	128	155	105	141	529	73.47	73.47	92	1602	7764
95	5281134	5281134	DLP	131	131	101	165	528	73.33	73.33	95	1610	7797
96	5980441	36251060719	RMS1	95	118	155	160	528	73.33	73.33	96	1612	7805
97	18012979	18012979	DLP	100	117	150	160	527	73.19	73.19	97	1630	7888
98	18037367	18037367	DLP	152	138	135	102	527	73.19	73.19	99	1650	7967
99	7306500	36251060765	RM05	142	115	115	155	527	73.19	73.19	98	1636	7909
100	13565831	36003543904	SNKLP1	131	114	131	150	526	73.06	73.06	100	1662	8026
101	3573358	36251060410	RMS1	128	102	150	145	525	72.92	72.92	102	1678	8132
102	6250352	36251060715	RMS1	132	128	115	150	525	72.92	72.92	101	1676	8126
103	10149595	36251060197	RMS1	140	122	117	145	524	72.78	72.78	103	1699	8225
104	15941609	15941609	DLP	133	129	121	140	523	72.64	72.64	105	1720	8334
105	10269739	36251060257	RMS1	132	106	150	135	523	72.64	72.64	106	1721	8337
106	13014155	36251060685	RMS1	108	100	160	155	523	72.64	72.64	104	1712	8291
107	13083349	36251060724	RMS1	146	76	145	155	522	72.5	72.5	107	1732	8402
108	15662649	36251060819	RM06	89	142	145	146	522	72.5	72.5	108	1736	8429
109	15921790	36251061377	RM09	103	107	165	146	521	72.36	72.36	109	1750	8513
110	6651792	36251060298	RMS1	109	85	156	170	520	72.22	72.22	110	1764	8567
111	13171124	36251060669	RMS1	150	70	155	145	520	72.22	72.22	112	1770	8600
112	2349702	36251061174	RMS2	111	83	160	166	520	72.22	72.22	111	1765	8568
113	17689945	17689945	DLP	113	110	150	145	518	71.94	71.94	113	1810	8812
114	17803719	17803719	DLP	112	104	140	160	516	71.67	71.67	114	1842	8974
115	3477375	36251060356	RMS1	97	118	155	145	515	71.53	71.53	116	1871	9108
116	10359004	36251060837	RMS1	109	108	133	165	515	71.53	71.53	115	1861	9055
117	15745724	15745724	DLP	119	127	121	146	513	71.25	71.25	117	1918	9292
118	12931996	36251060831	RMS1	126	96	130	160	512	71.11	71.11	118	1938	9363
119	15471571	36251060545	RM03	144	106	120	141	511	70.97	70.97	120	1976	9514
120	15620287	36251060704	RM04	150	123	96	142	511	70.97	70.97	119	1975	9511

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
121	18069173	18069173	DLP	72	138	145	155	510	70.83	70.83	121	1988	9576
122	12690873	36251060243	RMS1	137	138	125	107	507	70.42	70.42	123	2047	9932
123	8676472	36251060531	RMS1	148	120	109	130	507	70.42	70.42	122	2045	9924
124	10658989	36251060466	RMS1	110	95	141	160	506	70.28	70.28	124	2048	9953
125	13873815	36251060703	RMS1	89	124	145	148	506	70.28	70.28	125	2055	9984
126	15796075	36251061198	RM07	143	110	97	155	505	70.14	70.14	126	2071	10060
127	15489679	36251060377	RM03	155	99	114	136	504	70	70	127	2100	10204
128	13011197	36251060762	RMH1	145	127	130	102	504	70	70	128	2105	10226
129	7120106	36003550502	RMH1	145	97	140	121	503	69.86	69.86	131	2122	10311
130	15930329	36003563845	RM08	110	147	111	135	503	69.86	69.86	130	2119	10292
131	12882332	36251060583	RMS1	135	113	134	121	503	69.86	69.86	132	2123	10312
132	10412089	36251060622	RMS1	137	110	109	147	503	69.86	69.86	129	2112	10268
133	15783325	36251061145	RM07	96	124	146	135	501	69.58	69.58	133	2156	10493
134	13609275	13609275	DLP	110	104	140	146	500	69.44	69.44	134	2177	10575
135	13047739	36251060526	RMH1	150	127	123	100	500	69.44	69.44	136	2187	10632
136	14380180	36251060754	RM05	130	125	115	130	500	69.44	69.44	135	2183	10615
137	18106683	18106683	DLP	116	119	118	144	497	69.03	69.03	138	2229	10878
138	12930746	36003583260	RM09	100	107	150	140	497	69.03	69.03	139	2230	10880
139	6771880	36251060393	RMS1	116	120	116	145	497	69.03	69.03	137	2228	10877
140	18067364	18067364	DLP	110	119	126	141	496	68.89	68.89	140	419	10991
141	10130626	36251060637	RM04	105	110	160	121	496	68.89	68.89	142	2263	11023
142	10374658	36251061133	RMS2	115	111	130	140	496	68.89	68.89	141	2257	10995
143	14927303	36251061412	RM08	96	101	151	147	495	68.75	68.75	143	2272	11077
144	15780752	15780752	DLP	129	57	162	146	494	68.61	68.61	145	2288	11184
145	15748362	36251060934	RMS2	83	101	160	150	494	68.61	68.61	144	2287	11172
146	17625866	36003600641	RM09	144	97	116	136	493	68.47	68.47	147	2314	11322
147	13532496	36251060513	RMS1	86	143	146	118	493	68.47	68.47	148	2321	11347
148	15642005	36251060683	RM05	134	126	121	112	493	68.47	68.47	149	2323	11350
149	15800898	36251061128	RM07	117	121	115	140	493	68.47	68.47	146	2312	11315
150	10409541	36251060277	RMS1	106	84	146	156	492	68.33	68.33	150	2326	11376



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
151	2565262	2565262	DLP	105	77	147	162	491	68.19	68.19	151	2349	11460
152	6822905	36251061205	RMS2	125	80	135	151	491	68.19	68.19	152	2355	11482
153	7256966	36251060753	RMS2	112	87	131	160	490	68.06	68.06	153	2373	11574
154	15791084	36251061196	RM07	133	91	125	140	489	67.92	67.92	154	2401	11737
155	17625186	17625186	DLP	72	110	155	150	487	67.64	67.64	155	2427	11924
156	10425382	36251060705	RMS1	134	102	114	137	487	67.64	67.64	156	2434	11964
157	15775879	36251061042	RM07	157	95	120	115	487	67.64	67.64	157	2437	11995
158	10411312	36251060403	RMS1	100	100	146	140	486	67.5	67.5	159	2449	12081
159	15531958	84251060111	RM04	94	112	130	150	486	67.5	67.5	158	2446	12048
160	10438455	36251060465	RMH1	135	129	96	125	485	67.36	67.36	161	2480	12228
161	6250403	36251060706	RMS1	86	88	141	170	485	67.36	67.36	160	2458	12119
162	18090572	18090572	DLP	120	107	122	135	484	67.22	67.22	163	2495	12326
163	4109760	36251060254	RMS1	108	111	125	140	484	67.22	67.22	162	2493	12314
164	6801761	36251060897	RM05	160	54	140	130	484	67.22	67.22	164	2497	12336
165	15744107	36251061077	RM08	126	135	108	115	484	67.22	67.22	165	2501	12352
166	15748372	15748372	DLP	103	108	131	141	483	67.08	67.08	166	2513	12415
167	15743798	36251060936	RM06	95	120	135	131	481	66.81	66.81	168	2553	12662
168	16043840	36251061425	RM08	87	97	151	146	481	66.81	66.81	167	2545	12627
169	4883203	36003553596	SNKLP1	80	89	151	160	480	66.67	66.67	169	2563	12709
170	15835757	36251061235	RMS2	87	113	145	135	480	66.67	66.67	170	2574	12770
171	18019063	18019063	DLP	84	99	136	160	479	66.53	66.53	171	2582	12831
172	15781947	15781947	DLP	106	81	136	155	478	66.39	66.39	172	2601	12935
173	16111272	36003583437	RM09	100	107	145	125	477	66.25	66.25	174	2637	13102
174	15773303	36251061159	RM07	93	108	131	145	477	66.25	66.25	173	2629	13066
175	15420309	489251060230	RM09	98	102	157	120	477	66.25	66.25	175	2639	13106
176	2926058	2926058	DLP	77	99	150	150	476	66.11	66.11	177	2648	13154
177	10635176	36251060282	RMS1	80	109	143	144	476	66.11	66.11	178	2653	13177
178	15479276	36251060404	RM03	119	99	106	152	476	66.11	66.11	176	2644	13145
179	15793050	36003600149	RM05	130	110	115	120	475	65.97	65.97	181	2692	13324
180	4004023	36251060201	RMS1	109	90	121	155	475	65.97	65.97	179	2676	13257

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
181	10198515	36251060230	RM02	114	120	98	143	475	65.97	65.97	180	2682	13292
182	15870275	15870275	DLP	76	97	146	155	474	65.83	65.83	183	2699	13360
183	15795018	36251061112	RM07	72	92	155	155	474	65.83	65.83	182	2698	13358
184	15382335	36251060265	RM02	107	111	102	152	472	65.56	65.56	184	2751	13610
185	6244393	36251060445	RMH1	110	100	122	140	472	65.56	65.56	185	2760	13651
186	14952097	36251060009	RM01	92	91	154	134	471	65.42	65.42	188	2792	13764
187	7878373	36251060636	RMS1	95	95	124	157	471	65.42	65.42	187	2780	13719
188	10979228	36251060949	RMS1	98	62	140	171	471	65.42	65.42	186	2774	13703
189	18039468	18039468	DLP	71	103	146	150	470	65.28	65.28	189	2808	13832
190	6773717	36251060210	RM02	100	107	117	146	470	65.28	65.28	190	2810	13838
191	15880976	36251061328	SNKLP1	76	118	133	140	467	64.86	64.86	191	2868	14187
192	2515656	36003563586	RMS2	122	95	112	136	465	64.58	64.58	193	2910	14426
193	10776185	36003563629	RM08	105	79	151	130	465	64.58	64.58	194	2914	14445
194	13242029	36251060963	RMS2	90	75	160	140	465	64.58	64.58	192	2907	14413
195	9760619	36251060320	RMS1	83	69	145	167	464	64.44	64.44	195	2922	14480
196	15677554	36251060828	RM05	118	65	126	155	464	64.44	64.44	196	2928	14501
197	15758442	36251061172	RM06	131	81	101	151	464	64.44	64.44	197	2930	14506
198	15891470	36003580482	SNKLP1	98	108	138	117	461	64.03	64.03	198	3004	14893
199	13230884	36251061136	RMH1	116	99	131	115	461	64.03	64.03	199	3006	14895
200	17942899	17942899	DLP	96	91	127	146	460	63.89	63.89	200	3017	14952
201	15833327	36003532704	RM07	155	55	121	129	460	63.89	63.89	201	3023	15007
202	15407066	36251060236	RM03	116	129	110	105	460	63.89	63.89	202	3033	15041
203	15998527	15998527	DLP	123	91	125	120	459	63.75	63.75	204	637	15128
204	18048803	18048803	DLP	81	113	125	140	459	63.75	63.75	203	3044	15097
205	15810835	36251061169	RM07	123	115	84	136	458	63.61	63.61	205	3065	15207
206	15488745	36251060374	RM03	77	89	141	150	457	63.47	63.47	207	3074	15272
207	10688600	36251061051	RM06	99	95	142	121	457	63.47	63.47	208	3092	15339
208	177507	36251061270	SNKLP1	62	98	142	155	457	63.47	63.47	206	3071	15259
209	13288297	36251060699	RM05	112	93	110	141	456	63.33	63.33	209	3106	15409
210	15843753	36251061258	RM07	124	118	91	123	456	63.33	63.33	210	3111	15458

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
211	15421999	36251060247	RMS1	91	99	110	155	455	63.19	63.19	212	3117	15504
212	7114167	36251060712	RMS1	74	71	155	155	455	63.19	63.19	211	3116	15499
213	15440545	36251060286	RMS1	99	73	131	151	454	63.06	63.06	213	3136	15641
214	15765906	36251061084	RM07	142	106	106	100	454	63.06	63.06	214	3149	15722
215	15792956	15792956	DLP	139	114	131	69	453	62.92	62.92	217	3163	15823
216	15109887	36251060103	RMS1	118	86	110	139	453	62.92	62.92	216	3157	15783
217	10423431	36251060268	RMS1	66	102	125	160	453	62.92	62.92	215	3151	15738
218	15833407	36003532793	RM08	85	83	132	152	452	62.78	62.78	218	3169	15841
219	13171106	36251060375	RMH1	121	119	117	95	452	62.78	62.78	219	3183	15912
220	15868157	36003589542	SNKLP1	75	103	128	145	451	62.64	62.64	221	3192	15956
221	15394158	36251060198	RM02	54	77	160	160	451	62.64	62.64	220	3187	15927
222	15717060	36251060881	RM06	70	110	133	137	450	62.5	62.5	222	3210	16085
223	13144680	36251060436	RMS1	135	84	145	85	449	62.36	62.36	224	3248	16262
224	15641936	36251060684	RM05	91	90	130	138	449	62.36	62.36	223	3236	16206
225	15341975	36251060183	RM02	75	87	141	145	448	62.22	62.22	225	3256	16297
226	15477189	36003603400	RMS2	89	80	131	147	447	62.08	62.08	226	3279	16407
227	10314622	36251060157	RMS1	59	119	128	141	447	62.08	62.08	227	3284	16423
228	16130628	16130628	DLP	86	79	130	150	445	61.81	61.81	228	3313	16630
229	6878717	36251060191	RMS1	122	112	135	74	443	61.53	61.53	231	3378	16942
230	6937787	36251060832	RM06	110	89	88	156	443	61.53	61.53	229	3353	16826
231	15590175	36251061232	RM07	115	87	120	121	443	61.53	61.53	230	3374	16921
232	13508925	36003574945	RM08	62	124	105	151	442	61.39	61.39	233	3385	16969
233	10456403	36251060217	RM02	36	76	170	160	442	61.39	61.39	232	3380	16950
234	7211329	36251061072	RMS1	96	82	133	131	442	61.39	61.39	234	3397	17032
235	15392836	36251060353	RM02	81	107	112	140	440	61.11	61.11	236	3435	17239
236	15760793	486251060727	RMS2	67	106	126	141	440	61.11	61.11	235	3434	17231
237	13327527	36251060319	RMS1	88	65	136	150	439	60.97	60.97	237	3457	17347
238	10249212	36251060739	RM05	92	80	130	137	439	60.97	60.97	238	3466	17397
239	16008140	36003578285	RM09	95	81	140	121	437	60.69	60.69	239	3509	17657
240	15625413	36251060663	RM04	148	88	145	56	437	60.69	60.69	240	3512	17670

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
241	13703106	36003564187	RMS2	85	66	160	125	436	60.56	60.56	241	3526	17774
242	15921162	15921162	DLP	118	92	100	125	435	60.42	60.42	244	3558	17915
243	15465493	36251060327	RMS2	85	65	160	125	435	60.42	60.42	243	3557	17911
244	12750121	36251060498	RMS1	102	75	127	131	435	60.42	60.42	242	3553	17892
245	15558472	36251060876	RM06	103	116	100	116	435	60.42	60.42	245	3561	17925
246	16043672	36003580620	RM09	80	74	150	130	434	60.28	60.28	246	3575	18028
247	15839963	15839963	DLP	110	87	120	115	432	60	60	250	3626	18285
248	18065568	18065568	DLP	101	81	115	135	432	60	60	248	3612	18244
249	10239673	36251060587	RMS1	106	87	84	155	432	60	60	247	3601	18191
250	15793720	84251060255	RMS2	121	98	86	127	432	60	60	249	3620	18262
251	12909263	36003556850	SNKLP1	149	100	137	44	430	59.72	59.72	252	3678	18570
252	10577090	36251060610	RM05	104	64	115	147	430	59.72	59.72	251	3662	18477
253	15006432	36251060207	RM02	67	82	132	148	429	59.58	59.58	253	3680	18607
254	16135940	36003583977	RM09	112	65	120	131	428	59.44	59.44	256	3703	18762
255	16294866	36003587089	RM09	81	56	141	150	428	59.44	59.44	254	3694	18718
256	15398048	36251060189	RM02	86	72	135	135	428	59.44	59.44	255	3701	18752
257	16009236	36003578496	RM09	73	83	155	116	427	59.31	59.31	258	3747	18928
258	10625238	36251060662	RMH1	91	74	131	131	427	59.31	59.31	257	3737	18893
259	15655796	36251060789	RM05	105	96	113	112	426	59.17	59.17	259	3783	19084
260	18012697	18012697	DLP	127	100	101	97	425	59.03	59.03	264	2108	19244
261	2999641	36251061016	RMS2	80	55	130	160	425	59.03	59.03	260	3785	19105
262	13384238	36251061071	RMS2	56	73	156	140	425	59.03	59.03	262	3792	19157
263	15811567	36251061178	RM07	90	120	95	120	425	59.03	59.03	263	3803	19219
264	15860628	36251061278	RM08	80	74	125	146	425	59.03	59.03	261	3789	19133
265	17680809	17680809	DLP	99	104	106	115	424	58.89	58.89	265	3828	19374
266	10432483	36251060565	RMS1	137	128	123	36	424	58.89	58.89	266	3831	19385
267	15006227	36251060262	RM02	62	96	145	120	423	58.75	58.75	268	3848	19495
268	15517051	36251060422	RM02	94	91	98	140	423	58.75	58.75	267	3842	19450
269	4367608	36251060500	RMS1	70	90	137	124	421	58.47	58.47	269	3900	19760
270	15393170	36251060235	RM02	87	78	125	130	420	58.33	58.33	273	3917	19851

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
271	15688758	36251060895	RM06	57	102	119	142	420	58.33	58.33	271	3910	19819
272	13176729	36251060918	RM06	79	89	106	146	420	58.33	58.33	270	3907	19811
273	13102694	36251061019	RMS2	60	95	128	137	420	58.33	58.33	272	3913	19831
274	15846234	36003537193	RM07	68	91	130	130	419	58.19	58.19	274	3946	19982
275	15388636	36251060269	RMS1	53	96	124	145	418	58.06	58.06	275	3962	20067
276	15909913	15909913	DLP	76	96	105	140	417	57.92	57.92	276	3988	20184
277	15688706	36251060793	RM05	120	78	77	141	416	57.78	57.78	277	4011	20297
278	15715876	36251060951	RM06	75	91	114	136	416	57.78	57.78	278	4014	20312
279	15751851	15751851	DLP	68	71	126	150	415	57.64	57.64	279	4028	20386
280	10285669	36251060717	RM05	82	80	112	140	414	57.5	57.5	280	4067	20548
281	15795007	36251061118	RM07	82	107	95	130	414	57.5	57.5	281	4071	20575
282	17687663	36003603032	RM06	71	90	125	126	412	57.22	57.22	283	4113	20827
283	7150678	36251061307	RMS2	54	90	106	162	412	57.22	57.22	282	4099	20741
284	10402881	36251061000	RMS1	68	62	145	135	410	56.94	56.94	284	4149	21052
285	15761702	36251061057	RM06	69	98	110	132	409	56.81	56.81	285	4183	21188
286	13165481	36251060278	RMS1	75	90	120	122	407	56.53	56.53	286	4234	21485
287	15605623	36251060607	RM05	101	120	75	111	407	56.53	56.53	287	4241	21501
288	7270016	36251060977	RMS1	73	93	132	109	407	56.53	56.53	288	4242	21505
289	5263235	5263235	DLP	145	50	83	128	406	56.39	56.39	291	4265	21613
290	14955569	14955569	DLP	77	107	57	165	406	56.39	56.39	289	4246	21523
291	15125923	36251060264	RM02	60	112	105	129	406	56.39	56.39	290	4264	21610
292	15072370	36251060025	RM01	56	68	140	141	405	56.25	56.25	292	4280	21695
293	10138715	36251060134	RM01	70	108	90	137	405	56.25	56.25	293	4284	21717
294	16662236	36003592713	SNKLP1	86	120	87	111	404	56.11	56.11	294	4317	21899
295	4831784	4831784	DLP	71	99	97	135	402	55.83	55.83	296	4349	22119
296	12791944	36251060321	RMS1	126	31	105	140	402	55.83	55.83	295	4347	22102
297	15473450	36251060346	RM03	83	115	90	111	399	55.42	55.42	297	4426	22516
298	16311758	36003587138	RM09	53	76	133	136	398	55.28	55.28	298	4441	22593
299	12832391	36251060241	RMS1	80	88	114	116	398	55.28	55.28	299	4452	22641
300	18043036	18043036	DLP	65	60	130	141	396	55	55	300	4496	22856



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
301	15648975	36251061089	RM07	53	97	132	114	396	55	55	301	4508	22916
302	17916372	17916372	DLP	38	82	140	135	395	54.86	54.86	303	4519	22983
303	17968184	17968184	DLP	76	71	123	125	395	54.86	54.86	304	4523	23011
304	10350465	36251060517	RMS1	128	46	51	170	395	54.86	54.86	302	4514	22938
305	1578171	1578171	DLP	94	76	95	129	394	54.72	54.72	306	4549	23135
306	16479251	16479251	DLP	81	61	121	131	394	54.72	54.72	305	4545	23127
307	10675162	36251060142	RMS1	137	91	66	100	394	54.72	54.72	307	4560	23178
308	13155056	36251061095	RMS2	90	103	105	96	394	54.72	54.72	308	4561	23181
309	6929866	36251060972	RMS1	88	77	119	109	393	54.58	54.58	309	4589	23309
310	13485033	36251061121	RMH1	68	74	145	106	393	54.58	54.58	310	4590	23310
311	15938420	15938420	DLP	83	97	101	111	392	54.44	54.44	313	4620	23425
312	7210620	36003528005	RMS2	46	90	128	128	392	54.44	54.44	312	4613	23388
313	15361818	36251060292	RM02	32	52	143	165	392	54.44	54.44	311	4598	23329
314	15458172	36251060328	RM03	71	115	95	111	392	54.44	54.44	314	4621	23426
315	15039104	36251060502	RM03	114	100	82	96	392	54.44	54.44	315	4624	23441
316	15788713	36003525735	RM07	49	55	140	146	390	54.17	54.17	316	4653	23598
317	13322249	36251061216	RMS2	64	63	122	141	390	54.17	54.17	317	4657	23615
318	16009606	16009606	DLP	70	104	100	115	389	54.03	54.03	318	1222	23828
319	15782908	15782908	DLP	99	83	75	131	388	53.89	53.89	321	4719	23920
320	15869103	15869103	DLP	72	43	135	138	388	53.89	53.89	320	4715	23897
321	15860306	36251061277	SNKLP1	74	43	130	141	388	53.89	53.89	319	4712	23883
322	15686250	36251060782	RM05	125	65	79	118	387	53.75	53.75	322	4738	24064
323	3881292	36251060945	RM06	105	77	93	112	387	53.75	53.75	323	4739	24073
324	15989914	15989914	DLP	75	79	92	140	386	53.61	53.61	324	4753	24138
325	15686245	36251060805	RM05	94	80	77	135	386	53.61	53.61	325	4757	24157
326	18062716	18062716	DLP	35	99	116	135	385	53.47	53.47	326	4779	24292
327	15143026	36251060060	RM01	98	101	75	111	385	53.47	53.47	327	4792	24348
328	15093373	36251060109	RM01	59	127	97	102	385	53.47	53.47	328	4795	24361
329	15934293	36003565401	RM08	48	70	130	135	383	53.19	53.19	329	4832	24569
330	15694220	36251060798	RM05	110	82	98	93	383	53.19	53.19	332	4841	24632



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
331	15707957	36251060844	RM06	80	86	87	130	383	53.19	53.19	330	4833	24587
332	15759134	36251061114	RM06	86	114	103	80	383	53.19	53.19	333	4842	24635
333	15794567	36251061177	RM07	55	106	93	129	383	53.19	53.19	331	4834	24588
334	17963734	17963734	DLP	111	25	116	130	382	53.06	53.06	334	4861	24710
335	13150617	36003574760	RM09	62	74	145	101	382	53.06	53.06	335	4876	24758
336	15799580	36251061140	RM07	65	72	119	125	381	52.92	52.92	336	4897	24860
337	15977900	36003573142	RM05	69	83	83	145	380	52.78	52.78	337	4911	24936
338	7790787	7790787	DLP	39	80	115	145	379	52.64	52.64	338	4937	25073
339	13263024	36251060723	RMS1	85	151	76	67	379	52.64	52.64	340	4959	25176
340	15682198	36251060817	RM05	105	76	98	100	379	52.64	52.64	339	4956	25168
341	13550714	36251060238	RMS1	82	40	118	138	378	52.5	52.5	343	4970	25228
342	15424972	36251060253	RM03	65	22	136	155	378	52.5	52.5	341	4963	25186
343	12870852	36251060395	RMS1	60	66	111	141	378	52.5	52.5	342	4968	25218
344	11551038	11551038	DLP	95	76	71	135	377	52.36	52.36	345	2702	25389
345	10308683	36251060281	RMS1	120	126	40	91	377	52.36	52.36	346	5018	25461
346	15869696	36251061314	RM07	79	51	106	141	377	52.36	52.36	344	5002	25373
347	15401809	36251060200	RM02	86	75	93	122	376	52.22	52.22	349	5038	25567
348	5344170	36251060591	RM04	69	97	74	136	376	52.22	52.22	347	5030	25524
349	15616880	36251060746	RM05	68	71	107	130	376	52.22	52.22	348	5036	25547
350	15891400	36003552742	SNKLP1	92	91	85	107	375	52.08	52.08	351	5066	25719
351	10335245	36251060606	RMS1	33	131	96	115	375	52.08	52.08	350	5062	25706
352	15749722	36251061060	RMS2	114	48	111	102	375	52.08	52.08	352	5068	25724
353	14625684	36251061132	RM06	65	73	116	120	374	51.94	51.94	353	5084	25831
354	10500866	10500866	DLP	117	54	73	127	371	51.53	51.53	355	5148	26218
355	15518308	36251060453	RM04	35	46	145	145	371	51.53	51.53	354	5142	26161
356	15978610	15978610	DLP	45	70	123	132	370	51.39	51.39	357	5162	26336
357	15173121	36251060065	RM01	76	48	115	131	370	51.39	51.39	358	5163	26339
358	15881576	36251061329	RM07	36	32	155	147	370	51.39	51.39	356	5157	26286
359	15688438	36251060792	RM05	66	62	121	120	369	51.25	51.25	359	5200	26523
360	10836245	10836245	DLP	19	61	127	161	368	51.11	51.11	360	5212	26569

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
361	15880996	15880996	DLP	57	83	101	127	368	51.11	51.11	362	5223	26629
362	16010002	16010002	DLP	92	65	115	96	368	51.11	51.11	364	5231	26664
363	15436174	36251060279	RM02	37	49	125	157	368	51.11	51.11	361	5213	26575
364	15779677	36251061055	RM06	79	45	120	124	368	51.11	51.11	363	5225	26639
365	15587273	36251060582	RMH1	44	86	120	117	367	50.97	50.97	365	5252	26788
366	15840650	15840650	DLP	59	62	110	135	366	50.83	50.83	366	5269	26869
367	15881145	15881145	DLP	67	75	106	118	366	50.83	50.83	368	5278	26915
368	15906058	36003592075	SNKLP1	67	72	102	125	366	50.83	50.83	367	5276	26903
369	15901362	36003557671	SNKLP1	49	70	116	130	365	50.69	50.69	371	5296	27019
370	15622054	36251060627	RM04	77	42	111	135	365	50.69	50.69	370	5292	27005
371	15634467	36251060675	RM04	67	5	143	150	365	50.69	50.69	369	5286	26959
372	10244586	36251061018	RMS1	60	51	129	125	365	50.69	50.69	373	5300	27037
373	15780643	36251061137	RM07	57	58	135	115	365	50.69	50.69	374	5306	27057
374	15826823	36251061220	RM07	60	66	113	126	365	50.69	50.69	372	5299	27033
375	10359955	36251060162	RMS1	55	66	112	131	364	50.56	50.56	375	5332	27146
376	9570171	36251060288	RM03	60	21	135	146	362	50.28	50.28	376	5365	27369
377	13216810	36251060345	RMH1	93	60	94	115	362	50.28	50.28	377	5381	27466
378	16002172	16002172	DLP	75	89	76	121	361	50.14	50.14	379	5405	27585
379	15485284	36251060389	RM03	58	59	111	133	361	50.14	50.14	378	5401	27559
380	13198983	36003561626	RM08	41	79	118	122	360	50	50	381	5424	27720
381	15957815	36003569453	RM08	78	70	79	133	360	50	50	380	5421	27693
382	15672598	36251060755	RM05	95	19	122	123	359	49.86	49.86	382	5449	27839
383	16009258	36003578505	RM08	25	68	120	145	358	49.72	49.72	384	5460	27929
384	15789453	36251061087	RM07	52	49	110	147	358	49.72	49.72	383	5458	27918
385	17955580	17955580	DLP	64	44	89	160	357	49.58	49.58	385	5477	28059
386	4957358	36251060604	RMS1	97	50	57	153	357	49.58	49.58	386	5478	28063
387	15789207	36251061153	RM07	48	79	99	131	357	49.58	49.58	387	5486	28120
388	15769971	36251061033	RM07	52	59	120	125	356	49.44	49.44	388	5510	28262
389	10163745	36251060174	RMS1	43	79	97	135	354	49.17	49.17	390	5555	28527
390	15717147	36251060868	RM06	43	66	110	135	354	49.17	49.17	389	5554	28523



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
391	15865183	15865183	DLP	72	44	107	130	353	49.03	49.03	392	5585	28678
392	13222587	36251060559	RMS1	65	25	121	142	353	49.03	49.03	391	5579	28653
393	17916390	17916390	DLP	73	14	117	148	352	48.89	48.89	393	5592	28739
394	13318534	36251061090	RMS2	39	78	110	125	352	48.89	48.89	394	5601	28806
395	10407774	36251060379	RMS1	61	62	81	147	351	48.75	48.75	395	5613	28880
396	15620800	36251060626	RM05	64	55	105	127	351	48.75	48.75	397	5624	28931
397	13209551	36251060852	RMS1	18	62	128	143	351	48.75	48.75	396	5615	28888
398	15761131	36251061029	RM06	70	91	152	38	351	48.75	48.75	398	5639	28996
399	15069721	36003295413	RM08	0	61	145	144	350	48.61	48.61	399	5642	29013
400	15525315	36251060444	RM03	83	72	108	87	350	48.61	48.61	400	5659	29118
401	15840863	36251061243	RM07	60	77	106	106	349	48.47	48.47	401	5680	29245
402	18038841	18038841	DLP	60	60	111	117	348	48.33	48.33	404	5702	29352
403	15630883	36251060773	RM05	16	59	137	136	348	48.33	48.33	403	5696	29307
404	15717019	36251060880	RM06	51	37	120	140	348	48.33	48.33	402	5693	29300
405	18044213	18044213	DLP	45	76	110	116	347	48.19	48.19	406	5729	29498
406	10478101	36251060424	RMS1	75	64	64	144	347	48.19	48.19	405	5717	29424
407	18014128	18014128	DLP	89	27	80	150	346	48.06	48.06	408	5746	29554
408	15374816	36251060149	RM01	62	48	93	143	346	48.06	48.06	409	5750	29565
409	15392408	36251060177	RM02	55	56	125	110	346	48.06	48.06	411	5764	29642
410	15707360	36251060840	RM05	100	70	93	83	346	48.06	48.06	413	5771	29666
411	10706282	36251061028	RM06	67	84	95	100	346	48.06	48.06	412	5768	29659
412	7280904	36251061206	RMS2	34	10	135	167	346	48.06	48.06	407	5744	29545
413	15839539	36251061240	RM07	52	67	102	125	346	48.06	48.06	410	5759	29621
414	7300587	36251061271	RMS2	56	27	116	146	345	47.92	47.92	414	5776	29695
415	6566902	6566902	DLP	28	53	127	136	344	47.78	47.78	416	5804	29867
416	4190451	36251060632	RMS1	44	67	101	132	344	47.78	47.78	417	5806	29881
417	5213577	36251060885	RM06	40	62	122	120	344	47.78	47.78	418	5812	29917
418	4626941	36251061248	RMS2	39	43	97	165	344	47.78	47.78	415	5799	29838
419	17721374	17721374	DLP	55	96	95	95	341	47.36	47.36	421	5898	30352
420	15514404	36251060421	RM03	79	96	82	84	341	47.36	47.36	422	5904	30363

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
421	15767892	36251061012	RM06	8	96	117	120	341	47.36	47.36	420	5893	30321
422	1888293	36251061247	RMS2	61	33	106	141	341	47.36	47.36	419	5887	30282
423	15487599	36251060367	RM03	50	52	123	114	339	47.08	47.08	424	5946	30593
424	15544002	36251060482	RMS1	65	30	117	127	339	47.08	47.08	423	5937	30557
425	10825356	36251061064	RMS2	35	48	113	142	338	46.94	46.94	425	5958	30652
426	18060090	18060090	DLP	38	72	101	125	336	46.67	46.67	426	6010	30946
427	13196995	36251060360	RMH1	100	22	135	79	336	46.67	46.67	427	6019	30999
428	15923422	15923422	DLP	87	37	71	140	335	46.53	46.53	428	6101	31032
429	15721530	36251061017	RM06	55	65	80	135	335	46.53	46.53	429	6028	31052
430	16027709	16027709	DLP	81	73	89	90	333	46.25	46.25	434	1347	31399
431	18083983	18083983	DLP	53	36	131	113	333	46.25	46.25	432	3302	31368
432	13062126	36003585417	RM08	58	55	103	117	333	46.25	46.25	431	6075	31363
433	4696482	36251060449	RM03	37	31	120	145	333	46.25	46.25	430	6058	31290
434	13125478	36251061006	RMS2	83	61	87	102	333	46.25	46.25	433	6082	31386
435	7281853	36251061309	SNKLP1	9	43	140	140	332	46.11	46.11	435	6091	31436
436	15399175	36251060192	RM02	76	87	89	79	331	45.97	45.97	438	6140	31677
437	6716152	36251060732	RM05	76	56	69	130	331	45.97	45.97	436	6125	31607
438	15726118	36251060886	RM06	63	54	97	117	331	45.97	45.97	437	6132	31643
439	18027588	18027588	DLP	25	57	123	125	330	45.83	45.83	439	6162	31771
440	15535812	36251060462	RM03	48	46	133	103	330	45.83	45.83	440	6170	31818
441	15698448	36251060827	RM05	100	89	44	97	330	45.83	45.83	441	6173	31829
442	5193681	5193681	DLP	98	54	98	79	329	45.69	45.69	443	6193	31979
443	18012318	18012318	DLP	103	55	46	125	329	45.69	45.69	442	6183	31918
444	15789776	36251061134	RM08	94	91	69	75	329	45.69	45.69	444	6195	31982
445	15061998	36251050067	RM01	43	76	111	98	328	45.56	45.56	446	6213	32103
446	15576571	36251060801	RM06	36	51	129	112	328	45.56	45.56	445	6210	32084
447	10540457	36251060407	RMS1	49	-12	139	151	327	45.42	45.42	447	6221	32131
448	15631380	36251061312	RM05	79	66	62	120	327	45.42	45.42	448	6236	32216
449	6925713	36003590318	RMH1	52	74	95	105	326	45.28	45.28	451	6266	32393
450	10142399	36251060293	RMS1	67	19	93	147	326	45.28	45.28	449	6250	32285

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
451	15744120	36251060938	RM06	28	36	117	145	326	45.28	45.28	450	6251	32292
452	13803655	36003590307	RMH1	57	64	81	123	325	45.14	45.14	453	6283	32496
453	15622071	36251060629	RM04	80	15	105	125	325	45.14	45.14	452	6281	32486
454	10937311	36251060679	RMS1	34	102	91	98	325	45.14	45.14	454	6295	32544
455	14231780	14231780	DLP	44	82	77	121	324	45	45	456	6320	32662
456	15461921	36251060322	RM03	56	72	95	101	324	45	45	458	6331	32707
457	1065547	36251060569	RMS1	62	69	81	112	324	45	45	457	6324	32687
458	15861659	36251061280	RM08	32	66	93	133	324	45	45	455	6309	32618
459	17874599	17874599	DLP	72	81	85	85	323	44.86	44.86	464	6363	32847
460	15665362	36003484408	RM06	5	52	115	151	323	44.86	44.86	459	6340	32743
461	15171542	36251060104	RM01	73	94	59	97	323	44.86	44.86	463	6360	32837
462	15402419	36251060194	RM02	41	68	94	120	323	44.86	44.86	460	6353	32807
463	15395862	36251060485	RM03	106	54	82	81	323	44.86	44.86	465	6366	32856
464	15709520	36251060846	RM06	71	66	68	118	323	44.86	44.86	461	6354	32809
465	13231197	36251060920	RMS1	70	76	80	97	323	44.86	44.86	462	6359	32835
466	15890516	15890516	DLP	69	7	94	150	320	44.44	44.44	466	6410	33130
467	15974950	36003572959	RM08	74	41	79	126	320	44.44	44.44	467	6416	33179
468	15672346	36251060758	RM05	78	15	116	111	320	44.44	44.44	468	6422	33216
469	10465923	36251060205	RMS1	34	51	95	139	319	44.31	44.31	469	6435	33290
470	15833363	36251061226	RM07	36	41	113	129	319	44.31	44.31	470	6438	33307
471	12012894	36251060413	RMS1	97	5	66	150	318	44.17	44.17	471	6451	33379
472	12803035	36251060539	RMS1	30	49	108	131	318	44.17	44.17	472	6457	33418
473	10299943	36251060580	RMS1	61	59	108	88	316	43.89	43.89	473	6531	33833
474	13374612	13374612	DLP	31	42	121	121	315	43.75	43.75	474	6533	33922
475	15774437	36251061036	RM07	58	38	78	140	314	43.61	43.61	475	6571	34006
476	4910939	4910939	DLP	62	49	85	117	313	43.47	43.47	477	1457	34230
477	15850279	36003538318	RM06	42	58	128	85	313	43.47	43.47	478	6615	34272
478	9866022	36251061330	RMS2	19	67	97	130	313	43.47	43.47	476	6603	34186
479	2842042	2842042	DLP	46	73	102	91	312	43.33	43.33	482	6651	34420
480	15159313	36251060061	RM01	61	64	68	119	312	43.33	43.33	479	6641	34373



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
481	15232105	36251060090	RM01	47	67	100	98	312	43.33	43.33	481	6648	34413
482	15420731	36251060245	RM02	87	38	86	101	312	43.33	43.33	480	6646	34409
483	15597090	36251060588	RM05	56	76	98	82	312	43.33	43.33	483	6655	34425
484	17919322	17919322	DLP	79	52	45	135	311	43.19	43.19	485	6666	34476
485	13165422	36251060841	RM05	55	54	64	138	311	43.19	43.19	484	6663	34461
486	15181242	36251060089	RM01	41	57	100	112	310	43.06	43.06	486	6697	34678
487	15134612	36251060053	RM01	45	61	87	116	309	42.92	42.92	487	6716	34797
488	12967727	36251060313	RMS1	67	69	69	104	309	42.92	42.92	488	6722	34820
489	10230273	36251061183	RM07	38	60	75	135	308	42.78	42.78	489	6737	34890
490	15800095	15800095	DLP	27	78	99	103	307	42.64	42.64	492	6787	35139
491	13607614	36251060862	RM06	35	31	123	118	307	42.64	42.64	491	6782	35098
492	14888367	36251061141	RM07	55	3	117	132	307	42.64	42.64	490	6774	35052
493	15718656	36251060871	RM05	37	89	67	113	306	42.5	42.5	493	6816	35274
494	15840642	36003558715	RM08	73	58	90	84	305	42.36	42.36	495	6845	35449
495	15776465	36251061045	RM07	29	45	131	100	305	42.36	42.36	494	6842	35430
496	15207271	36251060081	RM01	49	66	95	93	303	42.08	42.08	496	6899	35718
497	16003735	36003577781	RM08	52	48	90	111	301	41.81	41.81	498	6941	35956
498	15128530	36251060041	RM01	12	74	113	102	301	41.81	41.81	499	6946	35971
499	15100291	36251060092	RM01	13	64	102	122	301	41.81	41.81	497	6937	35930
500	15165934	36251060059	RM01	46	57	100	97	300	41.67	41.67	502	6967	36122
501	15300668	36251060153	RM01	62	67	58	113	300	41.67	41.67	501	6960	36092
502	15453753	36251060598	RM03	44	31	105	120	300	41.67	41.67	500	6955	36072
503	15975583	36003573148	RM08	72	37	49	141	299	41.53	41.53	503	6975	36173
504	15632073	36251060823	RM06	85	52	62	100	299	41.53	41.53	504	6991	36274
505	15130602	36251060304	RM02	36	39	86	137	298	41.39	41.39	505	7001	36327
506	15909091	36003557458	RM09	65	25	67	140	297	41.25	41.25	506	7032	36464
507	17687706	36003603036	RM06	43	64	75	115	297	41.25	41.25	507	7045	36523
508	15537889	36251060549	RM04	69	25	77	125	296	41.11	41.11	508	7068	36654
509	13244664	36251061099	RMS2	57	69	75	95	296	41.11	41.11	509	7081	36718
510	5258272	36005023440	RM08	54	34	111	96	295	40.97	40.97	510	7107	36855



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
511	15403768	36251060276	RM02	31	43	81	139	294	40.83	40.83	511	7118	36905
512	15832812	15832812	DLP	19	46	103	125	293	40.69	40.69	513	7156	37095
513	14967255	36251060019	RM01	48	47	93	105	293	40.69	40.69	514	7165	37152
514	6425968	36251060702	RM05	54	41	66	132	293	40.69	40.69	512	7153	37071
515	12661805	36251060767	RMS1	54	43	93	103	293	40.69	40.69	515	7166	37159
516	15178556	36251060068	RM01	60	42	84	106	292	40.56	40.56	516	7190	37293
517	13034333	13034333	DLP	32	70	82	107	291	40.42	40.42	518	7212	37427
518	15831762	15831762	DLP	58	73	53	107	291	40.42	40.42	519	7213	37429
519	18012309	18012309	DLP	51	80	48	112	291	40.42	40.42	517	7208	37416
520	12542633	36251060096	RM01	57	51	59	123	290	40.28	40.28	520	7229	37530
521	15493378	36251060720	RM05	82	41	58	109	290	40.28	40.28	521	7238	37572
522	12883697	12883697	DLP	72	21	72	124	289	40.14	40.14	524	7257	37690
523	5527961	36251060164	RM02	27	50	84	128	289	40.14	40.14	522	7254	37676
524	15595019	36251060572	RM04	48	88	47	106	289	40.14	40.14	525	7265	37734
525	2519179	36251061215	RMS2	48	38	75	128	289	40.14	40.14	523	7255	37677
526	10428488	36251061401	RM06	60	122	-5	111	288	40	40	526	7301	37872
527	15862396	36251061287	RM08	47	90	37	112	286	39.72	39.72	527	7360	38159
528	15156691	36251060054	RM01	57	96	44	88	285	39.58	39.58	529	7393	38354
529	15643786	36251060697	RM05	47	58	72	108	285	39.58	39.58	528	7388	38317
530	15868074	36003550504	RMH1	56	49	64	115	284	39.44	39.44	531	7412	38448
531	15156759	36251060057	RM01	0	44	116	124	284	39.44	39.44	530	7404	38414
532	15761561	36251060984	RM06	56	64	68	96	284	39.44	39.44	532	7417	38485
533	17780593	17780593	DLP	83	63	70	67	283	39.31	39.31	536	7445	38642
534	15160380	36251060086	RM01	33	78	50	122	283	39.31	39.31	533	7432	38569
535	10366220	36251060223	RM02	16	59	93	115	283	39.31	39.31	534	7433	38584
536	13216848	36251060344	RMH1	47	35	100	101	283	39.31	39.31	535	7436	38614
537	15586768	36251060562	RM04	40	22	82	138	282	39.17	39.17	537	7447	38655
538	15895289	15895289	DLP	27	73	79	102	281	39.03	39.03	538	7488	38867
539	15637762	36251060671	RM04	77	96	30	78	281	39.03	39.03	539	7497	38887
540	15173109	36251060077	RM01	68	62	59	91	280	38.89	38.89	540	7529	39025



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
541	15496485	36251060419	RM04	57	38	105	80	280	38.89	38.89	541	7532	39039
542	18058508	18058508	DLP	44	74	96	65	279	38.75	38.75	542	7564	39201
543	15794083	36003520521	RMS2	40	45	68	125	278	38.61	38.61	543	7579	39271
544	14949358	36251060010	RM01	56	38	78	106	278	38.61	38.61	544	7587	39330
545	9132449	36251060252	RM02	51	53	74	100	278	38.61	38.61	545	7590	39342
546	12955660	36251060370	RM03	75	77	57	68	277	38.47	38.47	547	7615	39488
547	15488023	36251060402	RM03	38	28	90	121	277	38.47	38.47	546	7604	39422
548	18020189	18020189	DLP	37	63	65	111	276	38.33	38.33	549	7632	39571
549	15481730	36251060358	RM03	48	46	63	119	276	38.33	38.33	548	7627	39552
550	15514378	36251060420	RM03	56	39	70	110	275	38.19	38.19	550	7661	39722
551	12997106	36251060589	RMS1	40	7	126	102	275	38.19	38.19	551	7664	39741
552	15794559	36251061107	RM07	75	40	70	90	275	38.19	38.19	552	7669	39757
553	10118200	36251060442	RMS1	50	32	73	119	274	38.06	38.06	553	7692	39855
554	10322029	10322029	DLP	67	74	35	97	273	37.92	37.92	556	7722	40061
555	15714635	36251060854	RM06	27	44	87	115	273	37.92	37.92	555	7714	40014
556	10825346	36251061063	RMS2	22	23	91	137	273	37.92	37.92	554	7706	39959
557	16424184	16424184	DLP	30	40	100	102	272	37.78	37.78	559	4105	40178
558	14913206	36251060011	RM01	54	38	121	59	272	37.78	37.78	560	7763	40216
559	15543765	36251060507	RM04	0	52	95	125	272	37.78	37.78	558	7746	40130
560	15697004	36251061179	RM07	23	44	76	129	272	37.78	37.78	557	7745	40123
561	15403659	36251060214	RM02	0	150	41	80	271	37.64	37.64	561	7782	40355
562	13243271	13243271	DLP	40	39	91	100	270	37.5	37.5	564	7810	40456
563	18048796	18048796	DLP	32	47	72	119	270	37.5	37.5	563	7803	40419
564	13210762	36251060812	RMS2	35	23	81	131	270	37.5	37.5	562	7794	40388
565	15452731	36251060417	RM03	37	26	84	121	268	37.22	37.22	565	7849	40674
566	15840556	15840556	DLP	31	26	86	124	267	37.08	37.08	566	7865	40805
567	15944767	36003566865	RM08	42	34	72	118	266	36.94	36.94	567	7895	40962
568	18039877	18039877	DLP	21	17	122	105	265	36.81	36.81	568	7924	41155
569	15475888	36251060350	RM03	46	15	118	86	265	36.81	36.81	570	7938	41196
570	15845772	36251061254	RM07	67	45	57	96	265	36.81	36.81	569	7933	41183



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
571	16318318	16318318	DLP	86	34	54	90	264	36.67	36.67	571	7968	41342
572	14197683	14197683	DLP	61	26	43	133	263	36.53	36.53	572	7978	41385
573	16025918	16025918	DLP	33	70	83	77	263	36.53	36.53	576	7998	41498
574	15172536	36251060066	RM01	37	15	115	96	263	36.53	36.53	574	7994	41479
575	15260298	36251060108	RM01	56	33	68	106	263	36.53	36.53	573	7992	41461
576	15717570	36251060883	RMS2	38	33	101	91	263	36.53	36.53	575	7996	41488
577	15145132	36251060076	RM01	49	50	61	102	262	36.39	36.39	579	8016	41591
578	15422585	36251060306	RM02	47	32	103	80	262	36.39	36.39	580	8024	41627
579	15467667	36251060334	RMS1	4	12	100	146	262	36.39	36.39	577	8001	41512
580	15932688	36251061391	RM08	10	19	102	131	262	36.39	36.39	578	8004	41528
581	17779613	17779613	DLP	43	31	75	112	261	36.25	36.25	581	8044	41710
582	15625933	36251060640	RM04	68	67	49	77	261	36.25	36.25	582	8055	41769
583	15868510	36003544464	RM08	54	26	60	120	260	36.11	36.11	583	8061	41825
584	13064250	36251060333	RMS1	30	20	95	115	260	36.11	36.11	584	8064	41842
585	15762906	36251061074	RM06	44	62	88	66	260	36.11	36.11	585	8079	41915
586	15921518	15921518	DLP	58	31	71	99	259	35.97	35.97	589	4270	42018
587	17954747	17954747	DLP	25	28	66	140	259	35.97	35.97	586	8084	41937
588	18113050	18113050	DLP	28	44	67	120	259	35.97	35.97	588	8090	41974
589	13561780	36003524304	RMS2	27	45	65	122	259	35.97	35.97	587	8087	41960
590	17961173	17961173	DLP	27	33	85	113	258	35.83	35.83	590	8110	42129
591	15404530	36251060302	RM02	22	51	66	117	256	35.56	35.56	592	8155	42394
592	15833586	36251061233	RM07	42	25	72	117	256	35.56	35.56	591	8154	42393
593	15494773	36251061264	RM07	34	30	99	93	256	35.56	35.56	593	8159	42432
594	18008355	18008355	DLP	15	30	110	100	255	35.42	35.42	596	4315	42556
595	15404677	36251060242	RM02	23	7	106	119	255	35.42	35.42	594	8176	42503
596	15734696	36251060917	RM06	46	36	62	111	255	35.42	35.42	595	8181	42526
597	18043454	18043454	DLP	29	45	69	111	254	35.28	35.28	597	8206	42657
598	15979963	15979963	DLP	25	23	85	120	253	35.14	35.14	598	8236	42774
599	10423948	36251061069	RMS2	40	32	70	111	253	35.14	35.14	599	8244	42808
600	18119975	18119975	DLP	37	48	52	115	252	35	35	600	8266	42932



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
601	15748465	36251061085	RM07	-2	47	91	115	251	34.86	34.86	601	8287	43067
602	2234035	2234035	DLP	52	56	50	92	250	34.72	34.72	604	8327	43269
603	4832550	4832550	DLP	50	20	69	111	250	34.72	34.72	602	8312	43218
604	7919267	36003539860	RM07	45	38	67	100	250	34.72	34.72	603	8322	43252
605	15909055	15909055	DLP	18	68	63	100	249	34.58	34.58	606	8349	43379
606	15415735	36251060448	RM03	29	22	87	111	249	34.58	34.58	605	8346	43351
607	15936030	36251061409	RM08	44	66	46	93	249	34.58	34.58	607	8354	43390
608	15526045	36251060447	RM04	48	42	48	110	248	34.44	34.44	608	8372	43496
609	15767413	36251061011	RM07	39	50	62	97	248	34.44	34.44	609	8377	43532
610	17991382	17991382	DLP	35	31	71	110	247	34.31	34.31	612	4419	43660
611	15692572	36251060859	RM06	42	29	55	121	247	34.31	34.31	610	8392	43624
612	15706696	36251060956	RM06	8	40	89	110	247	34.31	34.31	611	8401	43658
613	15090767	36251060102	RM01	61	59	79	47	246	34.17	34.17	613	8439	43888
614	10402676	36251061027	RMS1	69	43	18	115	245	34.03	34.03	614	8449	43938
615	7067250	7067250	DLP	0	27	87	130	244	33.89	33.89	615	605	44044
616	15981315	15981315	DLP	36	15	95	97	243	33.75	33.75	618	8513	44253
617	3330155	36003567321	SNKLP1	48	0	95	100	243	33.75	33.75	617	8510	44246
618	15040185	36251060125	RM01	16	20	71	136	243	33.75	33.75	616	8495	44167
619	15421195	36251060244	RM02	38	51	66	88	243	33.75	33.75	619	8521	44271
620	15535761	36251060461	RM04	-12	30	110	112	240	33.33	33.33	621	8581	44611
621	15703013	36251060847	RM06	15	39	61	125	240	33.33	33.33	620	8578	44585
622	17703592	17703592	DLP	80	18	47	94	239	33.19	33.19	623	8615	44790
623	18065597	18065597	DLP	11	23	84	121	239	33.19	33.19	622	8606	44733
624	15526068	36251060504	RMH1	14	9	145	71	239	33.19	33.19	624	8623	44823
625	13181824	36003530126	RMS2	0	48	30	160	238	33.06	33.06	625	8631	44841
626	15303292	36251060130	RM02	23	8	122	85	238	33.06	33.06	627	8651	44948
627	15695186	36251060800	RM06	58	48	45	87	238	33.06	33.06	626	8650	44947
628	15840351	36003549911	RMS2	10	70	59	98	237	32.92	32.92	628	8679	45082
629	15092042	36251060079	RMH1	56	27	55	98	236	32.78	32.78	631	8711	45221
630	15488019	36251060371	RM03	39	28	50	119	236	32.78	32.78	629	8696	45174



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
631	15542660	36251060480	RM04	37	25	76	98	236	32.78	32.78	630	8709	45218
632	15665985	36251060750	RM05	40	69	58	69	236	32.78	32.78	632	8723	45263
633	15591770	36251060568	RM04	27	62	54	92	235	32.64	32.64	633	8745	45365
634	8532863	36251061272	RM07	21	20	103	91	235	32.64	32.64	634	8746	45366
635	10661757	10661757	DLP	7	59	67	101	234	32.5	32.5	635	8771	45499
636	13156983	36251060406	RMH1	31	25	65	112	233	32.36	32.36	637	8787	45604
637	15649794	36251060796	RM05	23	10	100	100	233	32.36	32.36	638	8795	45636
638	15733515	36251060904	RM06	7	25	66	135	233	32.36	32.36	636	8783	45556
639	15870636	36003547055	RM08	16	14	97	105	232	32.22	32.22	640	8822	45754
640	15906227	36003556069	RM08	49	24	57	102	232	32.22	32.22	642	8825	45761
641	15164882	36251060058	RM01	22	51	53	106	232	32.22	32.22	639	8820	45752
642	10677987	36251060529	RMS1	15	29	86	102	232	32.22	32.22	641	8824	45759
643	15575280	36251060570	RM05	79	40	33	80	232	32.22	32.22	643	8838	45810
644	13308643	36003554012	RM08	35	45	85	66	231	32.08	32.08	646	8880	45979
645	15664092	36251060877	RM06	10	19	67	135	231	32.08	32.08	644	8850	45854
646	15840032	36251061250	RM07	53	32	75	71	231	32.08	32.08	645	8877	45974
647	14595812	36251060146	RM01	82	27	19	102	230	31.94	31.94	649	8895	46056
648	15537465	36251060567	RM04	25	37	48	120	230	31.94	31.94	648	8890	46021
649	15678421	36251060771	RM06	-1	34	62	135	230	31.94	31.94	647	8887	46002
650	18008664	18008664	DLP	40	31	61	97	229	31.81	31.81	650	8936	46217
651	10819745	69003550468	DLP	32	58	73	66	229	31.81	31.81	651	8946	46276
652	6908371	6908371	DLP	36	49	58	84	227	31.53	31.53	654	8989	46518
653	12734392	36251060620	RMH1	43	1	77	106	227	31.53	31.53	653	8978	46472
654	10224105	36251061056	RM06	11	40	69	107	227	31.53	31.53	652	8977	46468
655	18066182	18066182	DLP	38	42	77	69	226	31.39	31.39	656	9018	46666
656	15524453	36251060432	RM04	13	51	57	105	226	31.39	31.39	655	9004	46620
657	15748927	36003555420	RM06	-3	18	90	120	225	31.25	31.25	657	9022	46703
658	15835801	36251061236	RM07	24	24	71	106	225	31.25	31.25	658	9028	46728
659	16450777	16450777	DLP	27	39	87	71	224	31.11	31.11	660	9067	46928
660	15127998	36251060037	RMH1	20	3	128	73	224	31.11	31.11	659	9066	46927



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
661	16105784	16105784	DLP	3	15	90	115	223	30.97	30.97	661	9071	46980
662	15898638	36003553376	RM08	47	50	54	72	223	30.97	30.97	663	9090	47069
663	15630716	36251060649	RM05	13	36	95	79	223	30.97	30.97	662	9088	47061
664	2215284	36251061203	RM07	33	61	64	64	222	30.83	30.83	665	9119	47235
665	15821027	36251061211	RM07	11	56	60	95	222	30.83	30.83	664	9111	47191
666	15506426	36251060398	RMH1	19	4	93	105	221	30.69	30.69	666	9138	47308
667	15793440	36251061098	RM07	46	62	29	83	220	30.56	30.56	667	9167	47493
668	15845422	15845422	DLP	12	47	85	75	219	30.42	30.42	670	9197	47643
669	15868528	15868528	DLP	20	14	95	90	219	30.42	30.42	668	9191	47619
670	15465116	36251060326	RM03	41	61	47	70	219	30.42	30.42	671	9199	47647
671	13123220	36251060617	RM06	43	39	60	77	219	30.42	30.42	669	9195	47641
672	15840377	36003544418	RM08	31	40	58	89	218	30.28	30.28	674	9219	47744
673	15919049	36003560931	RM08	39	74	77	28	218	30.28	30.28	676	9233	47797
674	15501788	36251060439	RM05	57	29	72	60	218	30.28	30.28	675	9231	47791
675	15535394	36251060460	RM04	10	30	62	116	218	30.28	30.28	673	9208	47692
676	15612037	36251060605	RM05	25	31	44	118	218	30.28	30.28	672	9207	47689
677	15787548	36251061194	RMH1	0	41	63	113	217	30.14	30.14	678	9240	47827
678	15868450	36251061300	SNKLP1	9	25	70	113	217	30.14	30.14	677	9239	47826
679	18098806	18098806	DLP	17	28	88	83	216	30	30	681	9285	48042
680	15419787	36251060239	RM02	55	0	46	115	216	30	30	679	9273	47966
681	3157859	36251060538	RM04	29	68	35	84	216	30	30	680	9284	48040
682	15369558	36251060144	RM02	10	15	82	108	215	29.86	29.86	682	9301	48125
683	15392092	36251060172	RM02	8	41	61	105	215	29.86	29.86	683	9303	48131
684	15564460	36251060556	RM04	23	23	88	81	215	29.86	29.86	684	9314	48179
685	3542012	36251061061	RMS1	33	2	100	80	215	29.86	29.86	685	9315	48182
686	14757968	36251060121	RMH1	18	6	130	60	214	29.72	29.72	688	9345	48334
687	15662171	36251060764	RM05	31	35	53	95	214	29.72	29.72	687	9334	48301
688	15708065	36251060845	RM06	57	27	33	97	214	29.72	29.72	686	9332	48293
689	13180394	36003553764	RMS2	14	14	67	118	213	29.58	29.58	689	9352	48366
690	15537755	36251060467	RM04	27	39	56	90	212	29.44	29.44	690	9388	48542



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
691	16135943	16135943	DLP	61	4	56	90	211	29.31	29.31	692	9406	48667
692	15367871	36251060182	RM02	8	50	74	79	211	29.31	29.31	693	9411	48684
693	15782437	36251061068	RM07	20	35	51	105	211	29.31	29.31	691	9403	48636
694	4193701	36005042308	RM06	48	17	70	75	210	29.17	29.17	695	9435	48826
695	14826750	36251060007	RM01	7	39	68	96	210	29.17	29.17	694	9426	48784
696	10468485	36251060816	RM05	45	66	22	74	207	28.75	28.75	696	9528	49263
697	18069064	18069064	DLP	10	59	66	71	206	28.61	28.61	698	9554	49398
698	15389058	36251060272	RM02	22	25	77	82	206	28.61	28.61	697	9549	49385
699	6820457	36003529277	RM07	68	39	29	69	205	28.47	28.47	699	9586	49533
700	15748876	36251060940	RM07	39	36	19	110	204	28.33	28.33	700	9606	49600
701	15761102	36251061002	RM06	22	22	69	91	204	28.33	28.33	703	9619	49648
702	15773853	36251061119	RM07	51	20	33	100	204	28.33	28.33	701	9613	49622
703	15844799	36251061251	RM07	36	37	36	95	204	28.33	28.33	702	9618	49640
704	18039759	18039759	DLP	5	35	61	102	203	28.19	28.19	705	9638	49768
705	15373672	36251060147	RM02	-2	6	92	107	203	28.19	28.19	704	9635	49750
706	12710394	36251060099	RM01	25	22	64	91	202	28.06	28.06	707	9670	49957
707	12853389	36251060212	RMS1	32	11	59	100	202	28.06	28.06	706	9668	49932
708	17836342	17836342	DLP	43	29	29	100	201	27.92	27.92	709	9689	50058
709	15577925	36251060550	RM04	-1	39	45	118	201	27.92	27.92	708	9681	50022
710	17389544	36003597904	SNKLP1	47	45	35	73	200	27.78	27.78	713	9725	50252
711	10313811	36251060046	RM01	20	12	48	120	200	27.78	27.78	710	9707	50150
712	15478362	36251060355	RM03	11	26	51	112	200	27.78	27.78	711	9709	50161
713	15716593	36251060863	RM06	32	53	40	75	200	27.78	27.78	712	9724	50249
714	16046555	16046555	DLP	29	33	59	78	199	27.64	27.64	714	9751	50369
715	15956610	15956610	DLP	26	19	66	85	196	27.22	27.22	715	9828	50725
716	18065652	18065652	DLP	7	23	73	92	195	27.08	27.08	718	9855	50851
717	15567288	36251060543	RM04	0	-9	76	128	195	27.08	27.08	716	9841	50777
718	15652248	36251060734	RM04	0	33	68	94	195	27.08	27.08	717	9851	50841
719	15972732	15972732	DLP	46	61	32	55	194	26.94	26.94	720	9896	51056
720	15696191	36251060830	RMH1	0	0	102	92	194	26.94	26.94	719	9882	50987



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
721	15614501	36251060644	RM04	14	15	68	92	189	26.25	26.25	721	10010	51647
722	15751310	36251060953	RM06	28	42	30	89	189	26.25	26.25	722	10014	51659
723	14611271	36251050046	RMH1	1	35	53	99	188	26.11	26.11	724	10028	51740
724	15352581	36251060136	RM01	24	66	-8	106	188	26.11	26.11	723	10025	51729
725	15367920	36251060141	RM02	19	38	42	88	187	25.97	25.97	725	10065	51906
726	15402471	36251060195	RM02	20	35	52	79	186	25.83	25.83	726	10096	52041
727	15367391	36251060140	RM02	9	14	83	79	185	25.69	25.69	728	10123	52167
728	15537759	36251060470	RM04	70	10	25	80	185	25.69	25.69	727	10121	52164
729	5127862	36251061139	RM07	10	2	53	119	184	25.56	25.56	729	10133	52232
730	18040203	18040203	DLP	3	22	79	79	183	25.42	25.42	730	10170	52435
731	15132872	36251060392	RM03	16	20	60	86	182	25.28	25.28	732	10200	52562
732	10459734	36251060718	RM04	44	42	3	93	182	25.28	25.28	731	10199	52551
733	16167950	36003585121	RM09	40	32	45	64	181	25.14	25.14	734	10237	52737
734	10930807	36251060725	RM07	34	36	68	43	181	25.14	25.14	735	10241	52754
735	15761663	36251060987	RMH1	17	35	48	81	181	25.14	25.14	733	10234	52704
736	13843698	36251060501	RM04	7	39	40	94	180	25	25	736	10249	52804
737	15868552	36003544503	RM08	0	36	89	54	179	24.86	24.86	738	10288	52988
738	8739047	36251060325	RM03	25	38	33	83	179	24.86	24.86	737	10279	52940
739	12780156	36251060405	RMH1	23	30	59	66	178	24.72	24.72	740	10306	53107
740	15650523	36251060751	RM05	14	16	67	81	178	24.72	24.72	739	10300	53071
741	15762055	15762055	DLP	30	49	49	49	177	24.58	24.58	742	10335	53254
742	15514774	36251060571	RM04	24	40	0	113	177	24.58	24.58	741	10314	53138
743	12878715	36003601139	RM06	23	54	50	49	176	24.44	24.44	746	10362	53368
744	15494493	36251060525	RMS2	29	39	15	93	176	24.44	24.44	744	10348	53319
745	15625881	36251060776	RM04	27	26	46	77	176	24.44	24.44	745	10357	53342
746	15741434	36251060923	RM06	7	26	42	101	176	24.44	24.44	743	10345	53295
747	15913132	15913132	DLP	44	23	20	88	175	24.31	24.31	747	10380	53443
748	15966294	15966294	DLP	13	46	53	63	175	24.31	24.31	749	10390	53486
749	15622078	36251060673	RM04	12	39	65	59	175	24.31	24.31	750	10392	53496
750	13184737	36251060795	RMH1	9	49	30	87	175	24.31	24.31	748	10381	53446



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
751	15561905	36251060515	RM06	2	67	36	69	174	24.17	24.17	751	10418	53611
752	15552207	36251060536	RM04	41	22	45	66	174	24.17	24.17	752	10419	53616
753	8125864	36251060574	RM04	51	25	35	63	174	24.17	24.17	753	10421	53622
754	15961211	36003572394	RM08	47	28	10	88	173	24.03	24.03	755	10449	53691
755	15739633	36251061005	RMH1	19	4	45	105	173	24.03	24.03	754	10435	53659
756	15769192	36251061050	RM06	33	25	42	73	173	24.03	24.03	756	10459	53725
757	15946985	36003567193	RMH1	15	9	55	93	172	23.89	23.89	757	10477	53812
758	15409147	36251060226	RM02	23	18	67	64	172	23.89	23.89	758	10491	53882
759	15573597	36251060540	RM04	54	24	37	57	172	23.89	23.89	759	10493	53895
760	15531682	36251060454	RM03	30	44	25	72	171	23.75	23.75	760	10519	53986
761	15108665	36251060031	RMH1	5	28	49	88	170	23.61	23.61	761	10544	54078
762	12967361	36251060471	RMS1	46	51	36	37	170	23.61	23.61	763	10559	54146
763	15740743	36251060955	RM06	10	25	90	45	170	23.61	23.61	762	10557	54142
764	16595889	16595889	DLP	25	46	54	44	169	23.47	23.47	765	10588	54269
765	15861913	36251061282	RM08	21	44	44	60	169	23.47	23.47	764	10584	54257
766	15389843	36251060315	RM03	8	30	60	70	168	23.33	23.33	766	10607	54350
767	15369228	36251060143	RM01	37	29	58	43	167	23.19	23.19	768	10646	54507
768	15698415	36251060808	RM07	7	35	38	87	167	23.19	23.19	767	10623	54435
769	15733548	36251060952	RM06	11	41	41	73	166	23.06	23.06	769	10659	54604
770	15573240	36251060542	RM04	48	27	25	65	165	22.92	22.92	770	10679	54744
771	10515979	36251060653	RMS2	45	29	31	60	165	22.92	22.92	771	10680	54749
772	15418835	36251060237	RMH1	21	49	37	57	164	22.78	22.78	773	10711	54883
773	15840547	36251061241	RM07	18	1	53	92	164	22.78	22.78	772	10694	54808
774	15517530	36251060474	RM03	25	24	27	87	163	22.64	22.64	774	10723	54937
775	15800043	36251061122	RM07	24	28	65	46	163	22.64	22.64	775	10734	55003
776	17557919	17557919	DLP	11	34	6	111	162	22.5	22.5	777	5447	55019
777	15487631	36251060483	RM04	22	28	50	62	162	22.5	22.5	778	10753	55100
778	6822472	36251060560	RM04	15	11	20	116	162	22.5	22.5	776	10737	55017
779	6931547	6931547	DLP	2	23	60	76	161	22.36	22.36	781	10773	55194
780	15380723	36251060227	RM02	8	17	23	113	161	22.36	22.36	780	10764	55129



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
781	15467665	36251060397	RM03	62	19	33	47	161	22.36	22.36	782	10784	55237
782	15588823	36251060834	RM06	0	-8	53	116	161	22.36	22.36	779	10763	55128
783	15678025	36251060772	RM05	17	37	51	55	160	22.22	22.22	783	10811	55346
784	15313015	36003547048	RM08	25	62	23	49	159	22.08	22.08	785	10841	55480
785	15815249	36251061191	RMH1	50	-6	50	65	159	22.08	22.08	784	10832	55455
786	18073873	18073873	DLP	27	20	33	78	158	21.94	21.94	786	5494	55555
787	10421086	36251060492	RMS1	-18	51	81	43	157	21.81	21.81	788	10894	55715
788	12887808	36251061125	RM07	14	43	62	38	157	21.81	21.81	789	10896	55721
789	15841073	36251061244	RM07	12	10	58	77	157	21.81	21.81	787	10881	55670
790	7074636	36251060842	RMS2	7	36	27	86	156	21.67	21.67	791	10907	55761
791	15760572	36251060980	RM06	20	17	30	89	156	21.67	21.67	790	10905	55752
792	15382802	36251060394	RM02	1	13	69	72	155	21.53	21.53	793	10934	55893
793	15761905	36251061047	RM06	28	14	18	95	155	21.53	21.53	792	10924	55862
794	15954700	36003568741	RM08	13	36	13	92	154	21.39	21.39	794	10956	55977
795	15368797	36251060423	RM03	81	31	27	15	154	21.39	21.39	796	10970	56063
796	15782409	36251061067	RM06	0	12	55	87	154	21.39	21.39	795	10957	55982
797	14045973	36003585567	RMS2	79	23	3	48	153	21.25	21.25	797	10995	56173
798	15426435	36251060258	RMH1	6	25	50	71	152	21.11	21.11	798	11010	56251
799	15550455	36251060532	RM03	90	16	36	10	152	21.11	21.11	799	11023	56304
800	15641297	36251060815	RM05	38	34	21	58	151	20.97	20.97	800	11036	56391
801	14479947	36251060038	RM01	4	18	43	85	150	20.83	20.83	801	11049	56450
802	9671821	36251060752	RMH1	3	32	42	72	149	20.69	20.69	802	11090	56621
803	15395027	36251060193	RM02	15	25	51	55	146	20.28	20.28	805	11175	57034
804	15452277	36251060297	RMH1	12	27	48	59	146	20.28	20.28	804	11172	57026
805	14357163	36251060561	RM04	29	3	28	86	146	20.28	20.28	803	11163	56971
806	15542363	36251060479	RM03	6	20	40	79	145	20.14	20.14	807	11190	57096
807	15835409	36251061234	RM08	8	7	45	85	145	20.14	20.14	806	11187	57087
808	15839674	36251061313	RM07	17	1	82	45	145	20.14	20.14	808	11202	57152
809	15731658	36251060950	RM06	26	3	49	66	144	20	20	809	11224	57240
810	15719098	15719098	DLP	15	11	36	81	143	19.86	19.86	810	11243	57336



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
811	15925193	36003571937	RM08	24	18	49	52	143	19.86	19.86	812	11250	57382
812	15427530	36251060260	RM02	9	36	53	45	143	19.86	19.86	813	11252	57391
813	15750789	36251060944	RMH1	29	22	25	67	143	19.86	19.86	811	11247	57359
814	15129167	36251060106	RM02	9	4	41	88	142	19.72	19.72	814	11256	57420
815	15584872	36251060592	RM04	36	10	23	73	142	19.72	19.72	815	11263	57452
816	15113823	36251060042	RM01	14	0	44	83	141	19.58	19.58	817	11281	57558
817	15600461	36251060648	RM04	10	1	40	90	141	19.58	19.58	816	11279	57546
818	15713566	36251060855	RM06	47	8	14	72	141	19.58	19.58	818	11286	57579
819	15821669	36251061212	RMS2	19	12	43	67	141	19.58	19.58	819	11287	57588
820	16314979	16314979	DLP	23	44	26	47	140	19.44	19.44	822	11325	57745
821	13813131	36003585173	RM08	49	17	29	45	140	19.44	19.44	823	11326	57749
822	15350759	36251060135	RM01	0	20	62	58	140	19.44	19.44	821	11319	57723
823	15452406	36251060300	RMH1	7	2	87	44	140	19.44	19.44	824	11329	57752
824	10396803	36251061182	RMS2	13	18	26	83	140	19.44	19.44	820	11305	57667
825	15672054	36251060761	RM05	15	37	35	52	139	19.31	19.31	825	11359	57848
826	15552493	36251060499	RM04	55	13	41	29	138	19.17	19.17	827	11392	57983
827	15563840	36251060527	RM04	19	15	30	74	138	19.17	19.17	826	11373	57917
828	15643794	15643794	DLP	-3	8	40	92	137	19.03	19.03	828	11398	58003
829	13120250	36251060362	RMH1	-4	38	38	65	137	19.03	19.03	829	11406	58047
830	15845393	36251061252	RMH1	55	3	67	12	137	19.03	19.03	830	11421	58109
831	6381063	36251060372	RMS1	4	46	53	31	134	18.61	18.61	831	11490	58429
832	5338325	36251060100	RM01	-1	23	30	80	132	18.33	18.33	832	11517	58593
833	15716524	36003553902	RM08	17	31	35	48	131	18.19	18.19	837	11554	58775
834	15197956	36251060074	RM01	0	18	26	87	131	18.19	18.19	833	11539	58699
835	15255196	36251060111	RM01	2	24	39	66	131	18.19	18.19	834	11546	58738
836	15422666	36251060251	RM02	36	13	42	40	131	18.19	18.19	838	11555	58781
837	15495263	36251060458	RMH1	18	27	32	54	131	18.19	18.19	836	11553	58767
838	10608297	36251060552	RM04	-1	32	46	54	131	18.19	18.19	835	11552	58766
839	16207602	16207602	DLP	44	10	38	38	130	18.06	18.06	843	11588	58905
840	16570410	16570410	DLP	29	38	10	53	130	18.06	18.06	840	11580	58882

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
841	15404706	36251060213	RM02	24	30	26	50	130	18.06	18.06	841	11583	58890
842	8127466	36251060294	RM03	12	12	20	86	130	18.06	18.06	839	11560	58818
843	15660054	36251060875	RM05	10	8	70	42	130	18.06	18.06	842	11587	58900
844	15810490	36251061217	RMH1	56	13	24	37	130	18.06	18.06	844	11589	58907
845	15435343	15435343	DLP	6	18	45	60	129	17.92	17.92	845	11607	58990
846	15926240	15926240	DLP	30	40	10	49	129	17.92	17.92	846	11612	59016
847	15519344	36251060425	RMH1	17	15	34	62	128	17.78	17.78	847	11637	59115
848	15380421	36251060152	RM02	3	3	43	78	127	17.64	17.64	848	11661	59208
849	15841273	36251061246	RM07	11	8	56	51	126	17.5	17.5	849	11698	59381
850	13753965	36251060115	RM01	14	15	41	55	125	17.36	17.36	851	11724	59484
851	15542358	36251060701	RM04	9	22	18	76	125	17.36	17.36	850	11716	59448
852	15713670	36251060853	RM06	15	6	52	52	125	17.36	17.36	852	11726	59489
853	10168019	36251060968	RM06	62	59	-2	6	125	17.36	17.36	853	11739	59530
854	16233472	36003585774	RM09	25	50	7	42	124	17.22	17.22	855	11759	59632
855	14959906	36251060013	RM01	16	8	35	65	124	17.22	17.22	854	11747	59582
856	18034713	18034713	DLP	0	16	20	87	123	17.08	17.08	856	11770	59667
857	15632732	36251060659	RMH1	-10	24	38	70	122	16.94	16.94	857	11806	59802
858	15946832	15946832	DLP	15	-4	60	50	121	16.81	16.81	858	11849	59949
859	15815671	36251061193	RMH1	34	27	25	35	121	16.81	16.81	859	11854	59972
860	10432008	36231121220	RMS1	28	9	12	71	120	16.67	16.67	860	11859	60001
861	15750250	36251061058	RM06	12	47	27	34	120	16.67	16.67	861	11879	60077
862	18018526	18018526	DLP	3	20	33	63	119	16.53	16.53	863	11893	60135
863	2586261	36251061113	RM07	3	-5	44	77	119	16.53	16.53	862	11886	60108
864	15665389	36251060749	RM05	34	36	15	33	118	16.39	16.39	864	11933	60314
865	15865152	36003542888	RM08	13	16	18	70	117	16.25	16.25	865	11945	60364
866	15799252	36003549908	RMH1	0	9	62	46	117	16.25	16.25	866	11956	60411
867	15816757	36251061189	RM07	10	9	64	33	116	16.11	16.11	867	11993	60534
868	18055244	18055244	DLP	-2	7	30	80	115	15.97	15.97	868	12003	60564
869	15585881	36251060563	RM05	20	13	20	62	115	15.97	15.97	869	12007	60582
870	15567299	36251060533	RMH1	3	40	22	49	114	15.83	15.83	870	12039	60718



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
871	14920055	36251060126	RM01	0	9	29	75	113	15.69	15.69	871	12051	60780
872	15614395	36251060811	RM05	0	32	24	56	112	15.56	15.56	872	12088	60941
873	15397241	36251060487	RM02	6	9	40	56	111	15.42	15.42	876	12115	61056
874	15624096	36251060634	RM04	25	6	49	31	111	15.42	15.42	877	12124	61098
875	11001253	36251060652	RM05	7	17	19	68	111	15.42	15.42	873	12107	61030
876	15804289	36251061150	RM07	20	-7	41	57	111	15.42	15.42	875	12114	61053
877	15870578	36251061322	RM08	0	5	48	58	111	15.42	15.42	874	12113	61049
878	15810067	36003526433	RMH1	0	-5	33	82	110	15.28	15.28	878	12130	61115
879	18028877	18028877	DLP	25	11	6	67	109	15.14	15.14	879	12158	61243
880	7205993	36251060505	RM04	20	0	72	17	109	15.14	15.14	880	12178	61323
881	15407173	36251060220	RM02	18	11	13	65	107	14.86	14.86	882	12216	61479
882	1705664	36251061163	RMS2	0	23	6	78	107	14.86	14.86	881	12209	61455
883	15748443	36251061316	RM06	17	16	27	47	107	14.86	14.86	883	12227	61523
884	15302913	36251060124	RM02	5	0	41	60	106	14.72	14.72	886	12242	61591
885	15421782	36251060246	RM02	7	0	33	66	106	14.72	14.72	884	12238	61579
886	12632650	36251060774	RM07	4	22	25	55	106	14.72	14.72	888	12245	61601
887	15798171	36251061158	RMH1	13	21	11	61	106	14.72	14.72	885	12241	61589
888	15828316	36251061376	RM08	12	9	25	60	106	14.72	14.72	887	12243	61592
889	16643757	16643757	DLP	50	15	35	5	105	14.58	14.58	890	12286	61784
890	15886536	36251061331	SNKLP1	1	18	11	75	105	14.58	14.58	889	12259	61676
891	15686277	36251060787	RM05	4	-2	42	58	102	14.17	14.17	891	12343	62018
892	15788421	36251061115	RM07	20	9	27	46	102	14.17	14.17	892	12350	62040
893	15685670	15685670	DLP	18	11	20	52	101	14.03	14.03	893	12377	62143
894	18040638	18040638	DLP	40	12	15	31	98	13.61	13.61	897	6116	62519
895	15794585	36003558520	RMH1	14	4	12	68	98	13.61	13.61	894	12444	62462
896	15346661	36251060138	RM02	15	10	28	45	98	13.61	13.61	896	12452	62497
897	15855019	36251061269	RM07	15	15	4	64	98	13.61	13.61	895	12446	62468
898	15798507	36003521701	RM07	0	6	12	78	96	13.33	13.33	898	12500	62652
899	15380406	36251060151	RM02	4	10	11	71	96	13.33	13.33	899	12501	62655
900	15549753	36251060535	RM04	19	26	18	33	96	13.33	13.33	900	12515	62715



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
901	14588429	14588429	DLP	29	-1	40	27	95	13.19	13.19	903	12556	62853
902	15677455	36251060768	RM05	5	5	45	40	95	13.19	13.19	902	12546	62827
903	15741340	36251060975	RMH1	20	5	27	43	95	13.19	13.19	901	12543	62820
904	16358921	16358921	DLP	-8	13	38	51	94	13.06	13.06	904	12572	62904
905	11711123	36003558830	RM08	30	25	6	32	93	12.92	12.92	905	12613	63056
906	15407087	36251060218	RM02	44	20	2	27	93	12.92	12.92	907	12616	63070
907	15697984	36251060807	RMH1	29	18	19	27	93	12.92	12.92	906	12615	63069
908	11258862	36251061054	RM06	7	5	15	65	92	12.78	12.78	908	12625	63101
909	15649676	36251060708	RM05	1	4	27	59	91	12.64	12.64	910	12654	63231
910	15866392	36251061292	RM07	0	14	13	64	91	12.64	12.64	909	12651	63222
911	17797672	17797672	DLP	17	18	4	50	89	12.36	12.36	911	12720	63469
912	15775426	36003560288	RMH1	24	14	25	26	89	12.36	12.36	912	12732	63518
913	15699181	36251060829	RMH1	9	0	14	65	88	12.22	12.22	913	12737	63562
914	15769238	36251061025	RMH1	10	2	42	34	88	12.22	12.22	914	12753	63617
915	15580536	36251060554	RM04	0	-1	37	51	87	12.08	12.08	915	12770	63682
916	15206675	36251060095	RM01	-1	16	43	28	86	11.94	11.94	918	12825	63851
917	15621296	36251060733	RM04	1	14	22	49	86	11.94	11.94	917	12810	63807
918	15810502	36251061218	RM07	5	-4	35	50	86	11.94	11.94	916	12808	63803
919	7351411	5003608648	DLP	17	25	17	26	85	11.81	11.81	919	12855	63963
920	15907024	36003556642	RMS2	9	-4	26	51	82	11.39	11.39	920	12913	64206
921	15958587	36003569643	RM08	9	13	17	42	81	11.25	11.25	921	12937	64309
922	18058983	18058983	DLP	15	9	-1	56	79	10.97	10.97	922	12989	64483
923	15455823	36251060308	RM03	-2	27	23	30	78	10.83	10.83	923	13034	64624
924	15902408	36003554812	RMH1	19	-4	26	36	77	10.69	10.69	926	13057	64706
925	15672136	36251060838	RMH1	11	-6	22	50	77	10.69	10.69	925	13045	64676
926	15765573	36251061065	RM07	0	-4	30	51	77	10.69	10.69	924	13043	64673
927	15389110	36251060259	RM02	13	21	30	12	76	10.56	10.56	929	13090	64827
928	15497030	36251060386	RM03	-3	19	32	28	76	10.56	10.56	927	13081	64805
929	15870026	36251061320	SNKLP1	1	23	32	20	76	10.56	10.56	928	13087	64819
930	18043916	18043916	DLP	14	14	21	26	75	10.42	10.42	931	13109	64897



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
931	14998124	36003269125	RMH1	-4	9	29	41	75	10.42	10.42	930	13098	64861
932	16667226	16667226	DLP	27	-13	25	35	74	10.28	10.28	932	13135	64978
933	15902651	36003555260	RMH1	5	8	31	30	74	10.28	10.28	933	13139	64987
934	15568505	36251060541	RM05	21	30	4	18	73	10.14	10.14	934	13171	65107
935	15642056	36251060784	RMH1	8	27	-5	42	72	10	10	936	13182	65147
936	15685395	36251060857	RM05	20	3	3	46	72	10	10	935	13179	65139
937	15614170	36251060611	RMH1	26	13	16	16	71	9.86	9.86	938	13212	65272
938	15621362	36251060623	RM04	30	13	11	17	71	9.86	9.86	937	13211	65271
939	15890981	36003550701	RM08	28	1	12	28	69	9.58	9.58	940	13254	65437
940	15930212	36003563794	RMH1	13	5	3	48	69	9.58	9.58	939	13243	65399
941	15531589	36251060451	RMH1	11	-6	3	60	68	9.44	9.44	941	13266	65481
942	15567322	36251060522	RMH1	5	-6	14	55	68	9.44	9.44	942	13267	65484
943	15661356	36251060848	RMH1	19	3	26	20	68	9.44	9.44	943	13287	65550
944	14948997	36251060020	RMH1	11	3	18	35	67	9.31	9.31	944	13298	65597
945	15702919	36251060872	RMH1	37	-5	30	5	67	9.31	9.31	945	13308	65647
946	14244310	36251060748	RM05	23	5	21	17	66	9.17	9.17	946	13330	65717
947	16004459	16004459	DLP	14	-3	17	37	65	9.03	9.03	947	13354	65772
948	15917526	15917526	DLP	0	0	13	51	64	8.89	8.89	948	13366	65831
949	15780290	36251061079	RM06	5	8	16	35	64	8.89	8.89	949	13378	65860
950	15433725	36251060274	RM02	7	4	30	21	62	8.61	8.61	950	13425	66042
951	15703532	36251060824	RM05	0	6	31	24	61	8.47	8.47	952	13440	66114
952	15731058	36251060891	RM06	19	-6	-4	52	61	8.47	8.47	951	13431	66069
953	15787993	36251061104	RMH1	20	4	14	23	61	8.47	8.47	953	13442	66118
954	15768779	36251061129	RM07	-3	15	24	24	60	8.33	8.33	955	13463	66189
955	15799262	36251061326	RMH1	20	-10	5	45	60	8.33	8.33	954	13451	66149
956	15376903	36251060267	RMH1	0	6	38	15	59	8.19	8.19	956	13494	66295
957	18048517	18048517	DLP	0	11	7	40	58	8.06	8.06	957	13502	66319
958	15136794	36003585155	RMH1	2	6	30	20	58	8.06	8.06	958	13517	66358
959	15632038	36251060654	RM05	-5	7	19	36	57	7.92	7.92	959	13533	66409
960	15865185	36251061290	RM07	30	5	-3	25	57	7.92	7.92	960	13541	66435



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
961	15794577	36251061176	RM07	27	8	1	20	56	7.78	7.78	961	13573	66537
962	17916052	17916052	DLP	0	-2	14	42	54	7.5	7.5	962	13605	66662
963	15868526	36003544473	RM08	4	9	-5	45	53	7.36	7.36	963	13627	66731
964	15792728	36251061097	RM08	-9	18	25	19	53	7.36	7.36	964	13637	66778
965	15412413	36251060369	RM02	11	-3	9	35	52	7.22	7.22	965	13644	66805
966	15004273	36251060021	RMH1	20	16	-1	16	51	7.08	7.08	966	13667	66906
967	6740963	36251060014	RM02	0	0	2	46	48	6.67	6.67	967	13710	67085
968	12635139	36251061138	RM07	0	6	30	12	48	6.67	6.67	969	13732	67142
969	15716866	36251061185	RM05	22	16	-3	13	48	6.67	6.67	968	13731	67141
970	18117154	18117154	DLP	19	-2	11	19	47	6.53	6.53	971	6509	67191
971	11014044	36251061032	RMS2	4	1	-11	53	47	6.53	6.53	970	13740	67161
972	15399806	36251060511	RM04	13	19	16	-2	46	6.39	6.39	972	13773	67268
973	15650806	36251060709	RM05	0	0	22	23	45	6.25	6.25	973	13787	67304
974	15810050	36251061202	RMH1	7	2	26	10	45	6.25	6.25	974	13792	67334
975	10695188	36003547570	RMS1	12	-4	8	28	44	6.11	6.11	975	13801	67362
976	16743497	36003593664	RMH1	12	-9	30	10	43	5.97	5.97	976	13824	67449
977	15740165	15740165	DLP	16	6	2	18	42	5.83	5.83	978	13837	67508
978	15422141	36251060248	RM02	3	4	9	26	42	5.83	5.83	977	13831	67490
979	15684725	36251060777	RM05	4	4	6	26	40	5.56	5.56	979	13867	67623
980	15757185	36251061365	RM07	30	-5	5	10	40	5.56	5.56	980	13877	67653
981	15819666	36003530607	RM07	5	10	18	6	39	5.42	5.42	982	13907	67726
982	13316641	36251060818	RM05	-5	8	20	16	39	5.42	5.42	981	13899	67707
983	16658557	36003592675	RMH1	-4	11	13	18	38	5.28	5.28	983	13912	67762
984	15124421	36251060048	RM01	-3	6	9	25	37	5.14	5.14	984	13925	67807
985	15452689	36251060299	RMH1	0	0	19	16	35	4.86	4.86	985	13953	67914
986	14879538	36251060091	RMH1	11	-5	0	26	32	4.44	4.44	986	14001	68061
987	16105787	16105787	DLP	-5	15	10	10	30	4.17	4.17	987	14037	68175
988	16343083	36003588145	RMH1	8	-1	11	11	29	4.03	4.03	988	14045	68215
989	15806559	36251061327	RM07	5	12	6	5	28	3.89	3.89	989	14056	68264
990	15734687	36251060958	RM06	0	6	-7	28	27	3.75	3.75	990	14059	68274



Aakash

Medical | IIT-JEE | Foundations

Students Appeared : 69110

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 3 (XII Passed)

Dated : 28-12-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
991	15779930	36003554245	RMH1	7	-5	5	15	22	3.06	3.06	991	14118	68488
992	15079180	36251060128	RMH1	-7	6	21	2	22	3.06	3.06	992	14124	68507
993	15113867	69251061117	RMH1	0	0	15	6	21	2.92	2.92	993	6896	68534
994	15655082	36251060731	RMH1	21	15	-24	5	17	2.36	2.36	994	14171	68659
995	15727644	36251060893	RMH1	1	-6	3	15	13	1.81	1.81	995	14202	68760
996	15798462	15798462	DLP	5	0	25	-25	5	0.69	0.69	996	14260	68906
997	15532246	36251060455	RM03	0	0	0	0	0	0	0	999	14292	69010
998	4454856	36251060896	RM06	0	0	0	0	0	0	0	997	14280	68958
999	15818251	36251061200	RM06	0	0	0	0	0	0	0	998	14285	68972
1000	15655737	36251060822	RM05	-1	-15	6	-10	-20	-2.78	-2.78	1000	14318	69094