

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
1	00010409677	036251060188	RMS1	171	165	161	175	672	93.33	93.33	1	24	118
2	00013116625	036251060690	RMS1	158	168	165	180	671	93.19	93.19	2	25	121
3	00013530863	036251060961	RM06	176	170	155	170	671	93.19	93.19	3	29	133
4	00007993426	036251060882	RMS1	170	155	170	175	670	93.06	93.06	4	31	137
5	00003429018	036251060224	RMS1	156	170	165	170	661	91.81	91.81	5	63	240
6	00006890674	036251060785	RMS2	161	160	160	175	656	91.11	91.11	6	83	327
7	00003884546	036251061229	RMS2	162	165	150	175	652	90.56	90.56	7	104	405
8	00006877374	036251060889	RMS1	150	161	165	171	647	89.86	89.86	8	136	540
9	00015653871	036251060721	RMS1	165	170	142	170	647	89.86	89.86	9	137	550
10	00012931996	036251060831	RMS1	165	171	140	170	646	89.72	89.72	11	149	584
11	00015731161	036251060892	RM06	180	151	145	170	646	89.72	89.72	10	148	583
12	00006790298	036251060727	RMS1	151	157	156	180	644	89.44	89.44	12	164	641
13	00010677755	036251060686	RMS1	171	151	141	180	643	89.31	89.31	13	169	665
14	00012616812	036251061073	RM06	158	153	161	161	633	87.92	87.92	15	259	1023
15	00015800073	036251061123	RMS2	153	150	160	170	633	87.92	87.92	14	253	1012
16	00010956459	036251061239	RMS2	152	165	145	170	632	87.78	87.78	16	267	1052
17	00003888032	036251060283	RMS1	155	150	160	165	630	87.5	87.5	17	287	1164
18	00015684690	036251061007	RM06	137	165	145	180	627	87.08	87.08	18	309	1265
19	00004228956	036251060600	RMS1	145	170	140	170	625	86.81	86.81	19	345	1408
20	00013257142	036251061181	RMS2	149	170	145	160	624	86.67	86.67	20	359	1473
21	00013263024	036251060723	RMS1	170	175	133	145	623	86.53	86.53	21	371	1535
22	00006941785	036251061256	SNKLP1	163	165	135	155	618	85.83	85.83	24	426	1793
23	00012909263	036003556850	SNKLP1	166	149	142	161	618	85.83	85.83	23	422	1780
24	00015787087	036251061180	RM07	162	151	140	165	618	85.83	85.83	22	420	1774
25	00010699023	036251061023	RM06	156	156	145	160	617	85.69	85.69	25	439	1833
26	00009469443	036251060427	RMS1	136	165	145	170	616	85.56	85.56	26	444	1854
27	00015625413	036251060663	RM04	132	161	160	160	613	85.14	85.14	27	487	2061
28	00014173578	036003552610	SNKLP1	141	165	135	171	612	85	85	28	496	2086
29	00015595289	036251060747	RM05	155	149	151	157	612	85	85	30	506	2125
30	00015815103	036251061186	RM07	130	161	156	165	612	85	85	29	502	2108

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
31	00003932606	036251060688	RMS1	127	162	165	153	607	84.31	84.31	32	571	2454
32	00015662649	036251060819	RM05	166	141	130	170	607	84.31	84.31	31	564	2420
33	00015761171	036251061076	RM06	165	145	145	150	605	84.03	84.03	34	608	2602
34	00016038909	036003580171	RM08	128	155	150	172	605	84.03	84.03	33	597	2544
35	00010652906	036003552904	RMS2	133	151	150	170	604	83.89	83.89	35	616	2617
36	00015626915	036251061041	RMS2	142	151	130	180	603	83.75	83.75	36	625	2681
37	00006442333	036251060763	RMS1	156	155	130	160	601	83.47	83.47	37	659	2857
38	00017193140	000017193140	DLP	149	147	150	155	601	83.47	83.47	38	661	2867
39	00013014155	036251060685	RMS1	152	133	140	175	600	83.33	83.33	39	668	2896
40	00015765938	036251061083	RM07	155	125	165	155	600	83.33	83.33	40	678	2937
41	00015866457	036251061294	RM07	145	140	160	155	600	83.33	83.33	41	679	2938
42	00006988770	036251061015	RMS2	128	165	140	165	598	83.06	83.06	43	690	3037
43	00007256966	036251060753	RMS2	132	153	156	157	598	83.06	83.06	44	693	3046
44	00015704080	036003575749	SNKLP1	150	153	129	166	598	83.06	83.06	42	689	3027
45	00010821094	036251060894	RMS1	161	140	140	156	597	82.92	82.92	45	704	3122
46	00010464426	036251060740	RMS1	151	140	145	160	596	82.78	82.78	46	712	3178
47	00000177507	036251061270	SNKLP1	123	162	148	162	595	82.64	82.64	47	727	3272
48	00003815468	036251060331	RMS1	130	150	160	155	595	82.64	82.64	49	732	3297
49	00015762289	036251060994	RM06	154	132	152	157	595	82.64	82.64	48	730	3288
50	00010409541	036251060277	RMS1	150	127	150	166	593	82.36	82.36	50	755	3406
51	00006555207	036251061160	RMS2	180	131	126	155	592	82.22	82.22	51	772	3511
52	00015800099	036251061124	RM07	146	125	160	160	591	82.08	82.08	52	784	3563
53	00010475931	036251060616	RMS1	125	145	166	151	587	81.53	81.53	53	854	3878
54	00006651792	036251060298	RMS1	126	130	155	175	586	81.39	81.39	54	856	3891
55	00010269739	036251060257	RMS1	115	151	165	155	586	81.39	81.39	55	867	3947
56	00002349702	036251061174	RMS2	115	135	165	170	585	81.25	81.25	57	872	3974
57	00002634475	036251060678	RMS1	145	155	130	155	585	81.25	81.25	60	886	4042
58	00006937787	036251060832	RM06	144	137	138	166	585	81.25	81.25	58	876	3991
59	00012822031	036251060537	RMS1	135	165	110	175	585	81.25	81.25	56	871	3969
60	00015642005	036251060683	RM05	145	135	145	160	585	81.25	81.25	59	883	4015

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
61	00015835757	036251061235	RMS2	109	165	150	160	584	81.11	81.11	62	901	4120
62	00015891470	036003580482	SNKLP1	148	119	146	171	584	81.11	81.11	61	893	4086
63	00015366366	036251060691	RM04	148	122	148	163	581	80.69	80.69	63	947	4346
64	00015796075	036251061198	RM07	130	150	160	141	581	80.69	80.69	65	960	4400
65	00015890542	000015890542	DLP	133	134	152	162	581	80.69	80.69	64	948	4348
66	00001940886	036251060786	RM05	110	145	155	170	580	80.56	80.56	66	962	4409
67	00005980441	036251060719	RMS1	118	141	155	166	580	80.56	80.56	67	964	4417
68	00008061507	036251060641	RMS1	144	145	140	150	579	80.42	80.42	70	987	4556
69	00015641936	036251060684	RM05	140	146	130	163	579	80.42	80.42	68	980	4529
70	00015816059	036251061187	RM07	141	149	134	155	579	80.42	80.42	69	984	4547
71	00013083349	036251060724	RMS1	161	135	135	145	576	80	80	71	1027	4805
72	00006453131	036251060165	RMS1	134	146	135	160	575	79.86	79.86	73	1036	4860
73	00015776465	036251061045	RM07	120	135	160	160	575	79.86	79.86	72	1035	4850
74	00007306500	036251060765	RM05	136	140	141	155	572	79.44	79.44	75	1087	5131
75	00015760793	486251060727	RMS2	99	146	151	176	572	79.44	79.44	74	1074	5075
76	00015664025	000015664025	DLP	128	135	146	161	570	79.17	79.17	76	1114	5280
77	00017689945	000017689945	DLP	128	145	136	160	569	79.03	79.03	77	1137	5379
78	00002804791	036251060291	RMS1	142	131	150	145	568	78.89	78.89	79	1159	5509
79	00013140936	036251060336	RMS1	130	127	150	161	568	78.89	78.89	78	1148	5465
80	00010130626	036251060637	RM04	126	143	137	161	567	78.75	78.75	80	1171	5549
81	00015717060	036251060881	RM06	146	145	121	155	567	78.75	78.75	81	1176	5578
82	00006892878	036251060760	RMS1	164	110	136	155	565	78.47	78.47	83	1222	5766
83	00015977900	036003573142	RM05	110	145	150	160	565	78.47	78.47	82	1213	5732
84	00015788326	036251061152	RMS2	123	150	130	161	564	78.33	78.33	84	1244	5851
85	00002926058	000002926058	DLP	82	161	155	165	563	78.19	78.19	85	1257	5926
86	00015421999	036251060247	RMS1	149	121	137	156	563	78.19	78.19	87	1266	5962
87	00015677455	036251060768	RM05	141	121	140	161	563	78.19	78.19	86	1261	5944
88	00006244393	036251060445	RMH1	112	155	135	160	562	78.06	78.06	88	1282	6066
89	00015477189	036003603400	RMS2	130	145	131	155	561	77.92	77.92	89	1299	6188
90	00015677554	036251060828	RM05	151	140	116	150	557	77.36	77.36	91	1390	6601

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
91	00015765906	036251061084	RM07	156	97	160	144	557	77.36	77.36	92	1393	6612
92	00015859919	036251061276	SNKLP1	120	147	120	170	557	77.36	77.36	90	1376	6537
93	00007207688	036251060682	RM05	131	130	155	140	556	77.22	77.22	94	1410	6718
94	00010425382	036251060705	RMS1	112	129	155	160	556	77.22	77.22	93	1401	6656
95	00010720201	036251061230	RM08	140	155	115	145	555	77.08	77.08	96	1429	6811
96	00015188092	036251060075	RM01	120	140	140	155	555	77.08	77.08	95	1422	6779
97	00003573358	036251060410	RMS1	123	150	121	160	554	76.94	76.94	97	1438	6860
98	00010393746	036251060396	RMS1	117	145	136	155	553	76.81	76.81	98	1465	6967
99	00018012979	000018012979	DLP	118	155	135	145	553	76.81	76.81	99	1472	7004
100	00002565262	000002565262	DLP	104	145	157	146	552	76.67	76.67	103	1491	7099
101	00002999641	036251061016	RMS2	90	166	140	156	552	76.67	76.67	102	1483	7066
102	00010239673	036251060587	RMS1	126	130	135	161	552	76.67	76.67	101	1478	7047
103	00010350465	036251060517	RMS1	123	133	126	170	552	76.67	76.67	100	1475	7036
104	00015775987	000015775987	DLP	135	128	143	146	552	76.67	76.67	104	1493	7102
105	00007120106	036003550502	RMH1	110	150	130	160	550	76.39	76.39	105	1518	7279
106	00013065832	036003555836	RMS2	170	125	120	135	550	76.39	76.39	106	1533	7349
107	00006878717	036251060191	RMS1	131	147	113	158	549	76.25	76.25	107	1542	7393
108	00015758442	036251061172	RM06	146	147	106	150	549	76.25	76.25	108	1546	7413
109	00015632755	036251060672	RM05	129	136	137	146	548	76.11	76.11	109	1571	7520
110	00013873815	036251060703	RMS1	107	161	127	151	546	75.83	75.83	110	1609	7732
111	00015935199	036003564829	SNKLP1	145	136	120	145	546	75.83	75.83	111	1617	7764
112	00018069173	000018069173	DLP	105	147	146	147	545	75.69	75.69	112	1639	7877
113	00002855340	036251060867	RMS1	114	150	115	165	544	75.56	75.56	113	1648	7940
114	00015870275	000015870275	DLP	127	147	131	138	543	75.42	75.42	114	1678	8122
115	00006771880	036251060393	RMS1	106	140	153	142	541	75.14	75.14	115	1713	8316
116	00010423869	036251060431	RMS1	110	135	140	155	540	75	75	116	1721	8374
117	00015780752	000015780752	DLP	130	127	152	130	539	74.86	74.86	118	1750	8537
118	00016231277	000016231277	DLP	114	145	125	155	539	74.86	74.86	117	1736	8485
119	00010658989	036251060466	RMS1	108	140	125	165	538	74.72	74.72	119	1753	8557
120	00017625186	000017625186	DLP	92	156	135	155	538	74.72	74.72	120	1757	8587

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
121	00010833609	036251061192	RMS2	118	112	147	160	537	74.58	74.58	121	1765	8658
122	00015672598	036251060755	RM05	132	133	117	155	537	74.58	74.58	122	1770	8678
123	00009177737	036251060159	RMS1	120	128	137	151	536	74.44	74.44	123	1787	8797
124	00015930329	036003563845	RM08	124	150	131	131	536	74.44	74.44	124	1798	8846
125	00014380180	036251060754	RM05	145	95	130	165	535	74.31	74.31	125	1799	8864
126	00002515656	036003563586	RMS2	139	165	106	124	534	74.17	74.17	127	1834	9063
127	00013468539	036251060806	RMS2	96	136	146	156	534	74.17	74.17	126	1821	9006
128	00008703043	036251060642	RMS1	93	145	130	165	533	74.03	74.03	128	1835	9074
129	00015748362	036251060934	RMS2	99	161	130	143	533	74.03	74.03	129	1844	9146
130	00007150678	036251061307	RMS2	129	130	117	156	532	73.89	73.89	130	1858	9217
131	00006907002	036251060973	RM05	106	130	145	150	531	73.75	73.75	131	1889	9341
132	00007211329	036251061072	RMS1	140	110	130	150	530	73.61	73.61	132	1906	9453
133	00007790787	000007790787	DLP	114	131	140	145	530	73.61	73.61	133	1911	9471
134	00010359004	036251060837	RMS1	138	143	111	138	530	73.61	73.61	134	1918	9497
135	00015706695	036251060839	RM06	119	131	145	135	530	73.61	73.61	135	1919	9501
136	00010149595	036251060197	RMS1	145	98	131	155	529	73.47	73.47	137	1935	9568
137	00014724687	000014724687	DLP	104	134	135	156	529	73.47	73.47	136	1932	9562
138	00014952097	036251060009	RM01	120	126	132	151	529	73.47	73.47	138	1937	9575
139	00015810835	036251061169	RM07	130	131	118	150	529	73.47	73.47	139	1940	9585
140	00010249212	036251060739	RM05	87	145	136	160	528	73.33	73.33	140	1951	9648
141	00013565831	036003543904	SNKLP1	146	126	121	135	528	73.33	73.33	143	1971	9720
142	00015694220	036251060798	RM05	133	150	98	147	528	73.33	73.33	142	1963	9689
143	00015792956	000015792956	DLP	146	135	97	150	528	73.33	73.33	141	1960	9685
144	00013171124	036251060669	RMS1	99	140	137	151	527	73.19	73.19	144	1982	9788
145	00017874599	000017874599	DLP	110	152	120	145	527	73.19	73.19	145	1990	9820
146	00015433428	036251060273	RMS1	106	135	135	150	526	73.06	73.06	146	2007	9902
147	00013242029	036251060963	RMS2	120	125	130	150	525	72.92	72.92	148	2031	10017
148	00015782908	000015782908	DLP	134	120	115	156	525	72.92	72.92	147	2026	9994
149	00010091684	036251060208	RMS1	104	141	150	129	524	72.78	72.78	150	2066	10193
150	00010138715	036251060134	RM01	130	131	121	142	524	72.78	72.78	149	2058	10163

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
151	00007114167	036251060712	RMS1	92	129	142	160	523	72.64	72.64	151	2071	10224
152	00004831784	000004831784	DLP	138	141	120	123	522	72.5	72.5	153	2109	10429
153	00015709520	036251060846	RM06	85	147	138	152	522	72.5	72.5	152	2100	10363
154	00015006227	036251060262	RM02	115	141	125	140	521	72.36	72.36	154	2123	10506
155	00018020219	000018020219	DLP	129	129	127	136	521	72.36	72.36	155	1123	10515
156	00015783325	036251061145	RM07	83	146	135	156	520	72.22	72.22	156	2134	10573
157	00014603415	036251061406	RMS2	132	96	140	151	519	72.08	72.08	157	2162	10699
158	00015833407	036003532793	RM08	95	137	125	161	518	71.94	71.94	158	2173	10761
159	00015625421	036251060638	RMS1	126	145	85	160	516	71.67	71.67	159	2229	10987
160	00017942899	000017942899	DLP	125	136	117	138	516	71.67	71.67	160	2253	11055
161	00015740743	036251060955	RM06	152	82	128	153	515	71.53	71.53	161	2267	11135
162	00014014053	036251061142	RM07	146	96	116	156	514	71.39	71.39	162	2289	11248
163	00015517051	036251060422	RM02	105	142	130	137	514	71.39	71.39	163	2305	11317
164	00013322249	036251061216	RMS2	89	118	136	170	513	71.25	71.25	164	2311	11347
165	00015620287	036251060704	RM04	119	142	109	143	513	71.25	71.25	165	2317	11411
166	00010418001	036251061014	RMS1	109	118	124	161	512	71.11	71.11	166	2333	11468
167	00012888106	036251060775	RMS1	115	112	125	160	512	71.11	71.11	167	2334	11476
168	00016662236	036003592713	SNKLP1	110	137	113	150	510	70.83	70.83	168	2380	11727
169	00015084728	036251060047	RM01	109	126	127	147	509	70.69	70.69	169	2402	11856
170	00015938420	000015938420	DLP	73	140	125	170	508	70.56	70.56	170	2418	11908
171	00009760619	036251060320	RMS1	104	111	125	167	507	70.42	70.42	171	2439	12035
172	00014888367	036251061141	RM07	135	126	106	140	507	70.42	70.42	173	2452	12104
173	00015795018	036251061112	RM07	90	145	125	147	507	70.42	70.42	172	2446	12078
174	00006250352	036251060715	RMS1	119	121	135	131	506	70.28	70.28	175	2483	12239
175	00006250403	036251060706	RMS1	75	136	130	165	506	70.28	70.28	174	2462	12150
176	00003477375	036251060356	RMS1	109	100	125	170	504	70	70	176	2507	12393
177	00010402881	036251061000	RMS1	138	116	110	140	504	70	70	177	2520	12462
178	00015909913	000015909913	DLP	117	141	130	116	504	70	70	178	2528	12494
179	00013129885	036251060351	RMS1	143	120	105	135	503	69.86	69.86	179	2543	12591
180	00015998527	000015998527	DLP	123	141	123	116	503	69.86	69.86	180	552	12610

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
181	00010428488	036251061401	RM06	116	104	122	160	502	69.72	69.72	181	2552	12634
182	00015341975	036251060183	RM02	85	126	142	149	502	69.72	69.72	182	2558	12669
183	00015891400	036003552742	SNKLP1	120	131	111	140	502	69.72	69.72	183	2565	12704
184	00010374658	036251061133	RMS2	102	113	131	155	501	69.58	69.58	184	2576	12761
185	00015793050	036003600149	RM05	120	125	125	130	500	69.44	69.44	185	2610	13001
186	00007300587	036251061271	RMS2	72	117	145	165	499	69.31	69.31	186	2620	13032
187	00014955569	000014955569	DLP	112	95	148	144	499	69.31	69.31	189	2627	13092
188	00015696987	036251060803	RM06	110	99	145	145	499	69.31	69.31	188	2625	13083
189	00015860628	036251061278	RM08	86	130	125	158	499	69.31	69.31	187	2622	13045
190	00015473844	036251060476	RMS1	104	106	131	157	498	69.17	69.17	190	2643	13176
191	00015745724	000015745724	DLP	111	130	112	145	498	69.17	69.17	192	2655	13220
192	00015860306	036251061277	SNKLP1	63	135	145	155	498	69.17	69.17	191	2644	13182
193	00010438455	036251060465	RMH1	116	130	121	130	497	69.03	69.03	195	2688	13373
194	00015941609	000015941609	DLP	124	131	96	146	497	69.03	69.03	193	2678	13322
195	00017803719	000017803719	DLP	110	109	136	142	497	69.03	69.03	194	2681	13334
196	00015682198	036251060817	RM05	109	147	98	142	496	68.89	68.89	196	2699	13485
197	00015612037	036251060605	RM05	122	107	114	152	495	68.75	68.75	197	2714	13572
198	00017916390	000017916390	DLP	93	133	123	146	495	68.75	68.75	198	2729	13601
199	00013803655	036003590307	RMH1	93	156	118	127	494	68.61	68.61	200	2757	13773
200	00015846234	036003537193	RM07	118	126	115	135	494	68.61	68.61	199	2753	13758
201	00010285669	036251060717	RM05	100	97	140	156	493	68.47	68.47	201	2761	13811
202	00012832391	036251060241	RMS1	94	135	138	126	493	68.47	68.47	204	2781	13891
203	00013176729	036251060918	RM06	104	117	131	141	493	68.47	68.47	202	2771	13851
204	00015743798	036251060936	RM06	105	122	136	130	493	68.47	68.47	203	2779	13882
205	00001065547	036251060569	RMS1	97	122	107	165	491	68.19	68.19	205	2809	14028
206	00010314622	036251060157	RMS1	76	128	140	147	491	68.19	68.19	207	2817	14073
207	00010577090	036251060610	RM05	127	124	90	150	491	68.19	68.19	206	2815	14067
208	00013453767	036251061296	RMS2	108	125	116	140	489	67.92	67.92	208	2876	14383
209	00015868157	036003589542	SNKLP1	117	126	111	135	489	67.92	67.92	209	2884	14411
210	00015125923	036251060264	RM02	83	129	137	139	488	67.78	67.78	210	2899	14530

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
211	00012959393	036003554316	SNKLP1	105	123	128	131	487	67.64	67.64	211	2929	14658
212	00015676898	036251060770	RMS1	101	115	115	155	486	67.5	67.5	212	2938	14721
213	00015869422	036251061318	SNKLP1	115	125	111	135	486	67.5	67.5	213	2953	14790
214	00004109760	036251060254	RMS1	98	101	130	156	485	67.36	67.36	214	2961	14838
215	00009745680	036251060856	RM06	121	118	126	120	485	67.36	67.36	217	2989	14961
216	00015488745	036251060374	RM03	87	123	133	142	485	67.36	67.36	216	2979	14905
217	00015688322	036251060791	RM05	90	100	140	155	485	67.36	67.36	215	2963	14845
218	00004957358	036251060604	RMS1	86	91	155	152	484	67.22	67.22	218	2994	15006
219	00015395862	036251060485	RM03	131	117	105	131	484	67.22	67.22	220	3012	15080
220	00015531958	084251060111	RM04	84	115	135	150	484	67.22	67.22	219	2997	15020
221	00007878373	036251060636	RMS1	106	118	118	141	483	67.08	67.08	221	3025	15163
222	00013288297	036251060699	RM05	122	98	117	145	482	66.94	66.94	223	3048	15264
223	00015141436	036251060044	RM01	52	115	155	160	482	66.94	66.94	222	3039	15226
224	00010456403	036251060217	RM02	72	93	160	155	480	66.67	66.67	224	3081	15473
225	00016009684	000016009684	DLP	122	126	91	141	480	66.67	66.67	225	1696	15528
226	00015382335	036251060265	RM02	100	106	122	151	479	66.53	66.53	226	3104	15628
227	00016009606	000016009606	DLP	83	121	135	140	479	66.53	66.53	227	813	15659
228	00004626941	036251061248	RMS2	86	135	128	129	478	66.39	66.39	230	3142	15825
229	00010163745	036251060174	RMS1	75	140	113	150	478	66.39	66.39	229	3127	15758
230	00015681932	000015681932	DLP	62	126	140	150	478	66.39	66.39	228	3125	15753
231	00004883203	036003553596	SNKLP1	94	111	136	136	477	66.25	66.25	231	3161	15947
232	00007007129	036251061188	RM07	142	107	112	115	476	66.11	66.11	234	3198	16128
233	00015622071	036251060629	RM04	67	119	125	165	476	66.11	66.11	232	3170	16005
234	00015686245	036251060805	RM05	78	109	138	151	476	66.11	66.11	233	3172	16026
235	00015780643	036251061137	RM07	25	128	161	161	475	65.97	65.97	235	3201	16144
236	00014197683	000014197683	DLP	86	111	135	142	474	65.83	65.83	237	3230	16323
237	00015622054	036251060627	RM04	98	121	140	115	474	65.83	65.83	239	3246	16387
238	00015799580	036251061140	RM07	70	112	132	160	474	65.83	65.83	236	3220	16273
239	00018043036	000018043036	DLP	105	128	107	134	474	65.83	65.83	238	3235	16352
240	00014927303	036251061412	RM08	81	114	136	142	473	65.69	65.69	240	3255	16456

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
241	00006425968	036251060702	RM05	111	107	103	151	472	65.56	65.56	241	3281	16563
242	00012876974	036251060414	RMS1	104	114	119	135	472	65.56	65.56	242	3292	16614
243	00015069721	036003295413	RM08	24	115	171	161	471	65.42	65.42	243	3300	16663
244	00015744107	036251061077	RM08	116	113	131	111	471	65.42	65.42	245	3315	16783
245	00015839963	000015839963	DLP	111	115	110	135	471	65.42	65.42	244	3309	16743
246	00010423431	036251060268	RMS1	69	128	135	137	469	65.14	65.14	247	3344	16981
247	00013550714	036251060238	RMS1	98	111	109	151	469	65.14	65.14	246	3333	16920
248	00006008560	036251060557	RMS1	95	92	120	161	468	65	65	248	3354	17042
249	00015781947	000015781947	DLP	135	131	66	135	467	64.86	64.86	250	3400	17247
250	00017968184	000017968184	DLP	98	94	131	144	467	64.86	64.86	249	3389	17205
251	00010836245	000010836245	DLP	56	120	145	145	466	64.72	64.72	253	3417	17333
252	00013532496	036251060513	RMS1	94	92	119	161	466	64.72	64.72	251	3410	17297
253	00015361818	036251060292	RM02	56	96	157	157	466	64.72	64.72	252	3411	17305
254	00010432483	036251060565	RMS1	84	106	140	135	465	64.58	64.58	256	3456	17487
255	00013609275	000013609275	DLP	98	122	100	145	465	64.58	64.58	254	3441	17450
256	00015688438	036251060792	RM05	58	144	122	141	465	64.58	64.58	255	3449	17466
257	00015775879	036251061042	RM07	122	96	117	130	465	64.58	64.58	257	3458	17504
258	00015837766	036251061238	RM07	113	126	110	116	465	64.58	64.58	258	3463	17534
259	00012690873	036251060243	RMS1	120	104	118	122	464	64.44	64.44	264	3487	17651
260	00015394158	036251060198	RM02	53	101	150	160	464	64.44	64.44	259	3468	17553
261	00015806122	036251061175	RM07	130	90	107	137	464	64.44	64.44	262	3477	17610
262	00015881576	036251061329	RM07	96	111	116	141	464	64.44	64.44	261	3474	17596
263	00016294866	036003587089	RM09	79	113	127	145	464	64.44	64.44	260	3472	17588
264	00016350168	000016350168	DLP	122	123	103	116	464	64.44	64.44	266	3492	17660
265	00016479251	000016479251	DLP	119	138	85	122	464	64.44	64.44	265	3488	17652
266	00018012318	000018012318	DLP	115	93	120	136	464	64.44	64.44	263	3480	17616
267	00018062716	000018062716	DLP	111	114	96	141	462	64.17	64.17	267	3533	17862
268	00003881292	036251060945	RM06	90	138	88	145	461	64.03	64.03	269	3560	17980
269	00006822905	036251061205	RMS2	100	113	117	131	461	64.03	64.03	272	3570	18035
270	00015794621	036251061109	RM07	120	96	105	140	461	64.03	64.03	270	3564	17997

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
271	00015840650	000015840650	DLP	84	108	122	147	461	64.03	64.03	268	3557	17966
272	00017919322	000017919322	DLP	114	96	115	136	461	64.03	64.03	271	3566	18009
273	00015934293	036003565401	RM08	45	124	155	136	460	63.89	63.89	273	3595	18147
274	00013327527	036251060319	RMS1	101	81	136	141	459	63.75	63.75	274	3612	18266
275	00015751851	000015751851	DLP	110	109	92	146	457	63.47	63.47	275	3651	18490
276	00004004023	036251060201	RMS1	88	84	122	162	456	63.33	63.33	276	3669	18585
277	00015643786	036251060697	RM05	74	95	131	155	455	63.19	63.19	277	3694	18728
278	00015800898	036251061128	RM07	107	96	130	121	454	63.06	63.06	279	3729	18980
279	00016010002	000016010002	DLP	123	97	108	126	454	63.06	63.06	278	3728	18972
280	00013216810	036251060345	RMH1	54	152	116	131	453	62.92	62.92	282	3753	19095
281	00015620800	036251060626	RM05	90	111	107	145	453	62.92	62.92	281	3737	19050
282	00015634467	036251060675	RM04	83	73	126	171	453	62.92	62.92	280	3732	19010
283	00015978610	000015978610	DLP	90	123	117	123	453	62.92	62.92	283	3761	19120
284	00016478341	000016478341	DLP	87	145	106	115	453	62.92	62.92	284	3763	19130
285	00017687663	036003603032	RM06	111	113	105	122	451	62.64	62.64	285	3808	19380
286	00006773717	036251060210	RM02	76	123	99	152	450	62.5	62.5	286	3821	19431
287	00006801761	036251060897	RM05	90	107	112	141	450	62.5	62.5	287	3827	19474
288	00013196995	036251060360	RMH1	113	67	130	140	450	62.5	62.5	288	3828	19477
289	00015537889	036251060549	RM04	90	116	82	160	448	62.22	62.22	289	3878	19702
290	00015717147	036251060868	RM06	57	146	120	125	448	62.22	62.22	291	3896	19796
291	00018012697	000018012697	DLP	86	131	90	141	448	62.22	62.22	290	2136	19751
292	00012882332	036251060583	RMS1	124	109	94	120	447	62.08	62.08	294	3912	19924
293	00013144680	036251060436	RMS1	137	90	108	112	447	62.08	62.08	295	3914	19930
294	00015688758	036251060895	RM06	85	99	115	148	447	62.08	62.08	292	3903	19849
295	00015791084	036251061196	RM07	122	83	112	130	447	62.08	62.08	293	3908	19894
296	00015518308	036251060453	RM04	30	121	130	165	446	61.94	61.94	296	3916	19945
297	00017687706	036003603036	RM06	115	111	96	124	446	61.94	61.94	297	3936	20053
298	00011551038	000011551038	DLP	104	119	81	141	445	61.81	61.81	299	2174	20145
299	00015374816	036251060149	RM01	65	113	132	135	445	61.81	61.81	300	3960	20166
300	00015648975	036251061089	RM07	71	114	119	141	445	61.81	61.81	298	3953	20141

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
301	00015869696	036251061314	RM07	97	91	128	129	445	61.81	61.81	302	3963	20191
302	00017961173	000017961173	DLP	75	115	121	134	445	61.81	61.81	301	3961	20175
303	00018048803	000018048803	DLP	89	122	111	121	443	61.53	61.53	303	4018	20472
304	00005263235	000005263235	DLP	75	120	92	155	442	61.39	61.39	304	4031	20521
305	00015458172	036251060328	RM03	97	75	130	140	442	61.39	61.39	305	4034	20560
306	00015769971	036251061033	RM07	101	71	145	125	442	61.39	61.39	306	4044	20614
307	00003870404	036251060261	RMS1	39	113	137	151	440	61.11	61.11	307	4084	20823
308	00010402676	036251061027	RMS1	59	109	131	140	439	60.97	60.97	308	4113	21006
309	00010411312	036251060403	RMS1	131	112	101	94	438	60.83	60.83	311	4146	21217
310	00015479276	036251060404	RM03	82	98	120	138	438	60.83	60.83	309	4129	21137
311	00016191847	036003585072	RM08	61	146	121	110	438	60.83	60.83	310	4142	21209
312	00015368797	036251060423	RM03	90	133	128	86	437	60.69	60.69	313	4174	21350
313	00015717019	036251060880	RM06	25	102	160	150	437	60.69	60.69	312	4147	21237
314	00015616880	036251060746	RM05	71	107	122	136	436	60.56	60.56	315	4193	21420
315	00015789453	036251061087	RM07	50	106	123	157	436	60.56	60.56	314	4176	21361
316	00016652325	000016652325	DLP	142	96	93	105	436	60.56	60.56	316	4204	21482
317	00010244586	036251061018	RMS1	58	108	122	147	435	60.42	60.42	317	4211	21518
318	00015471571	036251060545	RM03	100	114	107	114	435	60.42	60.42	319	4226	21597
319	00015869103	000015869103	DLP	41	130	131	133	435	60.42	60.42	318	4220	21558
320	00012870852	036251060395	RMS1	92	100	112	130	434	60.28	60.28	321	4244	21696
321	00013181824	036003530126	RMS2	99	122	71	142	434	60.28	60.28	320	4238	21659
322	00015748876	036251060940	RM07	98	103	122	111	434	60.28	60.28	322	4250	21733
323	00013318534	036251061090	RMS2	106	101	110	116	433	60.14	60.14	326	4277	21864
324	00015388636	036251060269	RMS1	85	106	121	121	433	60.14	60.14	325	4274	21857
325	00015535761	036251060461	RM04	94	94	110	135	433	60.14	60.14	324	4266	21807
326	00015672346	036251060758	RM05	98	63	122	150	433	60.14	60.14	323	4256	21766
327	00015686250	036251060782	RM05	80	110	97	145	432	60	60	327	4283	21923
328	00012930746	036003583260	RM09	96	74	110	151	431	59.86	59.86	328	4299	22038
329	00006716152	036251060732	RM05	62	90	123	155	430	59.72	59.72	329	4318	22168
330	00015831762	000015831762	DLP	99	116	104	111	430	59.72	59.72	330	4344	22268

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
331	00016165232	000016165232	DLP	64	86	130	149	429	59.58	59.58	331	4347	22304
332	00013508925	036003574945	RM08	25	142	126	135	428	59.44	59.44	333	4368	22472
333	00015398048	036251060189	RM02	66	110	97	155	428	59.44	59.44	332	4363	22425
334	00016002172	000016002172	DLP	103	115	100	110	428	59.44	59.44	334	4386	22543
335	00007154235	000007154235	DLP	142	105	95	85	427	59.31	59.31	335	4422	22697
336	00010198515	036251060230	RM02	73	98	102	152	425	59.03	59.03	336	4449	22864
337	00010275957	036251061207	RMS2	97	101	109	117	424	58.89	58.89	339	4491	23097
338	00012750121	036251060498	RMS1	114	114	98	98	424	58.89	58.89	340	4496	23113
339	00015936030	036251061409	RM08	72	101	116	135	424	58.89	58.89	337	4481	23055
340	00016009986	000016009986	DLP	74	114	115	121	424	58.89	58.89	338	1197	23092
341	00001888293	036251061247	RMS2	76	125	122	100	423	58.75	58.75	345	4528	23254
342	00002842042	000002842042	DLP	91	126	105	101	423	58.75	58.75	344	4527	23253
343	00015440545	036251060286	RMS1	83	104	111	125	423	58.75	58.75	343	4515	23210
344	00015975583	036003573148	RM08	26	106	151	140	423	58.75	58.75	341	4503	23155
345	00016043840	036251061425	RM08	57	108	126	132	423	58.75	58.75	342	4509	23185
346	00013165422	036251060841	RM05	66	83	118	155	422	58.61	58.61	346	4531	23268
347	00015774437	036251061036	RM07	111	89	92	130	422	58.61	58.61	347	4545	23330
348	00015861659	036251061280	RM08	57	112	126	127	422	58.61	58.61	348	4547	23340
349	00015749722	036251061060	RMS2	90	93	111	127	421	58.47	58.47	349	4576	23483
350	00011258862	036251061054	RM06	111	121	102	85	419	58.19	58.19	352	4639	23832
351	00013561780	036003524304	RMS2	77	117	95	130	419	58.19	58.19	350	4626	23775
352	00016311758	036003587138	RM09	89	103	111	116	419	58.19	58.19	351	4632	23813
353	00004367608	036251060500	RMS1	44	80	160	134	418	58.06	58.06	353	4650	23895
354	00015840863	036251061243	RM07	106	110	107	95	418	58.06	58.06	355	4665	23971
355	00015880996	000015880996	DLP	57	136	117	108	418	58.06	58.06	354	4663	23961
356	00010478101	036251060424	RMS1	71	94	114	138	417	57.92	57.92	356	4673	24016
357	00016130628	000016130628	DLP	141	110	87	79	417	57.92	57.92	357	4694	24100
358	00003609764	036251061228	RMS2	75	100	99	142	416	57.78	57.78	359	4699	24135
359	00015189758	036251060073	RM01	42	74	145	155	416	57.78	57.78	358	4695	24109
360	00015536844	036251060478	RM04	125	83	109	99	416	57.78	57.78	365	4716	24222

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
361	00015707360	036251060840	RM05	80	140	83	113	416	57.78	57.78	364	4713	24206
362	00015793720	084251060255	#N/A	99	105	70	142	416	57.78	57.78	360	4700	24136
363	00015799756	036251061126	RM07	53	102	120	141	416	57.78	57.78	361	4701	24139
364	00015868552	036003544503	RM08	45	100	141	130	416	57.78	57.78	362	4707	24168
365	00015901362	036003557671	SNKLP1	99	98	93	126	416	57.78	57.78	363	4709	24184
366	00012905218	036251060312	RMS1	91	89	106	129	415	57.64	57.64	366	4730	24294
367	00015881145	000015881145	DLP	70	135	115	95	415	57.64	57.64	367	4742	24354
368	00012967361	036251060471	RMS1	77	86	116	135	414	57.5	57.5	370	4758	24406
369	00015006432	036251060207	RM02	108	72	82	152	414	57.5	57.5	368	4747	24369
370	00015251674	036251060110	RM01	24	107	143	140	414	57.5	57.5	369	4751	24388
371	00015420309	489251060230	RM09	97	109	116	91	413	57.36	57.36	374	4815	24647
372	00016541761	000016541761	DLP	103	59	112	139	413	57.36	57.36	372	4787	24538
373	00017955580	000017955580	DLP	47	129	91	146	413	57.36	57.36	371	4781	24518
374	00018014128	000018014128	DLP	77	90	116	130	413	57.36	57.36	373	4794	24566
375	00010825356	036251061064	RMS2	55	117	122	118	412	57.22	57.22	376	4842	24776
376	00015346461	036251060132	RM02	100	84	97	131	412	57.22	57.22	375	4831	24733
377	00015795007	036251061118	RM07	109	84	108	111	412	57.22	57.22	377	4844	24785
378	00016111272	036003583437	RM09	125	76	104	107	412	57.22	57.22	378	4846	24791
379	00005344170	036251060591	RM04	94	72	108	137	411	57.08	57.08	380	4859	24848
380	00015631380	036251061312	RM05	76	104	86	145	411	57.08	57.08	379	4855	24835
381	00015692572	036251060859	RM06	67	122	102	120	411	57.08	57.08	381	4870	24907
382	00015921790	036251061377	RM09	88	116	116	91	411	57.08	57.08	382	4884	24950
383	00005193681	000005193681	DLP	119	102	99	90	410	56.94	56.94	384	4905	25082
384	00015393170	036251060235	RM02	55	110	110	135	410	56.94	56.94	383	4893	25006
385	00013222587	036251060559	RMS1	63	113	112	120	408	56.67	56.67	388	4957	25310
386	00015473450	036251060346	RM03	100	50	132	126	408	56.67	56.67	387	4953	25291
387	00015595019	036251060572	RM04	92	72	107	137	408	56.67	56.67	385	4945	25262
388	00015715876	036251060951	RM06	85	85	111	127	408	56.67	56.67	386	4952	25290
389	00015655796	036251060789	RM05	58	88	130	131	407	56.53	56.53	389	4971	25417
390	00015811567	036251061178	RM07	95	80	120	112	407	56.53	56.53	390	4986	25472

AESE, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
391	00018037367	000018037367	DLP	87	108	111	101	407	56.53	56.53	391	4989	25482
392	00010465923	036251060205	RMS1	87	87	85	147	406	56.39	56.39	392	4993	25508
393	00013070283	036251060579	RM04	69	108	98	131	406	56.39	56.39	394	5004	25562
394	00015586768	036251060562	RM04	56	76	130	144	406	56.39	56.39	393	4998	25524
395	00013198983	036003561626	RM08	63	112	100	130	405	56.25	56.25	395	5032	25697
396	00015493378	036251060720	RM05	75	99	78	152	404	56.11	56.11	396	5047	25785
397	00016135940	036003583977	RM09	37	82	135	150	404	56.11	56.11	397	5049	25789
398	00015826823	036251061220	RM07	114	85	91	113	403	55.97	55.97	398	5092	26067
399	00012967727	036251060313	RMS1	101	82	93	126	402	55.83	55.83	401	5111	26178
400	00015391644	036251060171	RM02	114	75	86	127	402	55.83	55.83	400	5109	26172
401	00015514774	036251060571	RM04	79	108	84	131	402	55.83	55.83	399	5105	26149
402	00015587273	036251060582	RMH1	84	86	121	111	402	55.83	55.83	403	5120	26233
403	00015748465	036251061085	RM07	52	114	120	116	402	55.83	55.83	402	5115	26217
404	00009671821	036251060752	RMH1	84	87	120	110	401	55.69	55.69	406	5145	26381
405	00015779677	036251061055	RM06	91	88	110	112	401	55.69	55.69	405	5143	26374
406	00015817496	036251061197	RM07	85	91	102	123	401	55.69	55.69	404	5138	26347
407	00016027709	000016027709	DLP	59	113	111	117	400	55.56	55.56	407	1195	26498
408	00010359955	036251060162	RMS1	76	80	110	132	398	55.28	55.28	410	5207	26725
409	00015630883	036251060773	RM05	38	102	105	153	398	55.28	55.28	408	5197	26672
410	00015801879	036003523249	RM06	69	103	93	133	398	55.28	55.28	409	5206	26722
411	00010540457	036251060407	RMS1	82	91	111	113	397	55.14	55.14	412	5244	26913
412	00015794567	036251061177	RM07	47	122	111	117	397	55.14	55.14	411	5239	26899
413	00015373672	036251060147	RM02	113	82	85	116	396	55	55	414	5264	27045
414	00015974950	036003572959	RM08	65	103	116	112	396	55	55	415	5267	27057
415	00015989914	000015989914	DLP	78	107	91	120	396	55	55	413	5262	27038
416	00008532863	036251061272	RM07	43	77	137	137	394	54.72	54.72	416	5300	27255
417	00017916372	000017916372	DLP	32	105	133	124	394	54.72	54.72	417	5309	27308
418	00015839539	036251061240	RM07	68	95	116	113	392	54.44	54.44	418	5365	27631
419	00015143026	036251060060	RM01	89	109	83	110	391	54.31	54.31	420	5401	27781
420	00017625866	036003600641	RM09	58	72	135	126	391	54.31	54.31	419	5391	27733

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
421	00015698448	036251060827	RM05	85	117	54	134	390	54.17	54.17	421	5417	27867
422	00015811535	000015811535	DLP	41	113	114	122	390	54.17	54.17	422	2947	27909
423	00015401809	036251060200	RM02	118	75	85	111	389	54.03	54.03	423	5465	28079
424	00015402419	036251060194	RM02	76	114	83	115	388	53.89	53.89	425	5498	28212
425	00015708065	036251060845	RM06	63	115	87	123	388	53.89	53.89	424	5491	28184
426	00013062126	036003585417	RM08	79	88	75	145	387	53.75	53.75	426	5507	28282
427	00013155001	036251061043	RMS2	59	104	109	115	387	53.75	53.75	429	5520	28368
428	00015544002	036251060482	RMS1	42	100	112	133	387	53.75	53.75	427	5513	28314
429	00015839674	036251061313	RM07	58	59	140	130	387	53.75	53.75	428	5515	28319
430	00017946782	000017946782	DLP	88	117	91	91	387	53.75	53.75	430	5530	28401
431	00010168019	036251060968	RM06	70	58	128	130	386	53.61	53.61	431	5539	28454
432	00015172488	036251060064	RMS1	102	18	132	133	385	53.47	53.47	432	5565	28580
433	00015740165	000015740165	DLP	36	124	117	108	385	53.47	53.47	434	5581	28670
434	00016003735	036003577781	RM08	81	84	90	130	385	53.47	53.47	433	5567	28600
435	00010635176	036251060282	RMS1	73	91	75	145	384	53.33	53.33	435	5592	28729
436	00015350759	036251060135	RM01	46	103	118	117	384	53.33	53.33	437	5602	28805
437	00017991382	000017991382	DLP	93	47	106	138	384	53.33	53.33	436	3024	28742
438	00015100291	036251060092	RM01	23	103	106	151	383	53.19	53.19	438	5620	28877
439	00015909091	036003557458	RM08	72	85	100	126	383	53.19	53.19	441	5632	28931
440	00015961211	036003572394	RM08	36	80	132	135	383	53.19	53.19	440	5625	28903
441	00016009258	036003578505	RM08	27	93	126	137	383	53.19	53.19	439	5624	28898
442	00006820457	036003529277	RM07	85	101	76	120	382	53.06	53.06	442	5665	29104
443	00012012894	036251060413	RMS1	68	124	76	113	381	52.92	52.92	444	5695	29272
444	00015489679	036251060377	RM03	109	100	68	104	381	52.92	52.92	445	5697	29287
445	00015550032	036251060493	RM04	65	104	85	127	381	52.92	52.92	443	5688	29228
446	00004910939	000004910939	DLP	102	97	108	73	380	52.78	52.78	448	1315	29476
447	00010335245	036251060606	RMS1	71	92	112	105	380	52.78	52.78	447	5725	29444
448	00011001253	036251060652	RM05	101	68	93	118	380	52.78	52.78	446	5717	29411
449	00006566902	000006566902	DLP	75	86	93	125	379	52.64	52.64	450	5742	29531
450	00013374612	000013374612	DLP	48	102	115	114	379	52.64	52.64	451	3106	29565

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
451	00015840556	000015840556	DLP	66	61	113	139	379	52.64	52.64	449	5738	29501
452	00008676472	036251060531	RMS1	89	88	88	113	378	52.5	52.5	452	5776	29717
453	00015649676	036251060708	RM05	20	87	135	135	377	52.36	52.36	453	5783	29783
454	00010937311	036251060679	RMS1	96	76	102	102	376	52.22	52.22	454	5824	30023
455	00013047739	036251060526	RMH1	77	79	103	116	375	52.08	52.08	456	5855	30155
456	00015978416	000015978416	DLP	73	69	116	117	375	52.08	52.08	455	5853	30148
457	00002586261	036251061113	RM07	95	60	101	118	374	51.94	51.94	458	5886	30297
458	00013034333	000013034333	DLP	55	122	89	108	374	51.94	51.94	459	5895	30324
459	00015543765	036251060507	RM04	43	101	110	120	374	51.94	51.94	457	5884	30291
460	00015160380	036251060086	RM01	66	108	95	104	373	51.81	51.81	461	5932	30466
461	00015869457	036251061319	SNKLP1	51	109	103	110	373	51.81	51.81	460	5930	30455
462	00002234035	000002234035	DLP	75	57	106	134	372	51.67	51.67	463	5946	30530
463	00005281134	000005281134	DLP	52	98	101	121	372	51.67	51.67	465	5952	30565
464	00010407774	036251060379	RMS1	73	71	115	113	372	51.67	51.67	466	5957	30585
465	00013308643	036003554012	RM08	30	104	93	145	372	51.67	51.67	462	5941	30511
466	00015660054	036251060875	RM05	72	69	97	134	372	51.67	51.67	464	5947	30531
467	00015542660	036251060480	RM04	46	75	119	131	371	51.53	51.53	467	5976	30673
468	00015745551	036251061059	RM08	75	98	98	100	371	51.53	51.53	468	5995	30751
469	00007720890	036251060332	RMS1	27	86	122	135	370	51.39	51.39	470	6007	30807
470	00015535812	036251060462	RM03	76	62	94	138	370	51.39	51.39	469	6006	30797
471	00015597090	036251060588	RM05	72	83	99	116	370	51.39	51.39	471	6021	30877
472	00015840351	036003549911	RMS2	92	102	65	110	369	51.25	51.25	472	6055	31045
473	00002489397	036251060553	RMS1	28	107	103	130	368	51.11	51.11	473	6071	31133
474	00015762906	036251061074	RM06	88	82	96	102	368	51.11	51.11	475	6082	31203
475	00015815078	036251061184	RM07	71	95	107	95	368	51.11	51.11	476	6086	31216
476	00015833363	036251061226	RM07	49	122	90	107	368	51.11	51.11	474	6081	31195
477	00017721374	000017721374	DLP	47	95	109	116	367	50.97	50.97	477	6100	31309
478	00004190451	036251060632	RMS1	62	81	103	120	366	50.83	50.83	478	6128	31443
479	00010142399	036251060293	RMS1	70	73	106	116	365	50.69	50.69	479	6157	31597
480	00015923422	000015923422	DLP	94	89	85	97	365	50.69	50.69	481	1633	31645

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
481	00015957815	036003569453	RM08	48	125	91	101	365	50.69	50.69	480	6169	31642
482	00015389058	036251060272	RM02	51	97	94	122	364	50.56	50.56	483	6180	31729
483	00015392408	036251060177	RM02	104	48	94	118	364	50.56	50.56	484	6182	31738
484	00015537465	036251060567	RM04	62	47	118	137	364	50.56	50.56	482	6176	31678
485	00015895289	000015895289	DLP	64	104	99	96	363	50.42	50.42	485	6222	31946
486	00013150617	036003574760	RM09	81	71	100	110	362	50.28	50.28	487	6245	32043
487	00015072370	036251060025	RM01	51	81	97	133	362	50.28	50.28	486	6232	31994
488	00015040185	036251060125	RM01	77	66	89	128	360	50	50	488	6294	32295
489	00015890516	000015890516	DLP	55	115	105	85	360	50	50	489	6308	32390
490	00015833327	036003532704	RM07	123	78	104	54	359	49.86	49.86	490	6335	32551
491	00015652248	036251060734	RM04	23	96	115	124	358	49.72	49.72	491	6344	32616
492	00015407066	036251060236	RM03	51	105	113	88	357	49.58	49.58	492	6381	32818
493	00010313811	036251060046	RM01	81	81	70	124	356	49.44	49.44	494	6393	32888
494	00015092042	036251060079	RMH1	31	106	102	117	356	49.44	49.44	495	6398	32907
495	00015759134	036251061114	RM06	62	57	126	111	356	49.44	49.44	496	6401	32919
496	00015861093	036251061279	SNKLP1	55	71	85	145	356	49.44	49.44	493	6389	32845
497	00012791944	036251060321	RMS1	64	70	111	110	355	49.31	49.31	498	6430	33068
498	00015496485	036251060419	RM04	58	87	110	100	355	49.31	49.31	499	6431	33098
499	00015573240	036251060542	RM04	60	57	125	113	355	49.31	49.31	497	6429	33060
500	00015717570	036251060883	RMS2	10	88	120	136	354	49.17	49.17	501	6447	33172
501	00017680809	000017680809	DLP	61	64	88	141	354	49.17	49.17	500	6446	33160
502	00017968405	000017968405	DLP	34	89	111	120	354	49.17	49.17	502	6458	33214
503	00015568505	036251060541	RM05	109	76	64	104	353	49.03	49.03	504	6495	33399
504	00015961061	036003570390	RM08	76	79	81	117	353	49.03	49.03	503	6489	33380
505	00010979228	036251060949	RMS1	28	92	97	135	352	48.89	48.89	505	6508	33460
506	00015782437	036251061068	RM07	10	84	127	131	352	48.89	48.89	506	6509	33467
507	00015369558	036251060144	RM02	95	36	90	130	351	48.75	48.75	507	6543	33623
508	00007281853	036251061309	SNKLP1	26	64	125	135	350	48.61	48.61	508	6580	33773
509	00010412089	036251060622	RMS1	111	1	124	114	350	48.61	48.61	510	6592	33825
510	00015156759	036251060057	RM01	-1	74	149	128	350	48.61	48.61	509	6582	33789

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
511	00015761561	036251060984	RM06	71	103	79	97	350	48.61	48.61	511	6600	33870
512	00006925713	036003590318	RMH1	54	110	90	95	349	48.47	48.47	515	6628	34018
513	00012883697	000012883697	DLP	74	71	87	117	349	48.47	48.47	514	6614	33968
514	00015861913	036251061282	RM08	4	125	102	118	349	48.47	48.47	512	6612	33963
515	00017779613	000017779613	DLP	71	65	96	117	349	48.47	48.47	513	6613	33967
516	00015788713	036003525735	RM07	26	60	127	135	348	48.33	48.33	516	6636	34056
517	00015862396	036251061287	RM08	52	65	101	130	348	48.33	48.33	517	6637	34071
518	00010819745	069003550468	#N/A	70	105	81	91	347	48.19	48.19	518	6675	34307
519	00007270016	036251060977	RMS1	50	89	104	103	346	48.06	48.06	521	6704	34426
520	00015403659	036251060214	RM02	28	110	77	131	346	48.06	48.06	519	6689	34356
521	00015706678	036251060947	RM06	107	89	96	54	346	48.06	48.06	522	6721	34474
522	00015813119	000015813119	DLP	57	69	116	104	346	48.06	48.06	520	6703	34423
523	00007351411	005003608648	#N/A	115	106	95	29	345	47.92	47.92	525	6743	34637
524	00015141719	036251060101	RM01	22	76	119	128	345	47.92	47.92	524	6727	34520
525	00018038841	000018038841	DLP	20	88	91	146	345	47.92	47.92	523	6722	34483
526	00004696482	036251060449	RM03	66	57	95	126	344	47.78	47.78	526	6751	34678
527	00015219737	036251060114	RM01	51	96	102	95	344	47.78	47.78	527	6762	34749
528	00015635296	036251060693	RM04	94	80	84	86	344	47.78	47.78	528	6768	34760
529	00003157859	036251060538	RM04	80	79	70	114	343	47.64	47.64	529	6785	34850
530	00015600922	036251060586	RM04	90	44	102	107	343	47.64	47.64	530	6788	34864
531	00014913206	036251060011	RM01	28	95	123	96	342	47.5	47.5	533	6827	35052
532	00015130602	036251060304	RM02	43	60	114	125	342	47.5	47.5	532	6806	34960
533	00015789207	036251061153	RM07	6	97	103	136	342	47.5	47.5	531	6800	34930
534	00016167950	036003585121	RM09	42	103	107	90	342	47.5	47.5	534	6828	35063
535	00013180394	036003553764	RMS2	47	65	110	119	341	47.36	47.36	535	6845	35140
536	00010729282	036251060971	RMH1	79	35	124	102	340	47.22	47.22	537	6878	35352
537	00015309585	036251060119	RM02	95	56	72	117	340	47.22	47.22	536	6869	35315
538	00015906227	036003556069	RM08	74	29	111	125	339	47.08	47.08	538	6896	35435
539	00010825346	036251061063	RMS2	22	76	113	127	338	46.94	46.94	539	6916	35565
540	00015403768	036251060276	RM02	49	65	115	108	337	46.81	46.81	541	6945	35753

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
541	00015845772	036251061254	RM07	40	100	85	112	337	46.81	46.81	540	6941	35741
542	00012997106	036251060589	RMS1	53	78	120	85	336	46.67	46.67	546	6990	35956
543	00015716545	036251060858	RM06	92	65	57	122	336	46.67	46.67	542	6975	35870
544	00016017870	036003580189	RM09	37	78	105	116	336	46.67	46.67	543	6979	35887
545	00016105793	000016105793	DLP	8	96	135	97	336	46.67	46.67	545	6988	35936
546	00018060090	000018060090	DLP	35	91	95	115	336	46.67	46.67	544	6980	35892
547	00018008664	000018008664	DLP	42	33	130	130	335	46.53	46.53	547	6998	36000
548	00005213577	036251060885	RM06	45	68	112	109	334	46.39	46.39	548	7030	36194
549	00012426540	000012426540	DLP	31	106	103	93	333	46.25	46.25	550	1077	36373
550	00015424972	036251060253	RM03	22	70	120	121	333	46.25	46.25	549	7053	36309
551	00015767892	036251061012	RM06	7	97	112	116	332	46.11	46.11	552	7090	36460
552	00018008355	000018008355	DLP	25	78	112	117	332	46.11	46.11	551	3736	36457
553	00015173109	036251060077	RM01	26	77	102	125	330	45.83	45.83	553	7144	36715
554	00006544340	036251060861	RM07	25	87	111	106	329	45.69	45.69	556	7185	36909
555	00013607614	036251060862	RM06	5	66	133	125	329	45.69	45.69	555	7170	36856
556	00015721530	036251061017	RM06	56	43	95	135	329	45.69	45.69	554	7166	36838
557	00009866022	036251061330	RMS2	21	93	121	93	328	45.56	45.56	563	7230	37096
558	00013011197	036251060762	RMH1	68	79	82	99	328	45.56	45.56	561	7225	37079
559	00013156983	036251060406	RMH1	25	92	100	111	328	45.56	45.56	559	7214	37038
560	00013243271	000013243271	DLP	55	81	95	97	328	45.56	45.56	562	7227	37085
561	00015171542	036251060104	RM01	37	107	67	117	328	45.56	45.56	558	7207	37024
562	00015661356	036251060848	RMH1	68	47	110	103	328	45.56	45.56	560	7222	37064
563	00015751310	036251060953	RM06	16	53	122	137	328	45.56	45.56	557	7199	36983
564	00015843753	036251061258	RM07	77	51	112	88	328	45.56	45.56	564	7234	37103
565	00015128530	036251060041	RM01	5	74	121	127	327	45.42	45.42	565	7243	37161
566	00015789073	000015789073	DLP	99	97	90	41	327	45.42	45.42	567	7260	37271
567	00015794083	036003520521	RMS2	51	61	90	125	327	45.42	45.42	566	7245	37166
568	00010706282	036251061028	RM06	96	81	42	107	326	45.28	45.28	569	7271	37363
569	00015260298	036251060108	RM01	49	69	101	107	326	45.28	45.28	568	7270	37360
570	00010515979	036251060653	RMS2	67	103	47	108	325	45.14	45.14	571	7306	37496

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
571	00013231197	036251060920	RMS1	76	72	82	95	325	45.14	45.14	572	7313	37528
572	00015422585	036251060306	RM02	91	62	53	119	325	45.14	45.14	570	7301	37478
573	00015485284	036251060389	RM03	88	72	76	89	325	45.14	45.14	573	7315	37536
574	00013753965	036251060115	RM01	61	93	61	109	324	45	45	574	7329	37619
575	00015600461	036251060648	RM04	93	59	86	86	324	45	45	575	7341	37671
576	00001578171	000001578171	DLP	74	99	76	74	323	44.86	44.86	579	7376	37828
577	00004832550	000004832550	DLP	93	109	42	79	323	44.86	44.86	578	7375	37825
578	00013206048	036251061285	SNKLP1	49	74	83	117	323	44.86	44.86	576	7351	37739
579	00015237351	036251060094	RM01	63	70	105	85	323	44.86	44.86	577	7373	37818
580	00002215284	036251061203	RM07	72	65	65	120	322	44.72	44.72	580	7386	37891
581	00013184737	036251060795	RMH1	61	115	58	87	321	44.58	44.58	582	7436	38120
582	00018044213	000018044213	DLP	58	83	84	96	321	44.58	44.58	581	7433	38100
583	00005176061	036251060378	RMS1	27	116	74	103	320	44.44	44.44	583	7461	38225
584	00018033166	000018033166	DLP	19	101	73	126	319	44.31	44.31	584	7484	38320
585	00015870636	036003547055	RM08	38	83	95	102	318	44.17	44.17	585	7519	38552
586	00015392836	036251060353	RM02	74	91	25	127	317	44.03	44.03	586	7535	38632
587	00002519179	036251061215	RMS2	19	60	105	132	316	43.89	43.89	588	7553	38768
588	00013210762	036251060812	RMS2	42	68	85	121	316	43.89	43.89	589	7559	38794
589	00013384238	036251061071	RMS2	41	56	117	102	316	43.89	43.89	590	7567	38842
590	00015780290	036251061079	RM06	62	50	67	137	316	43.89	43.89	587	7551	38762
591	00015798879	036003560699	RM07	43	77	96	100	316	43.89	43.89	591	7569	38845
592	00010224105	036251061056	RM06	42	99	89	85	315	43.75	43.75	593	7607	39028
593	00014949358	036251060010	RM01	38	93	98	86	315	43.75	43.75	592	7606	39026
594	00015748927	036003555420	RM06	20	112	101	82	315	43.75	43.75	594	7608	39030
595	00013246093	036251060990	RMH1	16	90	121	87	314	43.61	43.61	596	7638	39182
596	00015109887	036251060103	RMS1	48	67	93	106	314	43.61	43.61	595	7625	39138
597	00015526068	036251060504	RMH1	45	40	145	84	314	43.61	43.61	597	7639	39183
598	00015909055	000015909055	DLP	28	113	53	119	313	43.47	43.47	598	7647	39259
599	00010230273	036251061183	RM07	36	75	61	140	312	43.33	43.33	599	7668	39361
600	00015576571	036251060801	RM06	26	76	102	108	312	43.33	43.33	600	7676	39423

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
601	00018012309	000018012309	DLP	28	97	80	107	312	43.33	43.33	601	7679	39431
602	00015630716	036251060649	RM05	64	85	79	83	311	43.19	43.19	602	7712	39645
603	00015089747	036251060155	RM02	9	96	106	99	310	43.06	43.06	603	7730	39762
604	00015159313	036251060061	RM01	54	105	73	78	310	43.06	43.06	604	7739	39802
605	00015577925	036251060550	RM04	25	97	69	118	309	42.92	42.92	606	7751	39862
606	00015605623	036251060607	RM05	23	96	111	79	309	42.92	42.92	607	7768	39942
607	00015757163	036251060985	RM08	58	52	81	118	309	42.92	42.92	605	7750	39861
608	00014757968	036251060121	RMH1	65	52	101	90	308	42.78	42.78	608	7798	40069
609	00013171106	036251060375	RMH1	44	53	127	83	307	42.64	42.64	610	7822	40214
610	00016424184	000016424184	DLP	47	62	112	86	307	42.64	42.64	609	4084	40211
611	00015664092	036251060877	RM06	50	70	105	81	306	42.5	42.5	612	7853	40367
612	00015794559	036251061107	RM07	50	91	80	85	306	42.5	42.5	611	7852	40364
613	00007205993	036251060505	RM04	36	66	80	122	304	42.22	42.22	613	7883	40565
614	00015039104	036251060502	RM03	37	55	99	113	304	42.22	42.22	614	7890	40584
615	00018058508	000018058508	DLP	59	87	70	88	304	42.22	42.22	615	7904	40650
616	00007058470	036251060865	RM05	79	74	83	66	302	41.94	41.94	616	7980	40956
617	00015716593	036251060863	RM06	76	86	58	81	301	41.81	41.81	617	8007	41102
618	00015458544	036251060342	RM03	80	64	67	89	300	41.67	41.67	618	8041	41254
619	00015537759	036251060470	RM04	85	85	45	85	300	41.67	41.67	619	8044	41263
620	00015789776	036251061134	RM08	53	72	95	80	300	41.67	41.67	620	8045	41268
621	00013209551	036251060852	RMS1	1	65	77	156	299	41.53	41.53	621	8048	41285
622	00015632073	036251060823	RM06	31	77	90	101	299	41.53	41.53	623	8067	41371
623	00015744120	036251060938	RM06	25	47	109	118	299	41.53	41.53	622	8056	41324
624	00018012708	000018012708	DLP	82	28	94	95	299	41.53	41.53	624	8073	41391
625	00015419787	036251060239	RM02	82	30	73	113	298	41.39	41.39	625	8094	41490
626	00015697004	036251061179	RM07	16	96	80	106	298	41.39	41.39	626	8096	41514
627	00014698720	036251060311	RMS1	55	77	101	64	297	41.25	41.25	627	8138	41734
628	00015742024	036251060924	RMH1	72	76	96	51	295	40.97	40.97	629	8197	42040
629	00015832812	000015832812	DLP	34	42	69	150	295	40.97	40.97	628	8170	41890
630	00004454856	036251060896	RM06	8	11	130	145	294	40.83	40.83	630	8198	42044

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
631	00015833586	036251061233	RM07	0	37	126	131	294	40.83	40.83	631	8200	42053
632	00015352581	036251060136	RM01	8	101	93	91	293	40.69	40.69	632	8231	42269
633	00015605162	036251060597	RM05	111	79	33	70	293	40.69	40.69	633	8238	42296
634	00015844799	036251061251	RM07	47	46	96	103	292	40.56	40.56	635	8248	42368
635	00015868506	036003544430	RM08	25	76	80	111	292	40.56	40.56	634	8246	42353
636	00010468485	036251060816	RM05	61	34	61	135	291	40.42	40.42	637	8273	42448
637	00015313015	036003547048	RM08	10	121	56	104	291	40.42	40.42	638	8289	42514
638	00015625933	036251060640	RM04	62	57	77	95	291	40.42	40.42	639	8294	42535
639	00015672733	036251060884	RM05	78	64	91	58	291	40.42	40.42	640	8305	42587
640	00015932688	036251061391	RM08	4	34	118	135	291	40.42	40.42	636	8272	42446
641	00005127862	036251061139	RM07	28	5	105	152	290	40.28	40.28	641	8307	42593
642	00009132449	036251060252	RM02	45	80	45	120	290	40.28	40.28	642	8317	42621
643	00015531682	036251060454	RM03	33	90	96	71	290	40.28	40.28	645	8332	42720
644	00015535394	036251060460	RM04	21	74	78	117	290	40.28	40.28	643	8320	42628
645	00015552207	036251060536	RM04	23	109	56	102	290	40.28	40.28	644	8327	42668
646	00015552493	036251060499	RM04	54	40	102	93	289	40.14	40.14	647	8361	42832
647	00018048796	000018048796	DLP	54	27	105	103	289	40.14	40.14	646	8353	42802
648	00015404677	036251060242	RM02	24	73	80	111	288	40	40	648	8383	42948
649	00015614501	036251060644	RM04	22	79	82	105	288	40	40	649	8387	42958
650	00015840032	036251061250	RM07	19	76	91	102	288	40	40	650	8389	42966
651	00008127466	036251060294	RM03	60	48	87	92	287	39.86	39.86	651	8414	43135
652	00015401429	036251060391	RM03	37	97	87	66	287	39.86	39.86	652	8425	43179
653	00014625684	036251061132	RM06	61	0	125	100	286	39.72	39.72	653	8438	43252
654	00015531395	036251060452	RM04	96	34	80	76	286	39.72	39.72	654	8457	43306
655	00016046555	000016046555	DLP	49	65	106	65	285	39.58	39.58	655	8493	43462
656	00010500866	000010500866	DLP	8	27	133	115	283	39.31	39.31	656	8533	43658
657	00015865183	000015865183	DLP	28	65	91	98	282	39.17	39.17	657	8568	43858
658	00015207271	036251060081	RM01	25	56	82	118	281	39.03	39.03	658	8591	43968
659	00015792728	036251061097	RM08	51	12	98	118	279	38.75	38.75	659	8644	44283
660	00015865152	036003542888	RM08	60	38	85	95	278	38.61	38.61	660	8675	44494

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
661	00015567288	036251060543	RM04	42	34	104	97	277	38.47	38.47	661	8696	44611
662	00015465116	036251060326	RM03	53	55	84	82	274	38.06	38.06	664	8768	45052
663	00015649794	036251060796	RM05	14	25	110	125	274	38.06	38.06	662	8749	44959
664	00015981315	000015981315	DLP	27	95	59	93	274	38.06	38.06	663	8761	45024
665	00015367871	036251060182	RM02	11	65	88	109	273	37.92	37.92	666	8788	45127
666	00015494773	036251061264	RM07	0	43	98	132	273	37.92	37.92	665	8777	45086
667	00015558884	036003454905	RM08	43	43	106	81	273	37.92	37.92	667	8803	45202
668	00015404530	036251060302	RM02	23	50	97	102	272	37.78	37.78	668	8819	45291
669	00015762055	000015762055	DLP	85	80	54	53	272	37.78	37.78	669	8833	45371
670	00007067250	000007067250	DLP	17	48	68	138	271	37.64	37.64	670	588	45379
671	00014479947	036251060038	RM01	31	48	68	124	271	37.64	37.64	673	8837	45394
672	00015488019	036251060371	RM03	37	42	55	137	271	37.64	37.64	671	8834	45380
673	00015588823	036251060834	RM06	4	21	113	133	271	37.64	37.64	672	8835	45384
674	00016570410	000016570410	DLP	60	50	58	103	271	37.64	37.64	674	8844	45440
675	00015399175	036251060192	RM02	13	93	45	118	269	37.36	37.36	676	8889	45677
676	00015549753	036251060535	RM04	97	15	42	115	269	37.36	37.36	677	8890	45681
677	00015858630	036003588246	RM08	30	3	110	126	269	37.36	37.36	675	8885	45669
678	00015820648	036251061210	RM07	83	67	56	62	268	37.22	37.22	678	8920	45912
679	00015591770	036251060568	RM04	32	72	71	92	267	37.08	37.08	681	8943	46015
680	00015698415	036251060808	RM07	18	55	75	119	267	37.08	37.08	679	8925	45941
681	00015750841	084251060268	RM07	46	48	70	103	267	37.08	37.08	680	8938	45983
682	00015804289	036251061150	RM07	76	68	74	49	267	37.08	37.08	683	8953	46068
683	00015895361	000015895361	DLP	22	55	115	75	267	37.08	37.08	682	8946	46046
684	00015624096	036251060634	RM04	87	52	80	46	265	36.81	36.81	685	9008	46361
685	00015714635	036251060854	RM06	30	73	77	85	265	36.81	36.81	684	9000	46328
686	00015113823	036251060042	RM01	40	16	88	120	264	36.67	36.67	687	9012	46390
687	00015300668	036251060153	RM01	43	82	61	78	264	36.67	36.67	688	9035	46487
688	00015761783	036251061048	RM06	50	85	51	78	264	36.67	36.67	689	9036	46488
689	00016028992	000016028992	DLP	39	-1	101	125	264	36.67	36.67	686	9010	46380
690	00017557919	000017557919	DLP	40	70	62	91	263	36.53	36.53	690	4643	46584

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
691	00004193701	036005042308	RM06	77	47	51	85	260	36.11	36.11	691	9135	47001
692	00018033020	000018033020	DLP	37	78	77	68	260	36.11	36.11	692	9141	47021
693	00013236802	036003586273	RMS2	47	53	84	74	258	35.83	35.83	694	9197	47317
694	00015467667	036251060334	RM03	69	57	59	73	258	35.83	35.83	696	9200	47321
695	00015537755	036251060467	RM04	26	61	71	100	258	35.83	35.83	693	9180	47256
696	00015575280	036251060570	RM05	87	75	39	57	258	35.83	35.83	697	9204	47340
697	00015734696	036251060917	RM06	62	68	54	74	258	35.83	35.83	695	9198	47318
698	00005527961	036251060164	RM02	10	83	58	106	257	35.69	35.69	698	9217	47386
699	00015761102	036251061002	RM06	57	68	65	67	257	35.69	35.69	699	9229	47459
700	00018020189	000018020189	DLP	7	81	107	62	257	35.69	35.69	700	9230	47461
701	00015868510	036003544464	RM08	20	35	96	105	256	35.56	35.56	701	9244	47516
702	00016358921	000016358921	DLP	45	68	77	66	256	35.56	35.56	702	9262	47596
703	00010845711	036251061231	RM07	46	47	62	100	255	35.42	35.42	703	9272	47675
704	00015488023	036251060402	RM03	-2	59	110	87	254	35.28	35.28	704	9304	47815
705	00015561905	036251060515	RM06	39	81	72	62	254	35.28	35.28	706	9317	47870
706	00015773303	036251061159	RM07	44	63	66	81	254	35.28	35.28	705	9310	47846
707	00006702465	000006702465	DLP	9	72	100	72	253	35.14	35.14	708	9344	47996
708	00014039283	036251060145	RM01	22	53	92	86	253	35.14	35.14	707	9338	47971
709	00015404706	036251060213	RM02	4	60	72	116	252	35	35	709	9357	48037
710	00015787548	036251061194	RMH1	6	54	91	101	252	35	35	710	9361	48066
711	00015090767	036251060102	RM01	29	44	71	107	251	34.86	34.86	711	9392	48192
712	00015718656	036251060871	RM05	70	47	54	80	251	34.86	34.86	712	9410	48257
713	00018027487	000018027487	DLP	34	66	59	91	250	34.72	34.72	713	9428	48376
714	00010930807	036251060725	RM07	18	47	66	118	249	34.58	34.58	715	9448	48460
715	00012632650	036251060774	RM07	16	64	38	131	249	34.58	34.58	714	9444	48444
716	00014826750	036251060007	RM01	37	67	59	86	249	34.58	34.58	717	9462	48523
717	00015769192	036251061050	RM06	31	56	70	92	249	34.58	34.58	716	9459	48512
718	00015580536	036251060554	RM04	42	110	34	62	248	34.44	34.44	720	9504	48692
719	00015678025	036251060772	RM05	49	84	48	67	248	34.44	34.44	719	9502	48688
720	00015678421	036251060771	RM06	-6	44	81	129	248	34.44	34.44	718	9474	48576

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
721	00007919267	036003539860	RM07	22	52	68	105	247	34.31	34.31	721	9516	48741
722	00015818251	036251061200	RM06	0	71	80	96	247	34.31	34.31	722	9523	48773
723	00008125864	036251060574	RM04	92	45	34	75	246	34.17	34.17	726	9577	48973
724	00015590175	036251061232	RM07	26	42	67	111	246	34.17	34.17	724	9557	48886
725	00015741380	000015741380	DLP	6	64	62	114	246	34.17	34.17	723	9555	48881
726	00015850242	036003538281	RM06	41	57	59	89	246	34.17	34.17	725	9570	48938
727	00015467665	036251060397	RM03	84	21	80	60	245	34.03	34.03	727	9609	49121
728	00010423948	036251061069	RMS2	19	51	54	120	244	33.89	33.89	728	9617	49151
729	00015093373	036251060109	RM01	1	73	93	76	243	33.75	33.75	731	9660	49365
730	00015421195	036251060244	RM02	17	54	87	85	243	33.75	33.75	730	9656	49342
731	00015621362	036251060623	RM04	86	53	29	75	243	33.75	33.75	732	9661	49368
732	00015821669	036251061212	RMS2	25	43	59	116	243	33.75	33.75	729	9643	49283
733	00015487599	036251060367	RM03	7	55	62	118	242	33.61	33.61	733	9677	49427
734	00015840377	036003544418	RM08	5	67	75	95	242	33.61	33.61	734	9687	49463
735	00015625881	036251060776	RM04	69	-1	97	76	241	33.47	33.47	735	9725	49669
736	00015465493	036251060327	RMS2	45	70	75	50	240	33.33	33.33	737	9750	49845
737	00015840547	036251061241	RM07	37	58	74	71	240	33.33	33.33	736	9744	49822
738	00007015546	000007015546	DLP	33	81	55	70	239	33.19	33.19	739	9777	49973
739	00010421086	036251060492	RMS1	132	37	30	40	239	33.19	33.19	740	9783	49995
740	00015868450	036251061300	SNKLP1	6	87	61	85	239	33.19	33.19	738	9770	49942
741	00015944767	036003566865	RM08	13	99	60	66	238	33.06	33.06	741	9803	50099
742	00015719098	000015719098	DLP	37	49	47	104	237	32.92	32.92	742	9812	50149
743	00015436174	036251060279	RM02	18	48	35	134	235	32.64	32.64	743	9846	50369
744	00015841073	036251061244	RM07	22	5	89	119	235	32.64	32.64	744	9847	50372
745	00015434213	036251060275	RM02	56	42	64	72	234	32.5	32.5	745	9881	50619
746	00015461921	036251060322	RM03	58	17	95	63	233	32.36	32.36	747	9902	50760
747	00015946985	036003567193	RMH1	15	0	99	119	233	32.36	32.36	746	9889	50661
748	00010118200	036251060442	RMS1	25	40	77	90	232	32.22	32.22	748	9916	50838
749	00015567299	036251060533	RMH1	13	59	88	72	232	32.22	32.22	749	9925	50881
750	00015868528	000015868528	DLP	22	73	60	75	230	31.94	31.94	751	9978	51174

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
751	00016960147	000016960147	DLP	0	44	77	109	230	31.94	31.94	750	9965	51081
752	00007417704	036251061283	SNKLP1	44	33	82	70	229	31.81	31.81	753	10006	51315
753	00015637762	036251060671	RM04	95	1	83	50	229	31.81	31.81	754	10012	51341
754	00017836342	000017836342	DLP	20	46	85	78	229	31.81	31.81	752	10002	51294
755	00005258272	036005023440	RM08	45	22	90	71	228	31.67	31.67	759	10040	51477
756	00012734392	036251060620	RMH1	-6	75	86	73	228	31.67	31.67	757	10037	51472
757	00015382802	036251060394	RM02	34	39	74	81	228	31.67	31.67	756	10035	51456
758	00015501788	036251060439	RM05	81	54	31	62	228	31.67	31.67	760	10042	51486
759	00015661997	036251060741	RM05	43	64	48	73	228	31.67	31.67	758	10038	51473
760	00016135943	000016135943	DLP	19	61	66	82	228	31.67	31.67	755	10033	51451
761	00015178556	036251060068	RM01	36	51	44	96	227	31.53	31.53	761	10053	51552
762	00016043672	036003580620	RM09	13	82	36	96	227	31.53	31.53	762	10054	51553
763	00018048496	000018048496	DLP	25	69	45	88	227	31.53	31.53	763	10058	51572
764	00015913132	000015913132	DLP	20	55	83	68	226	31.39	31.39	766	10087	51745
765	00018019632	000018019632	DLP	45	41	70	70	226	31.39	31.39	765	10082	51738
766	00018040203	000018040203	DLP	7	61	66	92	226	31.39	31.39	764	10076	51691
767	00006822472	036251060560	RM04	48	29	85	63	225	31.25	31.25	770	10120	51891
768	00015380421	036251060152	RM02	15	25	73	112	225	31.25	31.25	767	10097	51783
769	00015558472	036251060876	RM06	1	57	58	109	225	31.25	31.25	768	10100	51790
770	00015958587	036003569643	RM08	51	42	47	85	225	31.25	31.25	769	10108	51839
771	00015526045	036251060447	RM04	44	48	71	61	224	31.11	31.11	771	10162	52031
772	00002548479	036251061062	RMS2	28	53	57	85	223	30.97	30.97	772	10184	52121
773	00015672054	036251060761	RM05	22	75	59	67	223	30.97	30.97	773	10198	52162
774	00018035113	000018035113	DLP	49	70	52	52	223	30.97	30.97	774	10204	52181
775	00015816858	036251061209	RM07	26	51	61	84	222	30.83	30.83	775	10221	52263
776	00015156691	036251060054	RM01	14	34	78	95	221	30.69	30.69	777	10243	52357
777	00015173794	036251060069	RM01	36	15	18	152	221	30.69	30.69	776	10237	52326
778	00015418835	036251060237	RMH1	18	84	25	94	221	30.69	30.69	778	10245	52360
779	00014045973	036003585567	RMS2	44	107	22	47	220	30.56	30.56	779	10291	52556
780	00015519344	036251060425	RMH1	14	47	65	93	219	30.42	30.42	781	10307	52609

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
781	00015716524	036003553902	RM08	34	25	49	111	219	30.42	30.42	780	10297	52573
782	00015851044	036003538687	RM08	34	47	74	64	219	30.42	30.42	782	10325	52685
783	00015376903	036251060267	RMH1	45	58	38	77	218	30.28	30.28	783	10346	52799
784	00015514404	036251060421	RM03	73	44	59	42	218	30.28	30.28	784	10354	52843
785	00006929866	036251060972	RMS1	32	43	73	69	217	30.14	30.14	787	10378	52953
786	00018039877	000018039877	DLP	21	48	74	74	217	30.14	30.14	786	10373	52938
787	00018065652	000018065652	DLP	-2	42	68	109	217	30.14	30.14	785	10358	52861
788	00015232105	036251060090	RM01	25	38	65	88	216	30	30	789	10397	53043
789	00015427530	036251060260	RM02	14	54	50	98	216	30	30	788	10393	53018
790	00015573597	036251060540	RM04	42	49	52	73	216	30	30	790	10406	53083
791	00015810841	036251061168	RM07	23	70	65	58	216	30	30	792	10413	53111
792	00017780593	000017780593	DLP	22	89	32	73	216	30	30	791	10407	53084
793	00015966294	000015966294	DLP	33	57	64	61	215	29.86	29.86	793	10452	53260
794	00003330155	036003567321	SNKLP1	7	0	106	101	214	29.72	29.72	795	10461	53298
795	00010608297	036251060552	RM04	6	37	75	96	214	29.72	29.72	796	10462	53307
796	00012780156	036251060405	RMH1	6	47	51	110	214	29.72	29.72	794	10458	53290
797	00015392092	036251060172	RM02	10	45	69	90	214	29.72	29.72	797	10464	53323
798	00015165934	036251060059	RM01	27	37	71	77	212	29.44	29.44	799	10518	53611
799	00015564460	036251060556	RM04	21	27	71	93	212	29.44	29.44	798	10513	53565
800	00015489629	036251060376	RM03	45	21	87	58	211	29.31	29.31	801	10555	53786
801	00015890979	036003550507	RM08	12	59	53	87	211	29.31	29.31	800	10544	53721
802	00013216848	036251060344	RMH1	17	49	72	72	210	29.17	29.17	802	10572	53900
803	00015369228	036251060143	RM01	8	58	73	70	209	29.03	29.03	803	10597	54042
804	00015550455	036251060532	RM03	42	27	90	49	208	28.89	28.89	804	10622	54189
805	00015380723	036251060227	RM02	4	23	90	90	207	28.75	28.75	805	10630	54241
806	00015452277	036251060297	RMH1	8	62	69	68	207	28.75	28.75	806	10640	54285
807	00010677987	036251060529	RMS1	-1	40	79	88	206	28.61	28.61	807	10658	54372
808	00010661757	000010661757	DLP	-6	40	87	84	205	28.47	28.47	808	10683	54511
809	00016450777	000016450777	DLP	25	63	61	56	205	28.47	28.47	809	10692	54564
810	00009182449	036003538679	RM08	11	74	45	74	204	28.33	28.33	810	10719	54665

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
811	00015750789	036251060944	RMH1	39	50	66	49	204	28.33	28.33	811	10724	54704
812	00015524453	036251060432	RM04	4	31	77	91	203	28.19	28.19	813	10741	54761
813	00015835801	036251061236	RM07	0	32	74	97	203	28.19	28.19	812	10736	54747
814	00010459734	036251060718	RM04	12	49	55	86	202	28.06	28.06	814	10763	54895
815	00015518622	036251060428	RM04	28	50	69	55	202	28.06	28.06	816	10779	54961
816	00017389544	036003597904	SNKLP1	41	57	45	59	202	28.06	28.06	815	10778	54957
817	00015452731	036251060417	RM03	17	73	79	32	201	27.92	27.92	817	10818	55097
818	00015584872	036251060592	RM04	36	41	53	70	200	27.78	27.78	818	10837	55190
819	00008739047	036251060325	RM03	46	12	63	77	198	27.5	27.5	819	10871	55418
820	00010432008	036231121220	RMS1	55	48	40	55	198	27.5	27.5	822	10881	55457
821	00012878715	036003601139	RM06	37	50	51	60	198	27.5	27.5	821	10877	55448
822	00018065597	000018065597	DLP	4	74	54	66	198	27.5	27.5	820	10876	55439
823	00015061998	036251050067	RM01	19	34	79	65	197	27.36	27.36	824	10903	55563
824	00015402471	036251060195	RM02	24	37	60	76	197	27.36	27.36	823	10898	55542
825	00015367391	036251060140	RM02	5	30	102	58	195	27.08	27.08	825	10949	55819
826	00015622078	036251060673	RM04	25	35	47	87	194	26.94	26.94	826	10965	55893
827	00015650806	036251060709	RM05	17	91	12	74	194	26.94	26.94	827	10975	55931
828	00015972732	000015972732	DLP	21	13	78	81	193	26.81	26.81	828	10997	56038
829	00015664034	000015664034	DLP	41	42	54	55	192	26.67	26.67	831	5475	56235
830	00015737187	036251060914	RM07	-5	50	58	89	192	26.67	26.67	830	11024	56155
831	00015854961	036003539830	RM07	24	0	53	115	192	26.67	26.67	829	11018	56128
832	00016860459	036003594459	RM09	36	88	35	33	192	26.67	26.67	832	11046	56262
833	00013244664	036251061099	RMS2	80	51	20	40	191	26.53	26.53	835	11080	56377
834	00015713670	036251060853	RM06	0	2	66	123	191	26.53	26.53	833	11047	56267
835	00015769238	036251061025	RMH1	26	22	69	74	191	26.53	26.53	834	11066	56331
836	00015397241	036251060487	RM02	15	15	55	105	190	26.39	26.39	836	11087	56395
837	00015699181	036251060829	RMH1	46	19	53	72	190	26.39	26.39	837	11096	56455
838	00015921518	000015921518	DLP	48	15	58	69	190	26.39	26.39	838	5491	56465
839	00013250731	000013250731	DLP	25	24	49	90	188	26.11	26.11	840	11133	56638
840	00015225822	036251060129	RM01	15	71	31	71	188	26.11	26.11	843	11145	56686

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
841	00015407173	036251060220	RM02	16	25	60	87	188	26.11	26.11	841	11137	56645
842	00015431909	036251060296	RM03	19	26	66	77	188	26.11	26.11	842	11143	56668
843	00015665389	036251060749	RM05	30	52	14	92	188	26.11	26.11	839	11131	56635
844	00010279908	036251060232	RMS1	32	57	50	48	187	25.97	25.97	845	11172	56842
845	00015495263	036251060458	RMH1	5	32	50	100	187	25.97	25.97	844	11160	56746
846	00015434697	036251060290	RM03	7	22	54	103	186	25.83	25.83	846	11176	56863
847	00015782409	036251061067	RM06	10	39	64	72	185	25.69	25.69	847	11222	57046
848	00010675162	036251060142	RMS1	18	49	54	63	184	25.56	25.56	849	11248	57157
849	00015452406	036251060300	RMH1	64	27	42	51	184	25.56	25.56	850	11257	57187
850	00015835409	036251061234	RM08	24	23	56	81	184	25.56	25.56	848	11241	57133
851	00011815772	036251060503	RM03	24	40	74	45	183	25.42	25.42	852	11282	57318
852	00015775426	036003560288	RMH1	38	28	65	52	183	25.42	25.42	851	11281	57312
853	00015487631	036251060483	RM04	2	62	57	61	182	25.28	25.28	853	11303	57399
854	00015500507	036251060390	RM03	15	23	72	71	181	25.14	25.14	856	11332	57502
855	00015684744	036251060780	RM06	11	57	42	71	181	25.14	25.14	857	11333	57505
856	00015741434	036251060923	RM06	38	68	44	31	181	25.14	25.14	859	11352	57571
857	00015798507	036003521701	RM07	2	15	75	89	181	25.14	25.14	855	11323	57460
858	00015886341	000015886341	DLP	77	30	41	33	181	25.14	25.14	858	11351	57570
859	00015890981	036003550701	RM08	12	7	51	111	181	25.14	25.14	854	11319	57440
860	00013316641	036251060818	RM05	27	29	44	80	180	25	25	860	11361	57609
861	00015108665	036251060031	RMH1	59	28	49	44	180	25	25	862	11372	57668
862	00015426435	036251060258	RMH1	19	41	52	68	180	25	25	861	11365	57633
863	00015473813	036251060388	RM03	50	48	30	51	179	24.86	24.86	865	11402	57800
864	00015614395	036251060811	RM05	10	92	30	47	179	24.86	24.86	866	11406	57808
865	00015733515	036251060904	RM06	20	29	13	117	179	24.86	24.86	863	11378	57683
866	00016022604	000016022604	DLP	15	27	74	63	179	24.86	24.86	864	11396	57776
867	00015641297	036251060815	RM05	51	48	29	50	178	24.72	24.72	867	11422	57926
868	00010569290	036251060524	RMH1	8	52	73	44	177	24.58	24.58	869	11442	58036
869	00012887808	036251061125	RM07	22	45	44	66	177	24.58	24.58	868	11429	57995
870	00015409147	036251060226	RM02	36	42	58	41	177	24.58	24.58	870	11445	58042

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
871	00015767413	036251061011	RM07	50	74	54	-1	177	24.58	24.58	871	11448	58049
872	00006931547	000006931547	DLP	15	43	47	71	176	24.44	24.44	872	11460	58112
873	00015748443	036251061316	RM06	49	55	26	46	176	24.44	24.44	873	11470	58149
874	00015685395	036251060857	RM05	23	16	63	73	175	24.31	24.31	874	11481	58215
875	00015181242	036251060089	RM01	14	31	63	66	174	24.17	24.17	875	11515	58352
876	00015907024	036003556642	RMS2	15	42	51	66	174	24.17	24.17	876	11516	58354
877	00015733548	036251060952	RM06	11	44	41	77	173	24.03	24.03	877	11533	58444
878	00015643794	000015643794	DLP	21	0	60	91	172	23.89	23.89	878	11562	58550
879	00013703106	036003564187	RMS2	26	39	68	38	171	23.75	23.75	880	11597	58736
880	00015634389	036251060665	RM05	0	44	57	70	171	23.75	23.75	879	11587	58688
881	00015926240	000015926240	DLP	32	44	68	27	171	23.75	23.75	881	11599	58740
882	00015642073	036251060707	RM04	18	49	55	47	169	23.47	23.47	882	11646	58989
883	00015497030	036251060386	RM03	9	7	67	85	168	23.33	23.33	883	11655	59044
884	00015567322	036251060522	RMH1	39	25	38	66	168	23.33	23.33	885	11662	59073
885	00015855019	036251061269	RM07	10	33	55	70	168	23.33	23.33	884	11660	59068
886	00015542358	036251060701	RM04	9	61	46	51	167	23.19	23.19	887	11691	59213
887	00018069064	000018069064	DLP	20	60	34	53	167	23.19	23.19	886	11690	59211
888	00012635139	036251061138	RM07	0	63	48	55	166	23.06	23.06	890	11717	59312
889	00015810067	036003526433	RMH1	5	63	50	48	166	23.06	23.06	891	11719	59323
890	00015815249	036251061191	RMH1	21	40	40	65	166	23.06	23.06	888	11712	59298
891	00015868074	036003550504	RMH1	13	25	71	57	166	23.06	23.06	889	11716	59307
892	00015563840	036251060527	RM04	20	33	55	57	165	22.92	22.92	893	11744	59432
893	00015902408	036003554812	RMH1	0	44	45	76	165	22.92	22.92	892	11729	59386
894	00006872564	000006872564	DLP	0	40	68	56	164	22.78	22.78	896	11770	59569
895	00007260871	036003560816	RM08	21	7	49	87	164	22.78	22.78	894	11759	59497
896	00015696191	036251060830	RMH1	-5	56	36	77	164	22.78	22.78	895	11764	59519
897	00015703013	036251060847	RM06	15	28	14	106	163	22.64	22.64	897	11782	59612
898	00003542012	036251061061	RMS1	21	20	71	50	162	22.5	22.5	898	11827	59798
899	00015957706	000015957706	DLP	41	58	20	43	162	22.5	22.5	899	11829	59808
900	00015798171	036251061158	RMH1	17	41	29	74	161	22.36	22.36	901	11845	59855

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
901	00015917526	000015917526	DLP	18	0	65	78	161	22.36	22.36	900	11839	59847
902	00013064250	036251060333	RMS1	20	20	75	45	160	22.22	22.22	902	11883	60033
903	00015513298	036251061265	RM07	8	20	92	40	160	22.22	22.22	903	11887	60039
904	00015531589	036251060451	RMH1	24	38	29	68	159	22.08	22.08	904	11906	60107
905	00015684725	036251060777	RM05	33	29	49	48	159	22.08	22.08	905	11911	60151
906	00015412413	036251060369	RM02	-2	14	81	62	155	21.53	21.53	906	12000	60598
907	00015642056	036251060784	RMH1	36	70	28	20	154	21.39	21.39	907	12031	60747
908	00010299943	036251060580	RMS1	2	50	44	57	153	21.25	21.25	909	12054	60819
909	00014611271	036251050046	RMH1	45	13	41	54	153	21.25	21.25	910	12056	60826
910	00015731658	036251060950	RM06	0	58	43	52	153	21.25	21.25	911	12059	60835
911	00015895629	036003552431	RM08	63	0	31	59	153	21.25	21.25	908	12052	60812
912	00015621296	036251060733	RM04	22	29	35	66	152	21.11	21.11	912	12071	60901
913	00015633241	036251060804	RM05	21	25	49	57	152	21.11	21.11	914	12076	60931
914	00016595889	000016595889	DLP	8	47	35	62	152	21.11	21.11	913	12072	60912
915	00015816757	036251061189	RM07	-2	45	41	67	151	20.97	20.97	915	12093	61015
916	00015703532	036251060824	RM05	26	64	12	48	150	20.83	20.83	916	12123	61166
917	00015761905	036251061047	RM06	43	44	20	43	150	20.83	20.83	917	12125	61172
918	00015956610	000015956610	DLP	8	3	75	63	149	20.69	20.69	918	12143	61263
919	00016314979	000016314979	DLP	35	23	38	53	149	20.69	20.69	920	12154	61292
920	00018028877	000018028877	DLP	32	30	31	56	149	20.69	20.69	919	12150	61284
921	00014595812	036251060146	RM01	21	44	41	41	147	20.42	20.42	921	12206	61529
922	00015172536	036251060066	RM01	19	39	34	54	146	20.28	20.28	923	12234	61628
923	00015395027	036251060193	RM02	2	22	67	55	146	20.28	20.28	922	12230	61622
924	00015870147	036251061321	SNKLP1	0	21	50	74	145	20.14	20.14	924	12254	61693
925	00018055244	000018055244	DLP	0	38	33	74	145	20.14	20.14	925	12255	61694
926	00015741340	036251060975	RMH1	13	30	40	61	144	20	20	926	12279	61833
927	00016237732	036003585949	RM09	67	6	22	49	144	20	20	927	12284	61857
928	00015650523	036251060751	RM05	10	28	31	74	143	19.86	19.86	928	12301	61924
929	00015440527	036251060285	RM03	21	0	8	113	142	19.72	19.72	929	12320	62008
930	00015672136	036251060838	RMH1	42	53	27	20	142	19.72	19.72	930	12340	62120

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
931	00015302913	036251060124	RM02	22	0	51	67	140	19.44	19.44	931	12380	62256
932	00015766433	036251061024	RMH1	4	26	45	65	140	19.44	19.44	932	12381	62263
933	00016025918	000016025918	DLP	18	15	62	44	139	19.31	19.31	933	12415	62416
934	00013165481	036251060278	RMS1	2	29	45	61	137	19.03	19.03	934	12452	62591
935	00005647709	036251060093	RM01	0	0	50	86	136	18.89	18.89	935	12466	62647
936	00015439492	036251060284	RM03	27	10	67	32	136	18.89	18.89	937	12483	62731
937	00017703592	000017703592	DLP	23	26	21	66	136	18.89	18.89	936	12469	62662
938	00013120250	036251060362	RMH1	20	-1	69	47	135	18.75	18.75	939	12511	62826
939	00014959906	036251060013	RM01	18	21	50	46	135	18.75	18.75	940	12513	62831
940	00015765573	036251061065	RM07	31	23	9	72	135	18.75	18.75	938	12494	62767
941	00012955660	036251060370	RM03	21	28	36	49	134	18.61	18.61	942	12537	62937
942	00015806559	036251061327	RM07	0	24	61	49	134	18.61	18.61	941	12536	62935
943	00015517530	036251060474	RM03	0	0	70	62	132	18.33	18.33	943	12578	63115
944	00015946832	000015946832	DLP	17	52	31	32	132	18.33	18.33	944	12588	63167
945	00015255196	036251060111	RM01	17	15	16	83	131	18.19	18.19	945	12597	63192
946	00015367920	036251060141	RM02	3	33	29	66	131	18.19	18.19	946	12604	63223
947	00015731058	036251060891	RM06	27	16	55	31	129	17.92	17.92	947	12660	63517
948	00015686277	036251060787	RM05	22	24	27	55	128	17.78	17.78	948	12677	63579
949	00014588429	000014588429	DLP	27	37	10	52	126	17.5	17.5	949	12721	63790
950	00015084856	036251060575	RM04	43	26	17	39	125	17.36	17.36	952	12754	63912
951	00015475888	036251060350	RM03	13	15	56	41	125	17.36	17.36	951	12753	63908
952	00015632732	036251060659	RMH1	17	42	38	28	125	17.36	17.36	954	12761	63934
953	00016341537	000016341537	DLP	-3	0	55	73	125	17.36	17.36	950	12741	63857
954	00016643757	000016643757	DLP	30	30	30	35	125	17.36	17.36	953	12757	63920
955	00015422141	036251060248	RM02	3	10	42	69	124	17.22	17.22	955	12767	63970
956	00015800043	036251061122	RM07	0	15	47	61	123	17.08	17.08	956	12797	64068
957	00014920055	036251060126	RM01	9	14	49	50	122	16.94	16.94	957	12827	64196
958	00015455823	036251060308	RM03	12	17	46	47	122	16.94	16.94	958	12832	64208
959	00015197956	036251060074	RM01	13	36	37	35	121	16.81	16.81	960	12854	64337
960	00015870668	036251061324	RM08	9	18	54	40	121	16.81	16.81	959	12850	64325

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
961	00006381063	036251060372	RMS1	30	29	29	32	120	16.67	16.67	963	12885	64455
962	00015303292	036251060130	RM02	33	19	28	40	120	16.67	16.67	962	12880	64438
963	00015713004	036251060850	RM05	-2	7	53	62	120	16.67	16.67	961	12867	64384
964	00012710394	036251060099	RM01	0	31	54	33	118	16.39	16.39	966	12933	64638
965	00014998124	036003269125	RMH1	-2	27	32	61	118	16.39	16.39	965	12924	64593
966	00015132872	036251060392	RM03	11	9	33	65	118	16.39	16.39	964	12922	64588
967	00015828645	036003530962	RMH1	43	8	8	58	117	16.25	16.25	967	12947	64686
968	00015845393	036251061252	RMH1	11	43	25	38	117	16.25	16.25	968	12952	64719
969	00015124421	036251060048	RM01	6	14	43	53	116	16.11	16.11	970	12972	64789
970	00015870578	036251061322	RM08	0	15	46	55	116	16.11	16.11	969	12971	64786
971	00015787611	036251061195	RM07	24	37	24	30	115	15.97	15.97	973	13002	64940
972	00015846232	036003537190	RMH1	15	35	27	38	115	15.97	15.97	972	12997	64922
973	00018027942	000018027942	DLP	0	0	33	82	115	15.97	15.97	971	12987	64855
974	00013813131	036003585173	RM08	19	21	27	47	114	15.83	15.83	974	13014	65002
975	00015819666	036003530607	RM07	31	23	45	14	113	15.69	15.69	975	13049	65147
976	00015734687	036251060958	RM06	27	29	12	44	112	15.56	15.56	976	13069	65204
977	00015850279	036003538318	RM06	10	31	30	40	111	15.42	15.42	977	13090	65306
978	00016207602	000016207602	DLP	20	29	39	22	110	15.28	15.28	978	13126	65431
979	00015478362	036251060355	RM03	21	24	22	42	109	15.14	15.14	979	13146	65499
980	00018019063	000018019063	DLP	0	56	37	16	109	15.14	15.14	980	13156	65536
981	00015145175	036251060050	RM01	12	20	54	22	108	15	15	984	13174	65614
982	00015346661	036251060138	RM02	8	31	26	43	108	15	15	981	13167	65583
983	00017780952	000017780952	DLP	0	40	29	39	108	15	15	982	13170	65592
984	00018066182	000018066182	DLP	12	34	26	36	108	15	15	983	13171	65596
985	00014879538	036251060091	RMH1	38	21	23	25	107	14.86	14.86	985	13196	65694
986	00015716866	036251061185	RM05	28	52	9	18	107	14.86	14.86	986	13198	65708
987	00015810050	036251061202	RMH1	8	12	20	65	105	14.58	14.58	987	13226	65826
988	00015841273	036251061246	RM07	15	32	49	9	105	14.58	14.58	988	13240	65906
989	00015697984	036251060807	RMH1	47	11	16	30	104	14.44	14.44	989	13256	65969
990	00015898638	036003553376	RM08	25	26	52	1	104	14.44	14.44	990	13259	65983

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
991	00017916052	000017916052	DLP	-8	27	-2	86	103	14.31	14.31	991	13260	65984
992	00015731711	036251061075	RM07	1	50	12	39	102	14.17	14.17	993	13284	66104
993	00018058983	000018058983	DLP	10	7	29	56	102	14.17	14.17	992	13278	66076
994	00015713566	036251060855	RM06	7	75	12	6	100	13.89	13.89	995	13336	66318
995	00016386093	000016386093	DLP	6	20	33	41	100	13.89	13.89	994	13319	66263
996	00014948997	036251060020	RMH1	0	24	34	41	99	13.75	13.75	997	13352	66365
997	00015389843	036251060315	RM03	17	-2	58	26	99	13.75	13.75	998	13362	66395
998	00015787993	036251061104	RMH1	12	37	38	12	99	13.75	13.75	999	13365	66414
999	00016667226	000016667226	DLP	9	9	28	53	99	13.75	13.75	996	13342	66344
1000	00015805829	036251061151	RM07	22	43	15	18	98	13.61	13.61	1001	13386	66484
1001	00018043916	000018043916	DLP	18	19	41	20	98	13.61	13.61	1000	13384	66482
1002	00010396803	036251061182	RMS2	0	0	26	71	97	13.47	13.47	1002	13390	66497
1003	00015164882	036251060058	RM01	16	22	22	37	97	13.47	13.47	1003	13400	66543
1004	00015435343	000015435343	DLP	20	16	30	31	97	13.47	13.47	1004	13402	66550
1005	00015870659	036251061323	RM08	25	28	44	0	97	13.47	13.47	1005	13406	66578
1006	00014244310	036251060748	RM05	14	13	23	46	96	13.33	13.33	1006	13416	66614
1007	00015810490	036251061217	RMH1	14	48	8	25	95	13.19	13.19	1007	13455	66760
1008	00005338325	036251060100	RM01	17	17	33	27	94	13.06	13.06	1008	13479	66842
1009	00016009236	036003578496	RM09	26	47	4	17	94	13.06	13.06	1009	13483	66857
1010	00011014044	036251061032	RMS2	0	17	33	43	93	12.92	12.92	1010	13493	66898
1011	00015127998	036251060037	RMH1	34	23	25	10	92	12.78	12.78	1012	13520	67021
1012	00015421782	036251060246	RM02	-1	8	75	10	92	12.78	12.78	1011	13519	67019
1013	00015739633	036251061005	RMH1	15	32	12	32	91	12.64	12.64	1013	13539	67090
1014	00010191763	069003549625	#N/A	0	1	61	27	89	12.36	12.36	1014	6548	67311
1015	00015145132	036251060076	RM01	4	41	19	24	88	12.22	12.22	1015	13621	67403
1016	00007280904	036251061206	RMS2	0	0	33	54	87	12.08	12.08	1016	13628	67427
1017	00015434745	036251060368	RM03	0	-1	39	49	87	12.08	12.08	1017	13629	67434
1018	00015788421	036251061115	RM07	13	10	35	29	87	12.08	12.08	1018	13644	67472
1019	00015537730	036251060472	RMH1	23	18	15	29	85	11.81	11.81	1019	13689	67632
1020	00015845737	036003537004	RM07	12	22	39	11	84	11.67	11.67	1020	13715	67735

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
1021	00015794577	036251061176	RM07	-5	55	10	22	82	11.39	11.39	1021	13757	67886
1022	00015794585	036003558520	RMH1	-3	1	41	42	81	11.25	11.25	1022	13768	67920
1023	00015665362	036003484408	RM06	45	0	15	20	80	11.11	11.11	1024	13798	68040
1024	00015919049	036003560931	RM08	15	5	20	40	80	11.11	11.11	1023	13794	68007
1025	00015902651	036003555260	RMH1	15	17	25	20	77	10.69	10.69	1025	13856	68260
1026	00017937235	000017937235	DLP	-1	18	15	42	74	10.28	10.28	1026	13903	68456
1027	00016386346	000016386346	DLP	17	13	17	26	73	10.14	10.14	1027	13929	68545
1028	00015542363	036251060479	RM03	17	17	10	28	72	10	10	1029	13949	68614
1029	00015727734	036251060888	RMH1	1	12	11	48	72	10	10	1028	13940	68587
1030	00015761131	036251061029	RM06	0	39	6	27	72	10	10	1030	13952	68622
1031	00006740963	036251060014	RM02	0	0	0	71	71	9.86	9.86	1031	13960	68659
1032	00013230884	036251061136	RMH1	-4	48	30	-4	70	9.72	9.72	1032	13999	68824
1033	00015761663	036251060987	RMH1	5	8	26	30	69	9.58	9.58	1033	14009	68851
1034	00018048517	000018048517	DLP	55	2	9	3	69	9.58	9.58	1034	14015	68893
1035	00015206675	036251060095	RM01	0	25	20	22	67	9.31	9.31	1035	14042	69001
1036	00015452689	036251060299	RMH1	11	24	12	20	67	9.31	9.31	1036	14044	69004
1037	00015732226	036251060910	RM06	14	30	5	15	64	8.89	8.89	1037	14099	69236
1038	00015595316	036251060577	RM04	5	42	8	8	63	8.75	8.75	1039	14124	69305
1039	00017779629	000017779629	DLP	10	3	3	47	63	8.75	8.75	1038	14106	69253
1040	00015910516	036003558100	RM08	5	6	12	39	62	8.61	8.61	1040	14128	69321
1041	00015655082	036251060731	RMH1	21	20	5	15	61	8.47	8.47	1041	14155	69435
1042	00013485033	036251061121	RMH1	-11	49	20	2	60	8.33	8.33	1042	14179	69519
1043	00010695188	036003547570	RMS1	20	25	8	6	59	8.19	8.19	1044	14200	69586
1044	00015136794	036003585155	RMH1	8	8	30	13	59	8.19	8.19	1043	14197	69570
1045	00015930212	036003563794	RMH1	10	9	10	28	57	7.92	7.92	1045	14238	69676
1046	00015779930	036003554245	RMH1	0	19	30	7	56	7.78	7.78	1046	14270	69757
1047	00011711123	036003558830	RM08	0	10	6	39	55	7.64	7.64	1047	14273	69768
1048	00015702919	036251060872	RMH1	15	2	13	21	51	7.08	7.08	1048	14334	70000
1049	00015727644	036251060893	RMH1	5	22	8	15	50	6.94	6.94	1049	14357	70065
1050	00016658557	036003592675	RMH1	-14	43	19	1	49	6.81	6.81	1050	14371	70125

AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

ALL INDIA AAKASH TEST SERIES for NEET - 2025-26

Test - 2 (XII Passed)

Dated : 30-11-2025

MM : 720

Centre Name-Code : CC-036 - Kanpur-Kakadeo Branch

Highest Marks : 720

SNO.	PSID	ROLL NO.	Section	PHY	CHEM	BOT	ZOOL	TOTAL	%AGE	Percentile	Center Rank	State Rank	AIR
1051	00015546909	036251060484	RM04	-22	33	22	15	48	6.67	6.67	1051	14382	70158
1052	00015532246	036251060455	RM03	0	0	43	3	46	6.39	6.39	1052	14425	70262
1053	00009570171	036251060288	RM03	5	12	-4	32	45	6.25	6.25	1053	14430	70277
1054	00015079180	036251060128	RMH1	16	3	15	9	43	5.97	5.97	1054	14461	70379
1055	00015848625	000015848625	DLP	-9	0	49	2	42	5.83	5.83	1055	14476	70428
1056	00007917163	036251060594	RM05	0	5	13	18	36	5	5	1056	14553	70682
1057	00015655737	036251060822	RM05	-1	2	30	5	36	5	5	1057	14563	70704
1058	00015865802	036003543081	RMH1	0	8	11	16	35	4.86	4.86	1058	14570	70730
1059	00016743497	036003593664	RMH1	20	35	-5	-15	35	4.86	4.86	1059	14577	70755
1060	00015389110	036251060259	RM02	-2	9	31	-7	31	4.31	4.31	1062	14608	70885
1061	00015854993	036003539868	RM08	7	-8	32	0	31	4.31	4.31	1061	14606	70878
1062	00015940905	036003566085	RMH1	0	12	3	16	31	4.31	4.31	1060	14601	70862
1063	00018034713	000018034713	DLP	0	16	-1	13	28	3.89	3.89	1063	14642	70973
1064	00015706696	036251060956	RM06	0	5	0	20	25	3.47	3.47	1064	14671	71044
1065	00015981466	036003574057	RM08	20	4	3	-3	24	3.33	3.33	1066	14694	71104
1066	00017784179	036003606864	RM09	2	35	-12	-1	24	3.33	3.33	1065	14692	71102
1067	00015113867	069251061117	RM09	0	0	16	5	21	2.92	2.92	1067	6905	71152
1068	00007353122	036251061381	RMS2	10	-11	12	3	14	1.94	1.94	1068	14761	71298
1069	00015004273	036251060021	RMH1	8	-2	12	-4	14	1.94	1.94	1069	14763	71303
1070	00015864464	036251061288	RM08	-2	-5	2	6	1	0.14	0.14	1070	14803	71437
1071	00015707957	036251060844	RM06	-45	-35	15	0	-65	-9.03	-9.03	1071	14843	71576