COMPUTER ENGINEERING

QUEZON CITY

COURSE CODE/TITLE:	CPE-007	**SECTION:**	CPE11S4
DATE PERFORMED:	7/29/2026	**DATE SUBMITTED:**	7/29/2026
NAME:	Mangana, Prince Adrian M.	**INSTRUCTOR:**	Robin Valenzuela

ACTIVITY NO. ___ [ACTIVITY NAME]

1. PROCEDURE OUTPUT

kanya > while.cpp > main()

```cpp
#include <iostream>
using namespace std;

int main (){
    int num;

    cout << "Enter your Score: ";
    cin >> num;

    if (num >= 75){
      cout << "You Passed!";
    } else
    cout <<"You Failed";


return 0;


}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\TIPQC\Desktop\CPE11S4-Mangana> cd "c:\Users\TIPQC\Desktop\CPE11S4-Mangana\kanya\" ; if ($?) { g++ while.cpp -o while } ; if ($?) { .\while }
Enter your Score: 75
You Passed!
PS C:\Users\TIPQC\Desktop\CPE11S4-Mangana\kanya> cd "c:\Users\TIPQC\Desktop\CPE11S4-Mangana\kanya\" ; if ($?) { g++ while.cpp -o while } ; if ($?) { .\while }
Enter your Score: 74
You Failed
PS C:\Users\TIPQC\Desktop\CPE11S4-Mangana\kanya>
```

2. ANSWERS TO SUPPLEMENTAL ACTIVITY

1. Using conditional statements (if-else statements), write a program that asks a user for a number and prints
out if it is an even or an odd number.



2. Using conditional statements, write a program that computes the fare discount based on the passenger's
age. Passengers aged 60 and above are considered senior citizens and are entitled to a 10% fare
discount. Passengers aged 18 to 25 are considered students and are entitled to an 8% fare discount. All
other passengers will receive no discount. Prompt the user to enter their age. Assume that the minimum
fare is ₱9.00. Display the original fare, the discount amount, and the final fare after the discount.

ifelse.cpp

```cpp
#include <iostream>
using namespace std;

int main (){
    int age;
    float fare, discount, finalFare;
    cout << "Enter your Age: ";
    cin >> age;
    cout << "Enter Fare: ";
    cin >> fare;
    if (age >= 60){
        discount = fare * 0.1;
        finalFare = fare - discount;

     cout << "Orginal Fare: P " << fare << endl;
     cout << "Discount amount: P " << discount << endl;
     cout << "Final Fare: P " << finalFare << endl;
    }

    else if (age >=18 && age <= 25){
        discount = fare*0.08;
        finalFare = fare - discount;
        cout << "Orginal fare: P " << fare << endl;
        cout << "Discount amount: P " << discount << endl;
        cout << "Final Fare: P " << finalFare << endl;
    }

    else {
        discount = 0;
        finalFare = fare - discount;
        cout << "Discount amount: P " << discount << endl;
        cout << "Orginal fare: P " << fare << endl;
        cout << "Final Fare: P " << finalFare << endl;
    }
return 0;
 }
```

OUTPUT

```
PROBLEMS  OUTPUT  PORTS  TERMINAL

TERMINAL

PS C:\Users\admin pc\OneDrive\Documents\1
se.exe"
Enter your Age: 65
Enter Fare: 9
Orginal Fare: P 9
Discount amount: P 0.9
Final Fare: P 8.1
PS C:\Users\admin pc\OneDrive\Documents\1
se.exe"
Enter your Age: 24
Enter Fare: 9
Orginal fare: P 9
Discount amount: P 0.72
Final Fare: P 8.28
PS C:\Users\admin pc\OneDrive\Documents\1
se.exe"
Enter your Age: 15
Enter Fare: 9
Discount amount: P 0
Orginal fare: P 9
Final Fare: P 9
PS C:\Users\admin pc\OneDrive\Documents\1
```

3. Case Study: Sentinel Controlled Repetition. Given the following pseudocode, create a program
that will implement a sentinel controlled repetition. For example, you can use (-1) as the sentinel
value. You can use Problem 1 as your reference.

Pseudocode:

Initialize total to zero
Initialize counter to zero
Input the first grade
While the user has not as yet entered the sentinel
Add this grade into the running total
Add one to the grade counter
Input the next grade (possibly the sentinel)
If the counter is not equal to zero

grades.cpp > main()

```cpp
#include <iostream>
using namespace std;

int main() {
    float grade, total = 0, average;
    int counter = 0;

    cout << "Enter grade (-1 to stop): ";
    cin >> grade;


    while (grade != -1) {
        total = total + grade;
        counter++;

        cout << "Enter grade (-1 to stop): ";
        cin >> grade;
    }
    if (counter != 0) {
        average = total / counter;

        cout << "Average: " << average << endl;
    }
    else {
        cout << "No grades were entered." << endl;
    }

    return 0;
}
```

OUTPUT



3. ARTIFICIAL INTELLIGENCE (AI) USE DISCLOSURE STATEMENT

I hereby declare that artificial intelligence (AI) tools were used, if applicable, in the preparation of this academic work. The following indicates the nature and extent of AI assistance:

Tools Used: _____

Examples: ChatGPT, Microsoft Copilot, Grammarly, QuillBot, etc.

Purpose of Use: _____

Examples: grammar correction, idea generation, formatting, summarization, code assistance, explanation of concepts, etc.

Extent of Use: _____

Explain how AI was used and confirm that it did not replace original thinking, analysis, authorship, or completion of the required work.

By submitting this activity, I affirm that my use of AI complies with T.I.P.'s AI usage policy and does not exceed the permitted limits for similarity, automated content generation, or academic assistance.

I understand that any false, incomplete, or misleading disclosure may be subject to investigation in accordance with due process and may result in sanctions for violation of existing T.I.P. policies.

Lab activities, templates, and related instructional materials shall not be reuploaded, reproduced, distributed, or shared with external organizations or third parties without the prior express written permission of the Technological Institute of the Philippines.