Test Run Report

Test Run Overview

Started	14 Dec 2022, 19:38:59
Ended	14 Dec 2022, 19:40:20
Duration (mm:ss)	01:21.009

Test Results Summary

Passed	1
Failed	0
Skipped	0

1 Passed (100%)
0 Failed (0%)
0 Skipped (0%)

● Passed ● Failed ○ Skipped

Test Case Summary

📁 tests	successful
Lesson6CreateAPICaseTest.testcase	successful

Lesson6CreateAPICaseTest.testcase

Summary

Started	14 Dec 2022, 19:38:59
Ended	14 Dec 2022, 19:40:15
Duration (mm:ss)	01:16.009
Outcome	● successful

Output

● Salesforce Connect: Admin3 (Test)   ⓘ 19:38:59(00:00.020)

   ⓘ Connecting to Salesforce as Admin3

   ✷ Connection details. Connection name: Admin3, result name: Admin3, result scope: Test, urlString:
sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName:
mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]

   ✷ Create object id log file.

   ✷ Opening Partner connection

   ✷ Opening SOAP connection

   ✷ Opening Metadata connection

   ⓘ Successfully connected to Salesforce as Admin3

● Create Object: Account=>AccountId   ⓘ 19:39:04(00:05.618)

   ⓘ Creating a new Salesforce object. Connection Name: Admin3, Name: Account, field count: 5

   ⓘ Setting fields:

   ⓘ =Field=> ProvarQS__Approved__c = true

   ⓘ =Field=> ProvarQS__SLASerialNumber__c = BH3234299K

   ⓘ =Field=> ProvarQS__SLA__c = Gold

   ⓘ =Field=> ProvarQS__SLAExpirationDate__c = <null>

   ⓘ =Field=> Name = Barton Media

   ▤ Account created successfully. Object Id: 0010Q00001dQif7QAC, Result Name: AccountId

   ⓘ Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dQif7QAC

● Create Object: Account=>AccountId   ⓘ 19:39:07(00:07.827)

   ⓘ Creating a new Salesforce object. Connection Name: Admin3, Name: Account, field count: 5

   ⓘ Setting fields:

   ⓘ =Field=> ProvarQS__Approved__c = true

   ⓘ =Field=> ProvarQS__SLASerialNumber__c = LBNQASFMN4

   ⓘ =Field=> ProvarQS__SLA__c = Platinum

   ⓘ =Field=> ProvarQS__SLAExpirationDate__c = 2023-02-12

   ⓘ =Field=> Name = Shubham Dudhade

   ▤ Account created successfully. Object Id: 0010Q00001dQifCQAS, Result Name: AccountId

   ⓘ Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dQifCQAS

● On SF Account View screen   ⓘ 19:39:08(00:08.987)

   ⓘ Start of With Screen. Connection Name: Admin3, target: sf:ui:target?object=Account&action=View&noOverride=true

   ⓘ Opening Chrome webdriver instance to https://test.salesforce.com/

   ✷ Add Chrome browser specific capabilities

   ⓘ Successfully opened Chrome webdriver to https://test.salesforce.com/

   ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Opening Salesforce page. Object: Account, RelatedList: null, Action: View, Page URL: /lightning/r/0010Q00001dQifCQAS/view, Current URL: chrome://new-tab-page/

ⓘ Opening Salesforce user home page

✴ Navigate to home page

✴ Perform page load wait

✴ Perform page load wait

ⓘ Successfully opened user home page

ⓘ Activating detailTab tab

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

ⓘ Going to update browser window handles.

✴ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Click the Edit button   ⓘ 19:39:41(00:42.282)

ⓘ Start of Interact. Connection: Admin3, Locator: ui:locator?name=Edit&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DEdit, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Edit&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DEdit

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQifCQAS/view

ⓘ Interaction: ui:interaction?name=action

ⓘ Activating detailTab tab

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

ⓘ Click element using xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]//*[(self::header and (contains(@role, 'banner') or contains(@class, 'forceHighlightsPanel'))) or (self::force-highlights2) or (self::records-highlights2)]//li[contains(@class, 'slds-dropdown-trigger') and contains(@class, 'slds-button_last')]

ⓘ Hover>Clicking WebElement. WebElement [tag: li, text: 0, text: Show more actions]

ⓘ Find action link element using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]//div[contains(@class, 'actionsContainer')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//*[self::a or self::button][@name='Edit' or text() = 'Edit']

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver$$EnhancerByCGLIB$$dace278c: chrome on XP (9cfc31ebd81681f9bf0de48634d30c0a)] -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]//div[contains(@class, 'actionsContainer')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, ' visible')])//*[self::a or self::button][@name='Edit' or text() = 'Edit']]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Edit, href: javascript:void(0)]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✴ Update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQifCQAS/edit?count=1&backgroundContext=%2Flightning%2Fr%2FAccount%2F0010Q00001dQifCQAS%2Fview

ⓘ Going to update browser window handles.

✻ Update browser window handles.

ⓘ Successfully updated browser window handles.

● On SF Account Edit screen   🕐 19:39:55(00:55.864)

ⓘ Start of With Screen. Connection Name: Admin3, target: sf:ui:target?object=Account&action=Edit&noOverride=true

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Hover>Clicking WebElement. WebElement [tag: h2, text: Edit Shubham Dudhade]

ⓘ Going to update browser window handles.

✻ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Set the Active picklist to Yes   🕐 19:40:01(01:02.539)

ⓘ Start of Interact. Connection: Admin3, Locator: ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Active__c, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Active__c

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQifCQAS/edit?count=1&backgroundContext=%2Flightning%2Fr%2FAccount%2F0010Q00001dQifCQAS%2Fview

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Active'] or .//text() = 'Active')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@21af4ba7 -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]

ⓘ Got webElement. tagName: BUTTON, id: combobox-button-403, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value

ⓘ Typing value. tagName: BUTTON, type: button, value: Yes, blur: false

ⓘ Clicking WebElement. WebElement [tag: button, text: --None--]

ⓘ Clicking WebElement. WebElement [tag: div, text: --None-- --None-- No Yes]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✻ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Click the Save button   🕐 19:40:06(01:07.207)

ⓘ Start of Interact. Connection: Admin3, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQifCQAS/edit?count=1&backgroundContext=%2Flightning%2Fr%2FAccount%2F0010Q00001dQifCQAS%2Fview

ⓘ Interaction: ui:interaction?name=action

ⓘ Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver$$EnhancerByCGLIB$$dace278c: chrome on XP (9cfc31ebd81681f9bf0de48634d30c0a)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✻ Update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQifCQAS/view

ⓘ Going to update browser window handles.

✻ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Read Object: Account = 0010Q00001dOzkKQAS   ⓘ 19:40:11(01:12.477)

ⓘ Reading a Salesforce object. Connection Name: Admin3, Name: Account, Id: 0010Q00001dOzkKQAS, field count: 1

✻ Executing SOQL query: select AccountNumber from Account where id = '0010Q00001dOzkKQAS'

ⓘ Object read successfully. Result Name: AccountRead

☑ Result assertion 'Check AccountNumber' successful: <null> is empty

● Read Object: Account = 0010Q00001dQifCQAS   ⓘ 19:40:13(01:14.430)

ⓘ Reading a Salesforce object. Connection Name: Admin3, Name: Account, Id: 0010Q00001dQifCQAS, field count: 1

✻ Executing SOQL query: select ProvarQS__Active__c from Account where id = '0010Q00001dQifCQAS'

ⓘ Object read successfully. Result Name: AccountRead

☑ Result assertion 'Check ProvarQS__Active__c' successful: 'Yes' = 'Yes'

ⓘ Handling managed resource. Name: Admin3

✻ Closing Salesforce Connection because it is no longer being used. Name: Admin3

✻ Closing web connection.

✻ Closing Selenium driver

✻ Shutting down Soap Connections. logFilePath: Admin3-objectids.log

✻ Deleting object. Object: Account, Id: 0010Q00001dQif7QAC

✻ Deleting object. Object: Account, Id: 0010Q00001dQifCQAS

✻ Object deleted successfully. Id: 0010Q00001dQifCQAS

✻ Object deleted successfully. Id: 0010Q00001dQif7QAC

ⓘ Salesforce Connection handled successfully. Name: Admin3