

Test Run Report




Test Run Overview

Started 11 Dec 2022, 00:47:44
Ended 11 Dec 2022, 00:49:28
Duration (mm:ss) 01:43.754

Test Results Summary

Passed 0
Failed 1
Skipped 0



Test Case Summary

tests
CreateFakeCase.testcase

Assertion Failed.null EqualTo Potential Liability information is required when Priority is set to 'High'.

One or more Sub-Test Steps failed.

failed
failed

CreateFakeCase.testcase

Summary

Started 11 Dec 2022, 00:47:44
Ended 11 Dec 2022, 00:49:08
Duration (mm:ss) 01:23.562
Outcome ● failed

Output

- **Salesforce Connect: Admin2 (Test)** ⌚ 00:47:44(00:00.017)
 - ① Connecting to Salesforce as Admin2
 - ⚙ Connection details. Connection name: Admin2, result name: Admin2, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
 - ⚙ Create object id log file.
 - ⚙ Opening Partner connection
 - ⚙ Opening SOAP connection
 - ⚙ Opening Metadata connection
 - ① Successfully connected to Salesforce as Admin2
- **On WebToCaseV3 page** ⌚ 00:47:51(00:07.044)
 - ① Start of With Screen. Connection Name: Admin2, target: ui:pageobject:target?pagelId=pageobjects.WebToCaseV3
 - ① Opening Chrome webdriver instance to https://test.salesforce.com/
 - ⚙ Add Chrome browser specific capabilities
 - ① Successfully opened Chrome webdriver to https://test.salesforce.com/
 - ① Opening Page context. Name: screen, data: null, frame: null
 - ① Opening Home Page
 - ① Opening Salesforce user home page
 - ⚙ Navigate to home page
 - ⚙ Perform page load wait
 - ① Successfully opened user home page
 - ① Going to update browser window handles.
 - ⚙ Update browser window handles.
 - ① Successfully updated browser window handles.
- **Click the Cases** ⌚ 00:48:13(00:29.076)
 - ① Start of Interact. Connection: Admin2, Locator: ui:pageobject:field?field=cases&pagelId=pageobjects.WebToCaseV3, before wait: default, after wait: default, auto retry: default
 - ① Locator: ui:pageobject:field?field=cases&pagelId=pageobjects.WebToCaseV3
 - ① Interaction: ui:interaction?name=action
 - ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/page/home
 - ① Interaction: ui:interaction?name=action
 - ① Doing before wait. waitUrl: default
 - ① End of <default> wait.
 - ① Found element: [org.openqa.selenium.remote.RemoteWebElement@fb09e239 -> unknown locator]
 - ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Cases, href: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/home]
 - ① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list?filterName=Recent

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Case Home screen

⌚ 00:48:19(00:34.819)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=ObjectHome

① Opening Page context. Name: screen, data: null, frame: null

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Click the New Case button

⌚ 00:48:20(00:36.304)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=NewCase&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3DNewCase, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=NewCase&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3DNewCase

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list?filterName=Recent

① Interaction: ui:interaction?name=action

① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '1572:0')]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (c6d8ba0b9642a42376d38f72aee46b5a)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '1572:0')]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069990236333749&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Case New screen

⌚ 00:48:25(00:41.215)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=New&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Case]

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

● Lookup the Account Name reference to Mangesh

⌚ 00:48:32(00:47.763)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=AccountId&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DAccountId, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=AccountId&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DAccountId

① Interaction: ui:interaction?name=sfLookup

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069990236333749&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=sfLookup

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]//1/*[(((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Account Name'] or ./text()='Account Name'))/ancestor::div[1]

① Find field using relative xpath: //input

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@6632649d -> unknown locator]] -> xpath: //input]

① Hover>Clicking WebElement. WebElement [tag: input]

① Waiting for lookup dropdown list to appear

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

● Set the Priority picklist to High

⌚ 00:48:40(00:55.934)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Priority&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DPriority, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Priority&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DPriority

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069990236333749&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]//1/*[(((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Priority'] or ./text()='Priority'))/ancestor::div[1]

① Find field using relative xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]


- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@663264a0 -> unknown locator]] -> xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]
- ① Got webElement. tagName: A, id: null, type: null, class: select
- ① Typing value. tagName: A, type: null, value: High, blur: false
- ① Clicking WebElement. WebElement [tag: a, text: Medium, href: javascript:void(0);]
- ① Clicking WebElement. WebElement [tag: a, text: High, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✧ Update browser window handles.
- ① Successfully updated browser window handles.

● Click the Save button ⌚ 00:48:46(01:01.655)


- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3AObject%3Fobject%3DCase%26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3AObject%3Fobject%3DCase%26action%3Dsave
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069990236333749&backgroundContext=%2Fflighting%2Fo%2FCCase%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')]]][last()]/button[contains(@data-aura-rendered-by, '1855:0')]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (c6d8ba0b9642a42376d38f72aee46b5a)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')]]][last()]/button[contains(@data-aura-rendered-by, '1855:0')]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✧ Update browser window handles.
- ① Successfully updated browser window handles.

● UI Assert :Potential Liability information is required when Priority is set to 'High'.

⌚ 00:48:48(01:04.317)



After Screenshot : 2022/12/11 00:48:53



Error Screenshot

① Start of UiAssert. Connection: Admin2

① Resolving field ProvarQS__QSPotentialLiability__c

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069990236333749&backgroundContext=%2Fflightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]/[3]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text) and (./text()[normalize-space()='Potential Liability'] or ./text() = 'Potential Liability'))/ancestor::div[1]`

① Find field using relative xpath: `//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@663264bc -> unknown locator]] -> xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]

① Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]

① Asserting field attributes: ProvarQS__QSPotentialLiability__c

① Asserting Attribute: message to Potential Liability information is required when Priority is set to 'High'.

❌ **Assertion Failed.null EqualTo Potential Liability information is required when Priority is set to 'High'.**

① Reading Attribute: value

① Object read successfully. Result Name: Values

① Sending screenshot. Data length: 47201

① Going to update browser window handles.

🌟 Update browser window handles.

① Successfully updated browser window handles.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

⚠ UI Assert :Engineering Req Number is required when Priority is set to 'High'

⌚ 00:48:57(01:13.243)

⚠ Set the Case Origin picklist to Phone

⌚ 00:48:57(01:13.297)

⚠ Set the Potential Liability picklist to Yes

⌚ 00:48:57(01:13.313)

⚠ Set the Engineering Req Number field to 2342IKL11

⌚ 00:48:57(01:13.315)

● One or more Sub-Test Steps failed.

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069990236333749&backgroundContext=%2Fflightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent

① Injecting script to get created object ID from aura component

⚠ Some toast message(s) are still open and might cause inconsistent issues in execution.

① Fetching created Id from URL

① Reattempting for the createdId

① Reattempting for the createdId

① Reattempting for the createdId

📄 Storing created Salesforce Object ID. Result Name: caseId, created ID: null, location: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069990236333749&backgroundContext=%2Fflightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069990236333749&backgroundContext=%2Fflightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

⚠ On SF Case Edit screen

⌚ 00:49:07(01:23.369)

① Handling managed resource. Name: Admin2

⚙ Closing Salesforce Connection because it is no longer being used. Name: Admin2

⚙ Closing web connection.

⚙ Closing Selenium driver

⚙ Shutting down Soap Connections. logFilePath: Admin2-objectids.log

① Salesforce Connection handled successfully. Name: Admin2