

Test Run Report




Test Run Overview

Started 14 Dec 2022, 15:59:42
Ended <still running>
Duration (mm:ss) ---

Test Results Summary

Passed 1
Failed 0
Skipped 0



Test Case Summary

tests
 CreateListViewLesson5.testcase

● successful
● successful

CreateListViewLesson5.testcase

Summary

Started 14 Dec 2022, 15:59:42
Ended 14 Dec 2022, 16:33:11
Duration (mm:ss) 33:29.353
Outcome ● successful

Output

- **Salesforce Connect: Admin2 (Test)** ⌚ 15:59:42(00:00.018)
 - ❗ Connecting to Salesforce as Admin2
 - ⚙ Connection details. Connection name: Admin2, result name: Admin2, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
 - ⚙ Create object id log file.
 - ⚙ Opening Partner connection
 - ⚙ Opening SOAP connection
 - ⚙ Opening Metadata connection
 - ❗ Successfully connected to Salesforce as Admin2
 - ❗ Opening Chrome webdriver instance to https://test.salesforce.com/
 - ⚙ Add Chrome browser specific capabilities
 - ❗ Successfully opened Chrome webdriver to https://test.salesforce.com/
 - ❗ Opening Salesforce user home page
 - ⚙ Navigate to home page
 - ⚙ Perform page load wait
 - ❗ Successfully opened user home page
 - ❗ Going to update browser window handles.
 - ⚙ Update browser window handles.
 - ⚙ Starting Page Object change watcher. Page Object bin folder: C:\Users\MangeshDhepe\Desktop\Provar File\demo\bin\pageobjects
 - ❗ Successfully updated browser window handles.
 - ❗ Pausing at end of Test Case
 - ❗ Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateListViewLesson5.testcase
- **On SF Case Home screen** ⌚ 16:02:52(03:09.930)
 - ❗ Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=ObjectHome
 - ❗ Opening Page context. Name: screen, data: null, frame: null
 - ❗ Opening Salesforce page. Object: Case, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/500/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list
 - ❗ Opening Salesforce user home page
 - ⚙ Navigator to home page
 - ⚙ Perform page load wait
 - ❗ Successfully opened user home page
 - ❗ Going to update browser window handles.
 - ⚙ Update browser window handles.
 - ❗ Successfully updated browser window handles.
- **With Case rows {CASES_CASE_NUMBER = "00003055"}** ⌚ 16:03:01(03:18.892)
 - ❗ Start of With Row. Connection Name: Admin2, target: sf:ui:locator:row?table=ObjectHome%2Frecent%2FrecentTable

① Find element using xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]/tbody//tr

① Waiting for element to be present. Timeout(seconds): 10

① Populating webelement cells into the row Row Count: 5

① Populated the row elements.

① Applying row locator to rows. Row Count: 5, Row Locator: {CASES_CASE_NUMBER = "00003055"}

① The row locator matched 1 row.

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

● Click the Case field

⌚ 16:03:02(03:19.924)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=CASES_CASE_NUMBER&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DCaseNumber, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=CASES_CASE_NUMBER&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DCaseNumber

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list?filterName=Recent

① Interaction: ui:interaction?name=action

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[[ChromeDriver\$EnhancerByCGLIB\$dace278c: chrome on XP (29d6c4adbde461025be48b2ff1b09b41)]] -> xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]/tbody//tr]] -> xpath: th//span/*[self::a or self::span[not(contains(@class, 'photoContainer') or contains(@class, 'uiImage'))]]]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: 00003055, href: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/5000Q00000lIdkDQAR/view]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateListViewLesson5.testcase

① All Sub-Test Steps were successful.

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

① Pausing at end of Test Case

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateListViewLesson5.testcase

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000lIdkDQAR/view

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

● On SF Case Publisher Action Log a Call screen

⌚ 16:21:11(21:29.175)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=QuickAction&quickAction=LogACall

- ① Opening Page context. Name: screen, data: null, frame: null
- ① Initiating Publisher Action: Log a Call
- ① Activating collaborateTab tab
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Feed, href: javascript:void(0)]
- ① Activating LogACall tab
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Log a Call, href: javascript:void(0);]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button]
- ① Going to update browser window handles.
- 🌟 Update browser window handles.
- ① Successfully updated browser window handles.

● Set the Subject field to CallYZUF

🕒 16:21:26(21:43.680)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Subject&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DTask%26field%3DSubject, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Subject&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DTask%26field%3DSubject
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000lIdkDQAR/view
- ① Interaction: ui:interaction?name=set
- ① Finding field placeholder using xpath: `//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]/div[contains(@class, 'forceActionsContainer') and contains(@class, 'uiTabset')]/section[contains(@class, 'active') and contains(@class, 'uiTab')]/div[contains(@class, 'container') and contains(@class, 'activeState')]/*[contains(@class, 'forceQuickActionLayout') or @class='bottomBar']//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Subject'] or ./text() = 'Subject')]/ancestor::div[1]`
- ① Find field using relative xpath: `./input`
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@d171fc37 -> unknown locator]] -> xpath: ./input]`
- ① Got webElement. tagName: INPUT, id: combobox-input-408, type: text, class: slds-combobox__input slds-input
- ① Typing value. tagName: INPUT, type: text, value: CallYZUF, blur: false
- ① Element not found in the list. Retrying once to check again.
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- 🌟 Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateListViewLesson5.testcase

● Click the Create button

🕒 16:23:31(23:48.885)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=publishersharebutton&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DTask%26action%3Dpublishersharebutton, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=publishersharebutton&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DTask%26action%3Dpublishersharebutton
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000lIdkDQAR/view

① Interaction: ui:interaction?name=action

① Find publishersharebutton using xpath: `//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]//div[contains(@class, 'forceActionsContainer') and contains(@class, 'uiTabset')]/section[contains(@class, 'active') and contains(@class, 'uiTab')]/div[contains(@class, 'container') and contains(@class, 'activeState')]/*[self::div or self::footer][contains(@class, 'bottomBar') or contains(@class, 'slds-modal__footer')]/button[contains(@class, 'publisherShareButton')]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default>g; wait.

① Found element: [[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (29d6c4adbde461025be48b2ff1b09b41)] -> xpath: `//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]//div[contains(@class, 'forceActionsContainer') and contains(@class, 'uiTabset')]/section[contains(@class, 'active') and contains(@class, 'uiTab')]/div[contains(@class, 'container') and contains(@class, 'activeState')]/*[self::div or self::footer][contains(@class, 'bottomBar') or contains(@class, 'slds-modal__footer')]/button[contains(@class, 'publisherShareButton')]`

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default>g; wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateListViewLesson5.testcase

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000lIdkDQAR/view>

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Case View screen

⌚ 16:32:11(32:28.769)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=View&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Activating detailTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● With ActivityHistories rows {TASK_SUBJECT = CallYUZUF}

⌚ 16:32:14(32:31.691)

① Start of With Row. Connection Name: Admin2, target: sf:ui:locator:row?table=View%2FActivityHistories%2FActivityHistoriesTable

① Activating relatedListsTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Related, href: javascript:void(0)]

① Scrolling related list into view: `(/*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))] | /*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class,`

'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))] /ancestor::div[contains(@class, 'oneRecordHomeFlexipage')]]/*[self::list-related-list-single-container or self::div[contains(@class, 'forceRelatedListContainer') or contains(@class, 'forceRelatedListSingleContainer') and not(ancestor::list-related-list-single-container)]]/*[self::article and contains(@class, 'slds-card')] or (self::div and contains(@class, 'forceRelatedListPreviewAdvancedGrid'))] contains(@data-aura-rendered-by, '1672:0')]

① Find element using xpath: (/*[contains(@class, 'active') and (self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))] | /*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]] /ancestor::div[contains(@class, 'oneRecordHomeFlexipage')]]/*[self::list-related-list-single-container or self::div[contains(@class, 'forceRelatedListContainer') or contains(@class, 'forceRelatedListSingleContainer') and not(ancestor::list-related-list-single-container)]]/*[self::article and contains(@class, 'slds-card')] or (self::div and contains(@class, 'forceRelatedListPreviewAdvancedGrid'))] contains(@data-aura-rendered-by, '1672:0')]/table[contains(@class, 'forceRecordLayout') or (contains(@role, 'grid') and contains(@class, 'slds-table_edit'))]/tbody//tr

① Waiting for element to be present. Timeout(seconds): 10

① Populating webelement cells into the row Row Count: 0

① Populated the row elements.

① Applying row locator to rows. Row Count: 1, Row Locator: {TASK_SUBJECT = \$ActivitySubject}

① The row locator matched 1 row.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

● Click the Subject field

⌚ 16:32:20(32:37.598)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=TASK_SUBJECT&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DTASK.SUBJECT%26relationship%3DActivityHistories&rowLocator=TASK_SUBJECT+%3D+%24ActivitySubject, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=TASK_SUBJECT&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DTASK.SUBJECT%26relationship%3DActivityHistories&rowLocator=TASK_SUBJECT+%3D+%24ActivitySubject

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000lIdkDQAR/view

① Interaction: ui:interaction?name=action

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [||||ChromeDriver\$EnhancerByCGLIB\$dace278c: chrome on XP (29d6c4adbde461025be48b2ff1b09b41) - > xpath: (/*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))] | /*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]] /ancestor::div[contains(@class, 'oneRecordHomeFlexipage')]]/*[self::list-related-list-single-container or self::div[contains(@class, 'forceRelatedListContainer') or contains(@class, 'forceRelatedListSingleContainer') and not(ancestor::list-related-list-single-container)]]/*[self::article and contains(@class, 'slds-card')] or (self::div and contains(@class, 'forceRelatedListPreviewAdvancedGrid'))] contains(@data-aura-rendered-by, '1672:0')]/table[contains(@class, 'forceRecordLayout') or (contains(@role, 'grid') and contains(@class, 'slds-table_edit'))]/tbody//tr] -> xpath: ./th/a]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: CallYZUF, href: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/00T0Q00000KaVhzUAF/view]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

ⓘ Pausing for Pause (after executing last child)

ⓘ All Sub-Test Steps were successful.

ⓘ Going to update browser window handles.

⚙ Update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Task/00T0Q00000KaVhzUAF/view>

ⓘ Going to update browser window handles.

⚙ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Set Values: ActivitySubject

⌚ 16:33:08(33:26.225)

ⓘ Setting value ActivitySubject to CallNMLZ

⚙ Configuration: ValueScope:Test

ⓘ Successfully set ActivitySubject to CallNMLZ

ⓘ Pausing at end of Test Case

ⓘ Handling managed resource. Name: Admin2

⚙ Closing Salesforce Connection because it is no longer being used. Name: Admin2

⚙ Closing web connection.

⚙ Closing Selenium driver