

Test Run Report




Test Run Overview

Started 14 Dec 2022, 19:30:52
Ended 14 Dec 2022, 19:32:29
Duration (mm:ss) 01:36.558

Test Results Summary

Passed 1
Failed 0
Skipped 0



Test Case Summary

tests
Lesson6CreateAPICaseTest.testcase





● successful
● successful

Lesson6CreateAPICaseTest.testcase

Summary

Started 14 Dec 2022, 19:30:52
Ended 14 Dec 2022, 19:32:09
Duration (mm:ss) 01:17.017
Outcome  successful

Output

-  **Salesforce Connect: Admin3 (Test)** ⌚ 19:30:52(00:00.022)
 - 🔍 Connecting to Salesforce as Admin3
 - ⚙️ Connection details. Connection name: Admin3, result name: Admin3, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password=(password);environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
 - ⚙️ Create object id log file.
 - ⚙️ Opening Partner connection
 - ⚙️ Opening SOAP connection
 - ⚙️ Opening Metadata connection
 - 🔍 Successfully connected to Salesforce as Admin3
-  **Create Object: Account=>AccountId** ⌚ 19:30:58(00:05.800)
 - 🔍 Creating a new Salesforce object. Connection Name: Admin3, Name: Account, field count: 5
 - 🔍 Setting fields:
 - 🔍 =Field=> ProvarQS__Approved__c = true
 - 🔍 =Field=> ProvarQS__SLASerialNumber__c = BH3234299K
 - 🔍 =Field=> ProvarQS__SLA__c = Gold
 - 🔍 =Field=> ProvarQS__SLAExpirationDate__c = <null>
 - 🔍 =Field=> Name = Barton Media
 - 📋 Account created successfully. Object Id: 0010Q00001dQiS1QAK, Result Name: AccountId
 - 🔍 Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dQiS1QAK
-  **Create Object: Account=>AccountId** ⌚ 19:31:00(00:08.075)
 - 🔍 Creating a new Salesforce object. Connection Name: Admin3, Name: Account, field count: 5
 - 🔍 Setting fields:
 - 🔍 =Field=> ProvarQS__Approved__c = true
 - 🔍 =Field=> ProvarQS__SLASerialNumber__c = LBNQ0DBIN7
 - 🔍 =Field=> ProvarQS__SLA__c = Platinum
 - 🔍 =Field=> ProvarQS__SLAExpirationDate__c = 2023-02-12
 - 🔍 =Field=> Name = Shubham Dudhade
 - 📋 Account created successfully. Object Id: 0010Q00001dQiS6QAK, Result Name: AccountId
 - 🔍 Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dQiS6QAK
-  **On SF Account View screen** ⌚ 19:31:02(00:09.618)
 - 🔍 Start of With Screen. Connection Name: Admin3, target: sf:ui:target?object=Account&action=View&noOverride=true
 - 🔍 Opening Chrome webdriver instance to https://test.salesforce.com/
 - ⚙️ Add Chrome browser specific capabilities
 - 🔍 Successfully opened Chrome webdriver to https://test.salesforce.com/
 - 🔍 Opening Page context. Name: screen, data: null, frame: null

① Opening Salesforce page. Object: Account, RelatedList: null, Action: View, Page URL: /lightning/r/0010Q00001dQIS6QAK/view, Current URL: chrome://new-tab-page/

① Opening Salesforce user home page

⚙ Navigate to home page

⚙ Perform page load wait

⚙ Perform page load wait

① Successfully opened user home page

① Activating detailTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Click the Edit button

⌚ 19:31:39(00:46.837)

① Start of Interact. Connection: Admin3, Locator: ui:locator?name=Edit&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DEdit, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Edit&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DEdit

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQIS6QAK/view

① Interaction: ui:interaction?name=action

① Activating detailTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

① Click element using xpath: `//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]/*[self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop') or (self::one-record-home-flexipage2)]/*[self::header and (contains(@role, 'banner') or contains(@class, 'forceHighlightsPanel')) or (self::force-highlights2) or (self::records-highlights2)]/li[contains(@class, 'slds-dropdown-trigger') and contains(@class, 'slds-button_last')]`

① Hover>Clicking WebElement. WebElement [tag: li, text: 0, text: Show more actions]

① Find action link element using xpath: `//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]/*[self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop') or (self::one-record-home-flexipage2)]/div[contains(@class, 'actionsContainer')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/*[self::a or self::button][@name='Edit' or text()='Edit']`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[ChromeDriver$EnhancerByCGLIB$dace278c: chrome on XP (eaf05f5829f217bfcf54ddb70a76dbfa) -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]/*[self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop') or (self::one-record-home-flexipage2)]/div[contains(@class, 'actionsContainer')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/*[self::a or self::button][@name='Edit' or text()='Edit']`

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Edit, href: javascript:void(0)]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQiS6QAK/edit?count=1&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dQiS6QAK%2Fview>

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account Edit screen

⌚ 19:31:51(00:58.970)

① Start of With Screen. Connection Name: Admin3, target: sf:ui:target?object=Account&action=Edit&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Hover>Clicking WebElement. WebElement [tag: h2, text: Edit Shubham Dudhade]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Set the Active picklist to Yes

⌚ 19:31:58(01:05.344)

① Start of Interact. Connection: Admin3, Locator: ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Active__c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Active__c

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQiS6QAK/edit?count=1&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dQiS6QAK%2Fview>

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[((self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection')))[1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Active'] or ./text() = 'Active')]/ancestor::div[1]`

① Find field using relative xpath: `//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@4c6c6de4 -> unknown locator]] -> xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Got webElement. tagName: BUTTON, id: combobox-button-435, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value

① Typing value. tagName: BUTTON, type: button, value: Yes, blur: false

① Clicking WebElement. WebElement [tag: button, text: --None--]

① Clicking WebElement. WebElement [tag: div, text: --None-- --None-- No Yes]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Click the Save button

⌚ 19:32:03(01:10.199)

① Start of Interact. Connection: Admin3, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3AObject%3Fobject%3DAccount%26action%3Dsave

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQiS6QAK/edit?count=1&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dQiS6QAK%2Fview

① Interaction: ui:interaction?name=action

① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[ChromeDriver\$EnhancerByCGLIB\$dace278c: chrome on XP (eaf05f5829f217bfcf54ddb70a76dbfa)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQiS6QAK/view

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

● Read Object: Account = 0010Q00001dPFj4QAG

⌚ 19:32:08(01:15.472)

① Reading a Salesforce object. Connection Name: Admin3, Name: Account, Id: 0010Q00001dPFj4QAG, field count: 1

✦ Executing SOQL query: select ProvarQS__Active__c from Account where id = '0010Q00001dPFj4QAG'

① Object read successfully. Result Name: AccountRead

✅ Result assertion 'Check ProvarQS__Active__c' successful: 'Yes' = 'Yes'

① Handling managed resource. Name: Admin3

✦ Closing Salesforce Connection because it is no longer being used. Name: Admin3

✦ Closing web connection.

✦ Closing Selenium driver

✦ Shutting down Soap Connections. logFilePath: Admin3-objectids.log