

# Test Run Report




## Test Run Overview

Started 12 Dec 2022, 16:39:07  
Ended 12 Dec 2022, 16:42:19  
Duration (mm:ss) 03:12.673

## Test Results Summary

Passed 0  
Failed 1  
Skipped 0



## Test Case Summary

- tests
    - Trial Tests
      - Solved Exercises
        - Exercise 5 Create Account and Contact.testcase
- failed  
● failed  
● failed  
● failed

● The control was not found. Locator: By.xpath: ( //div[@id='InlineEditDialogContent']/div[contains(@class, 'inlineEditDiv') or contains(@class, 'inlineEditCompoundDiv')]/table/tr/td[contains(@class, 'labelCol') and ( ./text() = 'First Name' or normalize-space(./text()) = 'First Name' )]/following-sibling::td[1] | //div[contains(@class, 'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')])]/div[contains(@class, 'pbSubheader') and (h3/text()[not(parent::span)] = 'Contact Information' or translate(normalize-space(h3/text()[not(parent::span)]), ' ', '') = translate(normalize-space('Contact Information'), ' ', ''))]/following-sibling::div[contains(@class, 'pbSubsection')][1]/table/tr/td[contains(@class, 'labelCol') and ( ./text() = 'First Name' or normalize-space(./text()) = 'First Name' )]/following-sibling::td[1] )

● One or more Sub-Test Steps failed.

## Exercise 5 Create Account and Contact.testcase

### Summary

Started	12 Dec 2022, 16:39:07
Ended	12 Dec 2022, 16:41:44
Duration (mm:ss)	02:36.884
Outcome	<span style="color: red;">●</span> failed

### Output

- Set Values: AccountName ⌚ 16:39:07(00:00.031)
  - ⓘ Setting value AccountName to Strider Bank (ref: KOZLUF)
  - ⚙ Configuration: ValueScope:Test
  - ⓘ Successfully set AccountName to Strider Bank (ref: KOZLUF)
- Salesforce Connect: SF\_Admin (Test) ⌚ 16:39:07(00:00.063)
  - ⓘ Connecting to Salesforce as Admin3
  - ⚙ Connection details. Connection name: Admin3, result name: SF\_Admin, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
  - ⚙ Create object id log file.
  - ⚙ Opening Partner connection
  - ⚙ Opening SOAP connection
  - ⚙ Opening Metadata connection
  - ⓘ Successfully connected to Salesforce as Admin3
- On SF Account Home screen ⌚ 16:39:13(00:05.961)
  - ⓘ Start of With Screen. Connection Name: SF\_Admin, target: sf:ui:target?object=Account&action=ObjectHome
  - ⓘ Opening Chrome webdriver instance to https://test.salesforce.com/
  - ⚙ Add Chrome browser specific capabilities
  - ⓘ Successfully opened Chrome webdriver to https://test.salesforce.com/
  - ⓘ Opening Page context. Name: screen, data: null, frame: null
  - ⓘ Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: chrome://new-tab-page/
  - ⓘ Opening Salesforce user home page
  - ⚙ Navigate to home page
  - ⚙ Perform page load wait
  - ⚙ Perform page load wait
  - ⓘ Successfully opened user home page
  - ⓘ Going to update browser window handles.
  - ⚙ Update browser window handles.
  - ⓘ Successfully updated browser window handles.
- Click the New button ⌚ 16:39:36(00:29.697)
  - ⓘ Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DNew, before wait: null, after wait: null, auto retry: default
  - ⓘ Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DNew
  - ⓘ Interaction: ui:interaction?name=action
  - ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent
  - ⓘ Interaction: ui:interaction?name=action

① Find action link element using xpath: `((div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager'))]/ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '835:0')])`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[ChromeDriver$EnhancerByCGLIB$$dace278c: chrome on XP (2694c1ec6d19be09f47c3f96bdd2ddc6)] -> xpath: ((div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager'))]/ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '835:0')])`

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: `https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084337824457328&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent`

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

## ● On SF Account New screen

⌚ 16:39:41(00:34.441)

① Start of With Screen. Connection Name: SF\_Admin, target: sf:ui:target?action=New&object=Account

① Opening Page context. Name: screen, data: null, frame: null

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

## ● Set the Active picklist to Yes

⌚ 16:39:47(00:40.354)

① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=ProvarQS\_\_Active\_\_c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS\_\_Active\_\_c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS\_\_Active\_\_c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS\_\_Active\_\_c

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: `https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084337824457328&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent`

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')][last()]/div[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/div[(self::records-record-layout-section) or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][1]/div[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text) and (./text()[normalize-space()='Active'] or ./text()='Active')]/ancestor::div[1]`

① Find field using relative xpath: `./div[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of &lt;default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@c1751c6d -> unknown locator]] -> xpath: //\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_\_input')]]]

① Got webElement. tagName: BUTTON, id: combobox-button-175, type: button, class: slds-combobox\_\_input slds-input\_faux slds-combobox\_\_input-value

① Typing value. tagName: BUTTON, type: button, value: Yes, blur: false

① Clicking WebElement. WebElement [tag: button, text: --None--]

① Clicking WebElement. WebElement [tag: div, text: --None-- --None-- No Yes]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]

① Doing after wait. waitUrl: default

① End of &lt;default> wait.

① Going to update browser window handles.

✧ Update browser window handles.

① Successfully updated browser window handles.

## ● Set the SLA picklist to Gold

⌚ 16:39:50(00:43.659)

① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=ProvarQS\_\_SLA\_\_c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS\_\_SLA\_\_c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS\_\_SLA\_\_c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS\_\_SLA\_\_c

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167084337824457328&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/\*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection ')]/[1]/\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_\_label')) or (self::div and contains(@class, 'test-id\_\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='SLA'] or ./text() = 'SLA')/ancestor::div[1]

① Find field using relative xpath: //\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_\_input')]]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of &lt;default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@c1751c72 -> unknown locator]] -> xpath: //\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_\_input')]]]

① Got webElement. tagName: BUTTON, id: combobox-button-212, type: button, class: slds-combobox\_\_input slds-input\_faux slds-combobox\_\_input-value

① Typing value. tagName: BUTTON, type: button, value: Gold, blur: false

① Clicking WebElement. WebElement [tag: button, text: --None--]

① Clicking WebElement. WebElement [tag: div, text: --None-- --None-- Gold Silver Platinum Bronze]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]

① Doing after wait. waitUrl: default

① End of &lt;default> wait.

① Going to update browser window handles.

✧ Update browser window handles.

① Successfully updated browser window handles.

## ● Set the SLA Serial Number field to 12GH54FF

⌚ 16:39:54(00:46.864)

① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=ProvarQS\_\_SLASerialNumber\_\_c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS\_\_SLASerialNumber\_\_c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS\_\_SLASerialNumber\_\_c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS\_\_SLASerialNumber\_\_c

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167084337824457328&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/\*[self::records-record-layout-section or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/\*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_\_label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_\_label')) or (self::div and contains(@class, 'test-id\_\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='SLA Serial Number'] or .//text() = 'SLA Serial Number')]/ancestor::div[1]

① Find field using relative xpath: ./input

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of &lt;default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@c1751c76 -> unknown locator]] -> xpath: ./input]

① Got webElement. tagName: INPUT, id: input-226, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: 12GH54FF, blur: false

① Doing after wait. waitUrl: default

① End of &lt;default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

## ● Today link the SLA Expiration Date field

⌚ 16:39:56(00:49.689)

① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=ProvarQS\_\_SLAExpirationDate\_\_c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS\_\_SLAExpirationDate\_\_c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS\_\_SLAExpirationDate\_\_c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS\_\_SLAExpirationDate\_\_c

① Interaction: ui:interaction?name=sfToday

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167084337824457328&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=sfToday

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/\*[self::records-record-layout-section or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/\*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_\_label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_\_label')) or (self::div and contains(@class, 'test-id\_\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='SLA Expiration Date'] or .//text() = 'SLA Expiration Date')]/ancestor::div[1]

① Find field using relative xpath: ./input

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of &lt;default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@c1751c8e -> unknown locator]] -> xpath: ./input]

① Clicking WebElement. WebElement [tag: input]

① Clicking WebElement. WebElement [tag: button]

① Doing after wait. waitUrl: default

① End of &lt;default> wait.

① Going to update browser window handles.

✱ Update browser window handles.

📘 Successfully updated browser window handles.

## ● Set the Account Name field to Strider Bank (ref: KOZLUF)

🕒 16:39:59(00:52.177)

📘 Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

📘 Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName

📘 Interaction: ui:interaction?name=set

📘 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167084337824457328&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

📘 Interaction: ui:interaction?name=set

📘 Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/\*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][1]/\*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_\_label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_\_label')) or (self::div and contains(@class, 'test-id\_\_field-label-container') or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Account Name'] or ./text() = 'Account Name')]/ancestor::div[1]

📘 Find field using relative xpath: ../input

📘 Waiting for element to be present. Timeout(seconds): 10

📘 Doing before wait. waitUrl: default

📘 End of &lt;default>; wait.

📘 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@c1751c93 -> unknown locator]] -> xpath: ../input]

📘 Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input

📘 Typing value. tagName: INPUT, type: text, value: Strider Bank (ref: KOZLUF), blur: false

📘 Doing after wait. waitUrl: default

📘 End of &lt;default>; wait.

📘 Going to update browser window handles.

✱ Update browser window handles.

📘 Successfully updated browser window handles.

## ● Click the Save button

🕒 16:40:02(00:55.006)

📘 Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Faction%3Dsave%26object%3DAccount, before wait: default, after wait: default, auto retry: default

📘 Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Faction%3Dsave%26object%3DAccount

📘 Interaction: ui:interaction?name=action

📘 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167084337824457328&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

📘 Interaction: ui:interaction?name=action

📘 Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel\_lwcdetailpanel]/runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/\*[self::a or self::button]

📘 Waiting for element to be present. Timeout(seconds): 10

📘 Doing before wait. waitUrl: default

📘 End of &lt;default>; wait.

📘 Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (2694c1ec6d19be09f47c3f96bdd2ddc6)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel\_lwcdetailpanel]/runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/\*[self::a or self::button]

📘 Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

📘 Doing after wait. waitUrl: default

📘 End of &lt;default>; wait.

① Going to update browser window handles.

⚙️ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwu4QAC/view>

① Injecting script to get created object ID from aura component

📄 Storing created Salesforce Object ID. Result Name: accountId, created ID: 0010Q00001dOwu4QAC, location: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwu4QAC/view>

① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dOwu4QAC

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwu4QAC/view>

① Going to update browser window handles.

⚙️ Update browser window handles.

① Successfully updated browser window handles.

## ● Set Values: AccountName3

⌚ 16:40:07(00:59.954)

① Setting value AccountName3 to Strider Bank (ref: H632SF)

⚙️ Configuration: ValueScope:Test

① Successfully set AccountName3 to Strider Bank (ref: H632SF)

## ● On SF Account New screen

⌚ 16:40:07(00:59.974)

① Start of With Screen. Connection Name: SF\_Admin, target: sf:ui:target?object=Account&action=New&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Opening Salesforce page. Object: Account, RelatedList: null, Action: New, Page URL: /lightning/o/001/list, Current URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwu4QAC/view>

① Opening Salesforce user home page

⚙️ Navigate to home page

⚙️ Perform page load wait

① Successfully opened user home page

① Clicking the New Button

① Find action link element using xpath: (`//*[contains(@class, 'active') and ( (self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) ]//div[contains(@class, 'forceListViewManager')]/ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '833:0')]`)

① Clicking WebElement. WebElement [tag: a, text: New, href: javascript:void(0);]

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]

① Going to update browser window handles.

⚙️ Update browser window handles.

① Successfully updated browser window handles.

## ● Set the Account Name field to Strider Bank (ref: H632SF)

⌚ 16:40:19(01:12.125)

① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: [https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\\_VIEW&uid=167084341669658118&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent](https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084341669658118&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent)

① Interaction: ui:interaction?name=set



① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))] or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)] and (./text()[normalize-space()='Account Name'] or ./text()='Account Name']/ancestor::div[1]`

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@349d571d -> unknown locator]] -> xpath: ./input]`

① Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: Strider Bank (ref: H632SF), blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

## ● Click the Save button

🕒 16:40:22(01:14.935)

① Start of Interact. Connection: SF\_Admin, Locator: `ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave`, before wait: default, after wait: default, auto retry: default

① Locator: `ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave`

① Interaction: `ui:interaction?name=action`

① Switched focus to main window. URL: `https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084341669658118&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent`

① Interaction: `ui:interaction?name=action`

① Find action link element using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[ChromeDriver$EnhancerByCGLIB$$dace278c: chrome on XP (2694c1ec6d19be09f47c3f96bdd2ddc6)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]`

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: `https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwuOQAS/view`

① Injecting script to get created object ID from aura component

📄 Storing created Salesforce Object ID. Result Name: accountId, created ID: 0010Q00001dOwuOQAS, location: `https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwuOQAS/view`

① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dOwuOQAS



❗ Closing Page context. Name: screen, data: null, frame: null

❗ Main window reselected. Window: main

❗ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwuOQAS/view

❗ Going to update browser window handles.

⚙ Update browser window handles.

❗ Successfully updated browser window handles.

## ● On SF Account Home screen

⌚ 16:40:26(01:19.712)

❗ Start of With Screen. Connection Name: SF\_Admin, target: sf:ui:target?object=Account&action=ObjectHome

❗ Opening Page context. Name: screen, data: null, frame: null

❗ Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwuOQAS/view

❗ Opening Salesforce user home page

⚙ Navigate to home page

⚙ Perform page load wait

❗ Successfully opened user home page

❗ Going to update browser window handles.

⚙ Update browser window handles.

❗ Successfully updated browser window handles.

## ● With Account rows {ACCOUNT\_NAME = "Strider Bank (ref: H632SF)"}

⌚ 16:40:35(01:28.306)

❗ Start of With Row. Connection Name: SF\_Admin, target: sf:ui:locator:row?table=ObjectHome%2Frecent%2FrecentTable

❗ Find element using xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]/tbody/tr

❗ Waiting for element to be present. Timeout(seconds): 10

❗ Populating webelement cells into the row Row Count: 10

❗ Populated the row elements.

❗ Applying row locator to rows. Row Count: 10, Row Locator: {ACCOUNT\_NAME = "Strider Bank (ref: H632SF)"}

❗ The row locator matched 1 row.

❗ Going to update browser window handles.

⚙ Update browser window handles.

❗ Successfully updated browser window handles.

## ● Click the Account Name field

⌚ 16:40:36(01:29.525)

❗ Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=ACCOUNT\_NAME&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

❗ Locator: ui:locator?name=ACCOUNT\_NAME&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName

❗ Interaction: ui:interaction?name=action

❗ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent

❗ Interaction: ui:interaction?name=action

❗ Doing before wait. waitUrl: default

❗ End of &lt;default> wait.

❗ Found element: [ChromeDriver\$EnhancerByCGLIB\$dace278c: chrome on XP (2694c1ec6d19be09f47c3f96bdd2ddc6)]  
-> xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]/tbody/tr -> xpath: th//span/\*[self::a or self::span[not(contains(@class, 'photoContainer') or contains(@class, 'uiImage'))]]

❗ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Strider Bank (ref: H632SF), href: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dOwuOQAS/view]

❗ Doing after wait. waitUrl: default

❗ End of &lt;default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwuOQAS/view

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

## ● On SF Account View screen

⌚ 16:40:41(01:33.895)

① Start of With Screen. Connection Name: SF\_Admin, target: sf:ui:target?object=Account&action=View&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Activating detailTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

## ● Click the Contacts New Contact button

⌚ 16:40:47(01:40.736)

① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=NewContact&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNewContact%26relationship%3DContacts, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=NewContact&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNewContact%26relationship%3DContacts

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwuOQAS/view

① Interaction: ui:interaction?name=action

① RelationshipName: Contacts, boundObject class: com.provar.plugins.forcedotcom.core.model.SfActionLink

① Activating relatedListsTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Related, href: javascript:void(0)]

① Scrolling related list into view: ((( /\*[contains(@class, 'active') and ( (self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) ] | /\*[contains(@class, 'active') and ( (self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) ] /ancestor::div[contains(@class, 'oneRecordHomeFlexipage')]//\*[self::list-related-list-single-container or self::div[contains(@class, 'forceRelatedListContainer') or contains(@class, 'forceRelatedListSingleContainer') and not(ancestor::list-related-list-single-container)]]][1]/\*[(self::article and contains(@class, 'slds-card')) or (self::div and contains(@class, 'forceRelatedListPreviewAdvancedGrid'))]

① Find action link element in related list using xpath: ((( /\*[contains(@class, 'active') and ( (self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) ] | /\*[contains(@class, 'active') and ( (self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) ] /ancestor::div[contains(@class, 'oneRecordHomeFlexipage')]//\*[self::list-related-list-single-container or self::div[contains(@class, 'forceRelatedListContainer') or contains(@class, 'forceRelatedListSingleContainer') and not(ancestor::list-related-list-single-container)]]][1]/\*[(self::article and contains(@class, 'slds-card')) or (self::div and contains(@class, 'forceRelatedListPreviewAdvancedGrid'))]

```
contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]] ] /
ancestor::div[contains(@class, 'oneRecordHomeFlexipage')]]/*[self::lst-related-list-single-container or self::div[contains(@class,
'forceRelatedListContainer') or contains(@class, 'forceRelatedListSingleContainer') and not(ancestor::lst-related-list-single-container)]]][1//
*[(self::article and contains(@class, 'slds-card')) or (self::div and contains(@class, 'forceRelatedListPreviewAdvancedGrid'))]//div[contains(@class,
'actionsContainer') or contains(@class, 'actionsWrapper') or contains(@class, 'test-lvmForceActionsContainer')]]//div[contains(@class,
'forceActionsDropDownMenuList') and contains(@class, 'visible')]]/a[contains(@data-aura-rendered-by, '1474:0')]]
```

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of &lt;default> wait.

ⓘ Found element: [[ChromeDriver\$EnhancerByCGLIB\$dace278c: chrome on XP (2694c1ec6d19be09f47c3f96bdd2ddc6)] -> xpath: ((( //
\*[contains(@class, 'active') and ( (self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and
ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class,
'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class,
'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace')
or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]] ] //
\*[contains(@class, 'active') and ( (self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and
ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class,
'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class,
'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace')
or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]] ] /
ancestor::div[contains(@class, 'oneRecordHomeFlexipage')]]/\*[self::lst-related-list-single-container or self::div[contains(@class,
'forceRelatedListContainer') or contains(@class, 'forceRelatedListSingleContainer') and not(ancestor::lst-related-list-single-container)]]][1//
\*[(self::article and contains(@class, 'slds-card')) or (self::div and contains(@class, 'forceRelatedListPreviewAdvancedGrid'))]//div[contains(@class,
'actionsContainer') or contains(@class, 'actionsWrapper') or contains(@class, 'test-lvmForceActionsContainer')]]//div[contains(@class,
'forceActionsDropDownMenuList') and contains(@class, 'visible')]]/a[contains(@data-aura-rendered-by, '1474:0')]]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]

ⓘ Doing after wait. waitUrl: default

ⓘ End of &lt;default> wait.

ⓘ Going to update browser window handles.

⚙ Update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED\_LIST&uid=16708434558445459&backgroundContext=%2Flightning%2Fr%2FAccount%2F0010Q00001dOwuOQAS%2Fview

ⓘ Going to update browser window handles.

⚙ Update browser window handles.

ⓘ Successfully updated browser window handles.

## ● On SF Contact (Customer) New screen

⌚ 16:40:59(01:52.054)

ⓘ Start of With Screen. Connection Name: SF\_Admin, target: sf:ui:target?object=Contact&action=New&noOverride=true&recordType=Customer

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Hover>Clicking WebElement. WebElement [tag: h2, text: New Contact]


ⓘ Going to update browser window handles.

⚙ Update browser window handles.

ⓘ Successfully updated browser window handles.

## ● Set the First Name field to Lucinda Jeffries

⌚ 16:41:20(02:12.941)



Error Screenshot

① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=FirstName&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26field%3DFirstName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=FirstName&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26field%3DFirstName

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: [https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED\\_LIST&uid=16708434558445459&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dOwuOQAS%2Fview](https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED_LIST&uid=16708434558445459&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dOwuOQAS%2Fview)

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection ')]`[1]/\*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_\_label')) or (self::div and contains(@class, 'test-id\_\_field-label-container') or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='First Name'] or ./text() = 'First Name')]/ancestor::div[1]

① Doing before wait. waitUrl: default

① End of &lt;default&gt; wait.

① Doing after wait. waitUrl: default

① Getting webElement: By.xpath: `(//div[@id='InlineEditDialogContent']/div[contains(@class, 'inlineEditDiv') or contains(@class, 'inlineEditCompoundDiv')]/table//tr/td[contains(@class, 'labelCol') and (./text() = 'First Name' or normalize-space(./text()) = 'First Name')]/following-sibling::td[1] | //div[contains(@class, 'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')])]/div[contains(@class, 'pbSubheader') and (h3/text()[not(parent::span)] = 'Contact Information' or translate(normalize-space(h3/text()[not(parent::span)]), ' ', ' ') = translate(normalize-space('Contact Information'), ' ', ' '))]/following-sibling::div[contains(@class, 'pbSubsection')][1]/table//tr/td[contains(@class, 'labelCol') and (./text() = 'First Name' or normalize-space(./text()) = 'First Name')]/following-sibling::td[1])`

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

ⓘ Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

ⓘ Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

● The control was not found. Locator: By.xpath: ( //div[@id='InlineEditDialogContent']/div[contains(@class, 'inlineEditDiv') or contains(@class, 'inlineEditCompoundDiv')]/table/tr/td[contains(@class, 'labelCol') and ( ./text() = 'First Name' or normalize-space(./text()) = 'First Name' )]/following-sibling::td[1] | //div[contains(@class, 'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')])//div[contains(@class, 'pbSubheader') and (h3/text()[not(parent::span)] = 'Contact Information' or translate(normalize-space(h3/text()[not(parent::span)]), ' ', '') = translate(normalize-space('Contact Information'), ' ', ''))]/following-sibling::div[contains(@class, 'pbSubsection')][1]/table/tr/td[contains(@class, 'labelCol') and ( ./text() = 'First Name' or normalize-space(./text()) = 'First Name' )]/following-sibling::td[1] )

ⓘ Doing after wait. waitUrl: default

ⓘ End of &lt;default> wait.

ⓘ Going to update browser window handles.

⚡ Update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ Going to update browser window handles.

⚡ Update browser window handles.

ⓘ Successfully updated browser window handles.

⚠ Set the Last Name field to xyz

⌚ 16:41:34(02:27.031)

⚠ Click the Save button

⌚ 16:41:34(02:27.082)

● One or more Sub-Test Steps failed.

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED\_LIST&uid=16708434558445459&backgroundContext=%2Flightning%2Fr%2FAccount%2F0010Q00001dOwuQQAS%2Fview

ⓘ Injecting script to get created object ID from aura component

⚠ Some toast message(s) are still open and might cause inconsistent issues in execution.

ⓘ Fetching created Id from URL

ⓘ Reattempting for the createdId

ⓘ Reattempting for the createdId

ⓘ Reattempting for the createdId

📋 Storing created Salesforce Object ID. Result Name: contactId, created ID: null, location: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED\_LIST&uid=16708434558445459&backgroundContext=%2Flightning%2Fr%2FAccount%2F0010Q00001dOwuQQAS%2Fview

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED\_LIST&uid=16708434558445459&backgroundContext=%2Flightning%2Fr%2FAccount%2F0010Q00001dOwuQQAS%2Fview

ⓘ Going to update browser window handles.

⚡ Update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ Handling managed resource. Name: SF\_Admin

⚡ Closing Salesforce Connection because it is no longer being used. Name: SF\_Admin

⚡ Closing web connection.

⚡ Closing Selenium driver

⚡ Shutting down Soap Connections. logFilePath: Admin3-objectids.log

ⓘ Salesforce Connection handled successfully. Name: SF\_Admin