Test Run Report




Test Run Overview

Started 10 Dec 2022, 23:25:27 Ended 10 Dec 2022, 23:54:18

Duration (mm:ss) 28:51.484

Test Results Summary

Passed 0
Failed 1
Skipped 0



Test Case Summary



CrateFakeOpportunity.testcase

- failed
- failed

- One or more Sub-Test Steps failed.
- Error opening Salesforce UI Connection. Connection Name: Admin2, cause: [UnhandledAlertException: unexpected alert open: {Alert text:} (Session info: chrome=108.0.5359.99) (Driver info: chromedriver=107.0.5304.62 (1eec40d3a5764881c92085aaee66d25075c159aa-refs/branch-heads/5304@(#942}),platform=Windows NT 10.0.19045 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 13 milliseconds: null Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'LAPTOP-111D1PSI', ip: '192.168.80.221', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0_322' Driver info: org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=107.0.5304.62 (1eec40d3a5764881c92085aaee66d25075c159aa-refs/branch-heads/5304@{#942}), userDataDir=C:\Usersionsionshohepe\Provar\Workspace1\.chromeProfiles\profile1}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, locationContextEnabled=false, handlesAlerts=true, version=108.0.5359.99, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 1eb0f886e6d2a80508653d54dfdccc7e]
- One or more Sub-Test Steps failed.

CrateFakeOpportunity.testcase

Summary

Started 10 Dec 2022, 23:25:27 Ended 10 Dec 2022, 23:54:11

Duration (mm:ss) 28:43.877
Outcome failed

Output

Salesforce Connect: Admin2 (Test)

0 23:25:27(00:00.027)

- ① Connecting to Salesforce as Admin2
- © Connection details. Connection name: Admin2, result name: Admin2, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
- Create object id log file.
- Opening Partner connection
- Opening Metadata connection
- ① Successfully connected to Salesforce as Admin2
- ① Opening Chrome webdriver instance to https://test.salesforce.com/
- * Add Chrome browser specific capabilities
- ① Successfully opened Chrome webdriver to https://test.salesforce.com/
- (i) Opening Salesforce user home page
- * Navigate to home page
- Perform page load wait
- Successfully opened user home page
- (1) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

On WebToCaseV3 page


0 23:25:56(00:29.183)

- ① Start of With Screen. Connection Name: Admin2, target: ui:pageobject:target?pageId=pageobjects.WebToCaseV3
- (1) Opening Page context. Name: screen, data: null, frame: null
- (i) Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.
- One or more Sub-Test Steps failed.
- (1) Closing Page context. Name: screen, data: null, frame: null
- i) Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/list?filterName=Recent
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

On SF Opportunity Home screen

0 23:26:45(01:18.414)

- ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Opportunity&action=ObjectHome
- (i) Opening Page context. Name: screen, data: null, frame: null
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Click the New button
 © 23:26:49(01:22.641)



Before Screenshot : 2022/12/10 23:26:49


- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3DNew, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3DNew
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/list? filterName=Recent
- i Interaction: ui:interaction?name=action
- (i) Sending screenshot. Data length: 47439
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '1191:0')]
- ① Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (1eb0f886e6d2a80508653d54dfdccc7e)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'test-listViewManager')]//ul[contains(@data-aura-rendered-by, '1191:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- ① Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069501143197833&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- (i) Going to update browser window handles.
- Update browser window handles.

	① Successfully updated browser window handles.	
On SF Opportunity New screen © 23:26:54(01		
	① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Opportunity&action=New&noOverride=true	
	① Opening Page context. Name: screen, data: null, frame: null	
	① Hover>Clicking WebElement. WebElement [tag: h2, text: New Opportunity]	
	① Going to update browser window handles.	
	① Successfully updated browser window handles.	
	① All Sub-Test Steps were successful.	
	① Switched focus to main window. URL: https://provar-trial-orgtrialsbx1.sandbox.lightning.force.com/lightning/r/Opportunity/0060edit?count=2&backgroundContext=%2Flightning%2Fr%2FOpportunity%2F0060Q00000LQ8wkQAD%2Fview)Q00000LQ8wkQAD/
	① Injecting script to get created object ID from aura component	
	riangle Some toast message(s) are still open and might cause inconsistent issues in execution.	
	① Fetching created Id from URL	
	Storing created Salesforce Object ID. Result Name: opportunityId, created ID: 0060Q00000LQ8wkQAD, location: https://provartrialsbx1.sandbox.lightning.force.com/lightning/r/Opportunity/0060Q00000LQ8wkQAD/edit?count=2&backgroundContext=%2Fligh%2FOpportunity%2F0060Q00000LQ8wkQAD%2Fview	
	① Logging Salesforce Object Id for clean up. Object Name: Opportunity, id: 0060Q00000LQ8wkQAD	
	① Closing Page context. Name: screen, data: null, frame: null	
	① Main window reselected. Window: main	
① Switched focus to main window. URL: https://provar-trial-orgtrialsbx1.sandbox.lightning.force.com/lightning/r/Opportunity/0060Q00000 edit?count=2&backgroundContext=%2Flightning%2Fr%2FOpportunity%2F0060Q00000LQ8wkQAD%2Fview		Q00000LQ8wkQAD/
	① Going to update browser window handles.	
	① Successfully updated browser window handles.	
•	Set Values: Amount ① Setting value Amount to 2000000	① 23:45:27(20:00.347)
	① Successfully set Amount to 2000000	
	① Pausing for Pause (after executing last child)	
	① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CrateFakeOpportunity.testcase	
•	Set Values: Amount ① Setting value Amount to 2000000	① 23:47:15(21:48.720)
	♥ Configuration: ValueScope:Test	
	Successfully set Amount to 2000000	
	Pausing for Pause On Error (after executing last child)	

 $\textcircled{1} \ \mathsf{Loading} \ \mathsf{test} \ \mathsf{case}. \ \mathsf{File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CrateFakeOpportunity.test case}$

0 23:47:37(22:10.407)

On SF Opportunity Edit screen



- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Amount&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26field%3DAmount, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=Amount&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAmount
- i Interaction: ui:interaction?name=set
- Error doing interaction. Connection Name: Admin2, cause: [UnhandledAlertException: unexpected alert open: {Alert text:} (Session info: chrome=108.0.5359.99) (Driver info: chromedriver=107.0.5304.62 (1eec40d3a5764881c92085aaee66d25075c159aa-refs/branch-heads/5304@{#942}),platform=Windows NT 10.0.19045 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 18 milliseconds: null Build info: version: 'unknown', revision: 'unknown', system info: host: 'LAPTOP-1I1D1PSI', ip: '192.168.80.221', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_322' Driver info: org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSsICerts=false, goog:chromeOptions={debuggerAddress=localhost:55266}, webauthn:extension:credBlob=true, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=107.0.5304.62 (1eec40d3a5764881c92085aaee66d25075c159aa-refs/branch-heads/5304@#942}), userDataDir=C:\Users\MangeshDhepe\Provar\Workspace1\.chromeProfiles\profile1}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=108.0.5359.99, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 1eb0f886e6d280508653d54dfdccc7e]
- org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : }
- (Session info: chrome=108.0.5359.99)
- (Driver info: chromedriver=107.0.5304.62 (1eec40d3a5764881c92085aaee66d25075c159aa-refs/branch-heads/5304@{#942}),platform=Windows NT 10.0.19045 x86_64) (WARNING: The server did not provide any stacktrace information)
- Command duration or timeout: 18 milliseconds: null
- Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
- System info: host: 'LAPTOP-1I1D1PSI', ip: '192.168.80.221', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0 322'
- Driver info: org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c
- Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=30000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:55266}, webauthn:extension:credBlob=true, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=107.0.5304.62 (1eec40d3a5764881c92085aaee66d25075c159aa-refs/branch-heads/5304@{#942}), userDataDir=C:\Users\MangeshDhepe\Provar\Workspace1\.chromeProfiles\profile1\}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=108.0.5359.99, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]
- Session ID: 1eb0f886e6d2a80508653d54dfdccc7e
- at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
- at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
- at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
- at java.lang.reflect.Constructor.newlnstance(Constructor.java:423)
- at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)
- at org.openqa.selenium.remote.ErrorHandler.throwlfResponseFailed(ErrorHandler.java:173)
- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)
- at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c.CGLIB\$execute\$69(<generated>)
- at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c\$\$FastClassByCGLIB\$\$bdc1d4c5.invoke(<generated>)
- at net.sf.cglib.proxy.MethodProxy.invokeSuper(MethodProxy.java:228)
- at com.provar.core.testapi.WebDriverProxy.intercept(WebDriverProxy.java:91)
- at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c.execute(<generated>)
- at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:573)
- at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c.CGLIB\$executeScript\$57(<generated>)
- 🍨 at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c\$\$FastClassByCGLIB\$\$bdc1d4c5.invoke(<generated>)
- at net.sf.cglib.proxy.MethodProxy.invokeSuper(MethodProxy.java:228)
- at com.provar.core.testapi.WebDriverProxy.intercept(WebDriverProxy.java:91)
- at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c.executeScript(<generated>)
- at com.provar.core.testapi.ProvarSeleniumDriver.getCurrentUrl(ProvarSeleniumDriver.java:3165)

- at com.provar.core.testapi.ProvarSeleniumDriver.switchToCurrentFrame(ProvarSeleniumDriver.java:2401)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2011)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5599)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:433)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:359)
- Going to update browser window handles.
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:350)
- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:866)
- Update browser window handles.
- at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:130)
- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at java.lang.reflect.Method.invoke(Method.java:498)
- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:798)
- at

com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:770)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access
 \$12(LocalTestExecutionContainerRunner.java:702)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner \$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1435)
- Successfully updated browser window handles.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Pausing for Pause On Error (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CrateFakeOpportunity.testcase
- Start of Interact. Connection: Admin2, Locator: ui:locator?name=Amount&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity
 %26field%3DAmount, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=Amount&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAmount
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/
 Opportunity/0060Q00000LQ8wkQAD/edit?count=2&backgroundContext=%2Flightning%2Fr%2FOpportunity%2F0060Q00000LQ8wkQAD
 %2Fview
- ① Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hiputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Amount'] or .//text() = 'Amount')]/ ancestor::div[1]
- (i) Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default> wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@4ec9160c -> unknown locator]] -> xpath: .//input
- ① Got webElement. tagName: INPUT, id: input-515, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: 1000000, blur: false
- Doing after wait. waitUrl: default

- i End of <default> wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CrateFakeOpportunity.testcase
- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Amount&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAmount, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=Amount&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAmount
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/
 Opportunity/0060Q00000LQ8wkQAD/edit?count=2&backgroundContext=%2Flightning%2Fr%2FOpportunity%2F0060Q00000LQ8wkQAD
 %2Fview
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Amount'] or .//text() = 'Amount')]/ ancestor::div[1]
- Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@4ec9160c -> unknown locator]] -> xpath: .//input
- ① Got webElement. tagName: INPUT, id: input-515, type: text, class: slds-input
- (1) Typing value. tagName: INPUT, type: text, value: 2000000, blur: false
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- 1 Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CrateFakeOpportunity.testcase

Click the Save button


0 23:48:49(23:22.180)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3Dsave, before wait: default, after wait: default, auto retry: default
- Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3Dsave
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/
 Opportunity/0060Q00000LQ8wkQAD/edit?count=2&backgroundContext=%2Flightning%2Fr%2FOpportunity%2F0060Q00000LQ8wkQAD
 %2Fview
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]
- ① Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (1eb0f886e6d2a80508653d54dfdccc7e)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or


following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]

- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- i Doing after wait. waitUrl: default
- End of <default> wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CrateFakeOpportunity.testcase

UI Assert
 23:49:51(24:24.471)



After Screenshot : 2022/12/10 23:50:23



After Screenshot : 2022/12/10 23:51:36

- i Start of UiAssert. Connection: Admin2
- Resolving field Amount
- ① Switched focus to main window. URL: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/r/
 Opportunity/0060Q00000LQ8wkQAD/edit?count=2&backgroundContext=%2Flightning%2Fr%2FOpportunity%2F0060Q0000LQ8wkQAD
 %2Fview
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forcePageError')])][last()]//*[contains(@class, 'forcePageError')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Amount'] or .//text() = 'Amount')]/ ancestor::div[1]
- Find field using relative xpath: .//input
- ① Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ⑤ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@4ec9160c -> unknown locator]] -> xpath: .//input]

- Asserting field attributes: Amount
 Asserting Attribute: message to Amount cannot exceed \$1M
- Assertion successful.Amount cannot exceed \$1M EqualTo Amount cannot exceed \$1M
- Reading Attribute: value
- Object read successfully. Result Name: Values
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- 1 Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CrateFakeOpportunity.testcase
- Start of UiAssert. Connection: Admin2
- (i) Resolving field Amount
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/
 Opportunity/0060Q00000LQ8wkQAD/edit?count=2&backgroundContext=%2Flightning%2Fr%2FOpportunity%2F0060Q0000LQ8wkQAD
 %2Fview
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forcePageError')])][last()]//*[contains(@class, 'forcePageError')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'highting'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Amount'] or .//text() = 'Amount')]/ ancestor::div11
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@4ec9160c -> unknown locator]] -> xpath: .//input]
- (i) Asserting field attributes: Amount
- (1) Asserting Attribute: message to Amount cannot exceed \$1M
- Assertion successful.Amount cannot exceed \$1M EqualTo Amount cannot exceed \$1M
- (i) Reading Attribute: value
- (i) Object read successfully. Result Name: Values
- Sending screenshot. Data length: 57101
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CrateFakeOpportunity.testcase
- (i) Start of UiAssert. Connection: Admin2
- Resolving field Amount
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/
 Opportunity/0060Q00000LQ8wkQAD/edit?count=2&backgroundContext=%2Flightning%2Fr%2FOpportunity%2F0060Q00000LQ8wkQAD
 %2Fview
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[[last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//*[((self::label and (contains(@class, 'uiLabel')) or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Amount'] or .//text() = 'Amount')]/ ancestor::div[1]
- Find field using relative xpath: .//input

- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default> wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@4ec9160c -> unknown locator]] -> xpath: .//input
- Asserting field attributes: Amount
- (i) Asserting Attribute: message to Amount cannot exceed \$1M
- Assertion successful. Amount cannot exceed \$1M EqualTo Amount cannot exceed \$1M
- Reading Attribute: value
- (i) Object read successfully. Result Name: Values
- Sending screenshot. Data length: 57101
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- 1 Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CrateFakeOpportunity.testcase

Set the Amount field to 999999

0 23:52:59(27:32.434)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Amount&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26field%3DAmount, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Amount&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAmount
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/
 Opportunity/0060Q00000LQ8wkQAD/edit?count=2&backgroundContext=%2Flightning%2Fr%2FOpportunity%2F0060Q0000LQ8wkQAD
 %2Fview
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[[last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'tinde '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Amount'] or ./text() = 'Amount')]/ ancestor::div[1]
- Find field using relative xpath: .//input
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@4ec9160c -> unknown locator]] -> xpath: .//input]
- (1) Got webElement. tagName: INPUT, id: input-515, type: text, class: slds-input
- Typing value. tagName: INPUT, type: text, value: 999999, blur: false
- Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- 🍀 Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- 1 Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CrateFakeOpportunity.testcase

Click the Save button
 © 23:53:40(28:13.465)



After Screenshot: 2022/12/10 23:53:44

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3Dsave, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3Dsave
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/
 Opportunity/0060Q00000LQ8wkQAD/edit?count=2&backgroundContext=%2Flightning%2Fr%2FOpportunity%2F0060Q00000LQ8wkQAD
 %2Fview
- i Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default> wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (1eb0f886e6d2a80508653d54dfdccc7e)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer')) and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]// runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- 1 Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Sending screenshot. Data length: 60691
- (i) Going to update browser window handles.
- Update browser window handles.
- ① Successfully updated browser window handles.
- 1 Pausing for Pause (after executing last child)
- One or more Sub-Test Steps failed.
- (1) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Opportunity/0060Q00000LQ8wkQAD/view
- Going to update browser window handles.
- 🍀 Update browser window handles.
- ① Successfully updated browser window handles.
- 1 Pausing for Pause On Error (after executing last child)
- (i) Handling managed resource. Name: Admin2
- Closing Salesforce Connection because it is no longer being used. Name: Admin2
- Closing web connection.

- * Closing Selenium driver
- Shutting down Soap Connections. logFilePath: Admin2-objectids.log
- * Deleting object. Object: Opportunity, Id: 0060Q00000LQ8wkQAD
- Object deleted successfully. Id: 0060Q00000LQ8wkQAD
- ① Salesforce Connection handled successfully. Name: Admin2