

Test Run Report




Test Run Overview

Started	12 Dec 2022, 17:56:58
Ended	12 Dec 2022, 17:59:16
Duration (mm:ss)	02:17.937

Test Results Summary

Passed	1
Failed	0
Skipped	0



Test Case Summary

- tests
 - Trial Tests
 - Solved Exercises
 - Exercise 5 Create Account and Contact.testcase

- successful
- successful
- successful
- successful

Exercise 5 Create Account and Contact.testcase

Summary

Started	12 Dec 2022, 17:56:58
Ended	12 Dec 2022, 17:59:12
Duration (mm:ss)	02:13.508
Outcome	 successful

Output

- Set Values: AccountName ⌚ 17:56:58(00:00.031)
 - ⓘ Setting value AccountName to Strider Bank (ref: KRRQBP)
 - ⚙ Configuration: ValueScope:Test
 - ⓘ Successfully set AccountName to Strider Bank (ref: KRRQBP)
- Salesforce Connect: SF_Admin (Test) ⌚ 17:56:58(00:00.056)
 - ⓘ Connecting to Salesforce as Admin3
 - ⚙ Connection details. Connection name: Admin3, result name: SF_Admin, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
 - ⚙ Create object id log file.
 - ⚙ Opening Partner connection
 - ⚙ Opening SOAP connection
 - ⚙ Opening Metadata connection
 - ⓘ Successfully connected to Salesforce as Admin3
- On SF Account Home screen ⌚ 17:57:04(00:06.091)
 - ⓘ Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?object=Account&action=ObjectHome
 - ⓘ Opening Chrome webdriver instance to https://test.salesforce.com/
 - ⚙ Add Chrome browser specific capabilities
 - ⓘ Successfully opened Chrome webdriver to https://test.salesforce.com/
 - ⓘ Opening Page context. Name: screen, data: null, frame: null
 - ⓘ Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: chrome://new-tab-page/
 - ⓘ Opening Salesforce user home page
 - ⚙ Navigate to home page
 - ⚙ Perform page load wait
 - ⚙ Perform page load wait
 - ⓘ Successfully opened user home page
 - ⓘ Going to update browser window handles.
 - ⚙ Update browser window handles.
 - ⓘ Successfully updated browser window handles.
- Click the New button ⌚ 17:57:37(00:39.119)
 - ⓘ Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DNew, before wait: null, after wait: null, auto retry: default
 - ⓘ Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DNew
 - ⓘ Interaction: ui:interaction?name=action
 - ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent
 - ⓘ Interaction: ui:interaction?name=action

① Find action link element using xpath: `//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager'))]/ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '626:0')]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[ChromeDriver$EnhancerByCGLIB$$dace278c: chrome on XP (4db1a84524f4367a45f4a4cbfe0fa3a7)] -> xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager'))]/ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '626:0')]`

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: `https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084806161329760&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent`

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account New screen

⌚ 17:57:45(00:47.037)

① Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?action=New&object=Account

① Opening Page context. Name: screen, data: null, frame: null

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

● Set the Active picklist to Yes

⌚ 17:57:52(00:53.768)

① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Active__c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Active__c

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: `https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084806161329760&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent`

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container') or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup') or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Active'] or ./text()='Active')]/ancestor::div[1]`

① Find field using relative xpath: `//*[@self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

- ① End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@44002d0 -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]
- ① Got webElement. tagName: BUTTON, id: combobox-button-175, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value
- ① Typing value. tagName: BUTTON, type: button, value: Yes, blur: false
- ① Clicking WebElement. WebElement [tag: button, text: --None--]
- ① Clicking WebElement. WebElement [tag: div, text: --None-- --None-- No Yes]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✳ Update browser window handles.
- ① Successfully updated browser window handles.

● Set the SLA picklist to Gold

⌚ 17:57:58(00:59.871)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ProvarQS__SLA__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLA__c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS__SLA__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLA__c
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084806161329760&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set
- ① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='SLA'] or ./text() = 'SLA')]/ancestor::div[1]
- ① Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@44002d5 -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]
- ① Got webElement. tagName: BUTTON, id: combobox-button-212, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value
- ① Typing value. tagName: BUTTON, type: button, value: Gold, blur: false
- ① Clicking WebElement. WebElement [tag: button, text: --None--]
- ① Clicking WebElement. WebElement [tag: div, text: --None-- --None-- Gold Silver Platinum Bronze]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✳ Update browser window handles.
- ① Successfully updated browser window handles.

● Set the SLA Serial Number field to 12GH54FF

⌚ 17:58:03(01:04.678)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ProvarQS__SLASerialNumber__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLASerialNumber__c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS__SLASerialNumber__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLASerialNumber__c

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084806161329760&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='SLA Serial Number'] or .//text() = 'SLA Serial Number')]/ancestor::div[1]

① Find field using relative xpath: ./input

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@44002d9 -> unknown locator]] -> xpath: ./input]

① Got webElement. tagName: INPUT, id: input-226, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: 12GH54FF, blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

● Today link the SLA Expiration Date field

🕒 17:58:07(01:09.294)

① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ProvarQS__SLAExpirationDate__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLAExpirationDate__c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS__SLAExpirationDate__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLAExpirationDate__c

① Interaction: ui:interaction?name=sfToday

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084806161329760&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=sfToday

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='SLA Expiration Date'] or .//text() = 'SLA Expiration Date')]/ancestor::div[1]

① Find field using relative xpath: ./input

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@44002f1 -> unknown locator]] -> xpath: ./input]

① Clicking WebElement. WebElement [tag: input]

① Clicking WebElement. WebElement [tag: button]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

📄 Successfully updated browser window handles.

● Set the Account Name field to Strider Bank (ref: KRRQBP)

🕒 17:58:12(01:13.490)

📄 Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

📄 Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName

📄 Interaction: ui:interaction?name=set

📄 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084806161329760&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

📄 Interaction: ui:interaction?name=set

📄 Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]/*[1]/*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container') or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text) and (./text()[normalize-space()='Account Name'] or ./text() = 'Account Name'))/ancestor::div[1]

📄 Find field using relative xpath: ../input

📄 Waiting for element to be present. Timeout(seconds): 10

📄 Doing before wait. waitUrl: default

📄 End of <default>; wait.

📄 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@44002f6 -> unknown locator]] -> xpath: ../input]

📄 Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input

📄 Typing value. tagName: INPUT, type: text, value: Strider Bank (ref: KRRQBP), blur: false

📄 Doing after wait. waitUrl: default

📄 End of <default>; wait.

📄 Going to update browser window handles.

✳ Update browser window handles.

📄 Successfully updated browser window handles.

● Click the Save button

🕒 17:58:16(01:18.182)

📄 Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Faction%3Dsave%26object%3DAccount, before wait: default, after wait: default, auto retry: default

📄 Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Faction%3Dsave%26object%3DAccount

📄 Interaction: ui:interaction?name=action

📄 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084806161329760&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

📄 Interaction: ui:interaction?name=action

📄 Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]

📄 Waiting for element to be present. Timeout(seconds): 10

📄 Doing before wait. waitUrl: default

📄 End of <default>; wait.

📄 Found element: [[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (4db1a84524f4367a45f4a4cbfe0fa3a7)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]

📄 Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

📄 Doing after wait. waitUrl: default

📄 End of <default>; wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOyN8QAK/view>

① Injecting script to get created object ID from aura component

📄 Storing created Salesforce Object ID. Result Name: accountId, created ID: 0010Q00001dOyN8QAK, location: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOyN8QAK/view>

① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dOyN8QAK

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOyN8QAK/view>

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Set Values: AccountName3

⌚ 17:58:22(01:23.950)

① Setting value AccountName3 to Strider Bank (ref: H632SF)

⚙ Configuration: ValueScope:Test

① Successfully set AccountName3 to Strider Bank (ref: H632SF)

● On SF Account New screen

⌚ 17:58:22(01:23.999)

① Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?object=Account&action=New&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Opening Salesforce page. Object: Account, RelatedList: null, Action: New, Page URL: </lightning/o/001/list>, Current URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOyN8QAK/view>

① Opening Salesforce user home page

⚙ Navigate to home page

⚙ Perform page load wait

① Successfully opened user home page

① Clicking the New Button

① Find action link element using xpath: `((/*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]))]//div[contains(@class, 'forceListViewManager')]/ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '835:0')]`

① Clicking WebElement. WebElement [tag: a, text: New, href: javascript:void(0);]

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Set the Account Name field to Strider Bank (ref: H632SF)

⌚ 17:58:38(01:39.504)

① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084811506982367&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))] or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)] and (./text()[normalize-space()='Account Name'] or ./text()='Account Name')/ancestor::div[1]`

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@6d3be824 -> unknown locator]] -> xpath: ./input]`

① Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: Strider Bank (ref: H632SF), blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

● Click the Save button

🕒 17:58:41(01:43.091)

① Start of Interact. Connection: SF_Admin, Locator: `ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave`, before wait: default, after wait: default, auto retry: default

① Locator: `ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave`

① Interaction: `ui:interaction?name=action`

① Switched focus to main window. URL: `https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084811506982367&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent`

① Interaction: `ui:interaction?name=action`

① Find action link element using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[ChromeDriver$EnhancerByCGLIB$$dace278c: chrome on XP (4db1a84524f4367a45f4a4cbfe0fa3a7)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]`

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: `https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOyNnQAK/view`

① Injecting script to get created object ID from aura component

📄 Storing created Salesforce Object ID. Result Name: accountId, created ID: 0010Q00001dOyNnQAK, location: `https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOyNnQAK/view`

① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dOyNnQAK

❗ Closing Page context. Name: screen, data: null, frame: null

❗ Main window reselected. Window: main

❗ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOyNnQAK/view

❗ Going to update browser window handles.

⚙ Update browser window handles.

❗ Successfully updated browser window handles.

● On SF Account Home screen

⌚ 17:58:46(01:48.229)

❗ Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?object=Account&action=ObjectHome

❗ Opening Page context. Name: screen, data: null, frame: null

❗ Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOyNnQAK/view

❗ Opening Salesforce user home page

⚙ Navigate to home page

⚙ Perform page load wait

❗ Successfully opened user home page

❗ Going to update browser window handles.

⚙ Update browser window handles.

❗ Successfully updated browser window handles.

● With Account rows {ACCOUNT_NAME = "Strider Bank (ref: H632SF)"}

⌚ 17:58:56(01:57.671)

❗ Start of With Row. Connection Name: SF_Admin, target: sf:ui:locator:row?table=ObjectHome%2Frecent%2FrecentTable

❗ Find element using xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]/tbody//tr

❗ Waiting for element to be present. Timeout(seconds): 10

❗ Populating webelement cells into the row Row Count: 10

❗ Populated the row elements.

❗ Applying row locator to rows. Row Count: 10, Row Locator: {ACCOUNT_NAME = "Strider Bank (ref: H632SF)"}

❗ The row locator matched 1 row.

❗ Going to update browser window handles.

⚙ Update browser window handles.

❗ Successfully updated browser window handles.

● Click the Account Name field

⌚ 17:58:58(01:59.493)

❗ Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ACCOUNT_NAME&binding=sf%3Aui%3Aabinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

❗ Locator: ui:locator?name=ACCOUNT_NAME&binding=sf%3Aui%3Aabinding%3Aobject%3Fobject%3DAccount%26field%3DName

❗ Interaction: ui:interaction?name=action

❗ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent

❗ Interaction: ui:interaction?name=action

❗ Doing before wait. waitUrl: default

❗ End of <default>; wait.

❗ Found element: [ChromedriverEnhancerByCGLIB\$dace278c: chrome on XP (4db1a84524f4367a45f4a4cbfe0fa3a7)]
-> xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]/tbody//tr -> xpath: th//span/*[self::a or self::span[not(contains(@class, 'photoContainer') or contains(@class, 'uiImage'))]]

❗ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Strider Bank (ref: H632SF), href: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dOyNnQAK/view]

❗ Doing after wait. waitUrl: default

❗ End of <default>; wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOyNnQAK/view>

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account View screen

⌚ 17:59:02(02:04.218)

① Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?object=Account&action=View&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Activating detailTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOyNnQAK/view>

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① Handling managed resource. Name: SF_Admin

⚙ Closing Salesforce Connection because it is no longer being used. Name: SF_Admin

⚙ Closing web connection.

⚙ Closing Selenium driver

⚙ Shutting down Soap Connections. logFilePath: Admin3-objectids.log

① Salesforce Connection handled successfully. Name: SF_Admin