Test Run Report



Test Run Overview

Started 07 Dec 2022, 20:28:55 Ended 07 Dec 2022, 20:37:38

Duration (mm:ss) 08:42.896

Test Results Summary

Passed 0 Failed 0 Skipped 0



Test Case Summary



CreateANewContact.testcase

pending pending

CreateANewContact.testcase

Summary

Started 07 Dec 2022, 20:28:55 Ended 07 Dec 2022, 20:29:20

Duration (mm:ss) 00:25.123
Outcome pending

Output

Salesforce Connect: admin (Test)

0 20:28:55(00:00.059)

- (i) Connecting to Salesforce as admin
- **Connection details. Connection name: admin, result name: admin, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
- Create object id log file.
- Opening Partner connection
- Opening SOAP connection
- Opening Metadata connection
- (i) Successfully connected to Salesforce as admin
- ① Opening Chrome webdriver instance to https://test.salesforce.com/
- * Add Chrome browser specific capabilities
- (i) Successfully opened Chrome webdriver to https://test.salesforce.com/
- (i) Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- Successfully opened user home page
- (1) Going to update browser window handles.
- Update browser window handles.
- ₹ Starting Page Object change watcher. Page Object bin folder: C:\Users\MangeshDhepe\Desktop\Provar File\demo\bin\pageobjects
- (i) Successfully updated browser window handles.
- (i) Pausing at end of Test Case
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase
- 🛈 Waiting for Page Object to update. Page Object Id: pageobjects.WebToCaseV3, onOrAfterUtc: 14:59:32.000, timeout(seconds): 15.000
- ① Start of wait for Page Object to update. Page Object Id: pageobjects.WebToCaseV3, onOrAfterUtc: 14:59:32.000, timeout(seconds): 15.000
- ① Refreshing PageObject. Id: pageobjects.WebToCaseV3
- ① Got pageObjectRefreshed notification. pageObjectId: pageobjects.WebToCaseV3, utc: 14:59:36.000
- ① Page Object refresh wait successful. Page Object Id: pageobjects.WebToCaseV3, duration(seconds): 0.513

On WebToCaseV3 page

0 20:29:36(00:41.212)

- 1 Start of With Screen. Connection Name: admin, target: ui:pageobject:target?pageId=pageobjects.WebToCaseV3
- (i) Opening Page context. Name: screen, data: null, frame: null
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Click the Contacts

0 20:29:37(00:41.592)

① Start of Interact. Connection: admin, Locator: ui:pageobject:field?field=contacts&pageId=pageobjects.WebToCaseV3, before wait: default, after wait: default, auto retry: default

- ① Locator: ui:pageobject:field?field=contacts&pageId=pageobjects.WebToCaseV3
 ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/list?filterName=Recent
- i Interaction: ui:interaction?name=action
- Doing before wait. waitUrl: default
- End of <default> wait.
- ① Found element: [org.openqa.selenium.remote.RemoteWebElement@95d842f0 -> unknown locator]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Contacts, href: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/home]
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase
- All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/list?filterName=Recent
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

On SF Contact Home screen

0 20:29:54(00:58.625)

- ① Start of With Screen. Connection Name: admin, target: sf:ui:target?object=Contact&action=ObjectHome
- ① Opening Page context. Name: screen, data: null, frame: null
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Click the New Contact button

0 20:29:54(00:59.284)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=NewContact&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26action%3DNewContact, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=NewContact&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26action%3DNewContact
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/list?filterName=Recent
- i Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '1249:0')]
- (1) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (b82887ce411e1927d6045f0e77425b88)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'test-listViewManager')]//ul[contains(@class, 'oneActionsPropDownMenuList') and contains(@class, 'visible')]//a[contains(@data-aura-rendered-by, '1249:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- i Doing after wait. waitUrl: default

- i End of <default> wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase
- All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=16704251958271113&backgroundContext=%2Flightning%2Fo%2FContact%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

On SF Contact Record Type selection screen

0 20:30:26(01:30.852)

- ① Start of With Screen. Connection Name: admin, target: sf:ui:target?object=Contact&action=recordTypeNew
- (i) Opening Page context. Name: screen, data: null, frame: null
- (1) Hover>Clicking WebElement. WebElement [tag: h2, text: New Contact]
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Click the Continue button

0 20:30:32(01:36.759)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=save&path=selectRecordType, before wait: default, after wait: default, auto retry: default
- (i) Locator: ui:locator?name=save&path=selectRecordType
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=16704251958271113&backgroundContext=%2Flightning%2Fo%2FContact%2Flist%3FfilterName%3DRecent
- (i) Interaction: ui:interaction?name=action
- ① Find elements using xpath: ((//*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]] or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset') and not(contains(@class, 'navexWorkspace')) and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'navexWorkspace')) and contains(@class, 'navexWorkspace') or contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]// div[contains(@class, 'modal-footer') or contains(@class, 'modal-footer') or contains(@class, 'modal-footer'))][last()]/button)[last()]
- (1) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (b82887ce411e1927d6045f0e77425b88)] -> xpath: ((// *[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'nasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))] or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]//div[contains(@class, 'modal-footer') or contains(@class, 'modal_footer') or contains(@class, 'modal_footer') or contains(@class, 'multiEditFooterContainer)))[last()]/button)[last()]]
- Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Next]
- Doing after wait. waitUrl: default
- End of <default> wait.
- (1) Going to update browser window handles.

- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase
- Set Values: Phone

0 20:31:06(02:10.492)

- ① Setting value Phone to 9011529415
- Configuration: ValueScope:Test
- (i) Successfully set Phone to 9011529415
- Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase
- All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167042523304722323&backgroundContext=%2Flightning%2Fo%2FContact%2Flist%3FfilterName%3DRecent&recordTypeId=0121t000000kEPbAAM
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

On SF Contact (Customer) New screen

0 20:31:32(02:36.423)

- 1 Start of With Screen. Connection Name: admin, target: sf:ui:target?object=Contact&action=New&noOverride=true&recordType=Customer
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Hover>Clicking WebElement. WebElement [tag: h2, text: New Contact: Customer]
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Set the Phone field to 9011529415

0 20:31:38(02:42.734)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=Phone&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26field %3DPhone, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Phone&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26field%3DPhone
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167042523304722323&backgroundContext=%2Flightning%2Fo%2FContact%2Flist%3FfilterName%3DRecent&recordTypeId=0121t000000kEPbAAM
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hilabel')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Phone'] or .//text() = 'Phone')]/ ancestor::div[1]
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@25301ac7 -> unknown locator]] -> xpath: .//input]
- ① Got webElement. tagName: INPUT, id: input-183, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: 9011529415, blur: false
- i Doing after wait. waitUrl: default

- i End of <default> wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase

Set Values: LastName

0 20:32:20(03:24.691)

- Setting value LastName to Dhepe
- Configuration: ValueScope:Test
- Successfully set LastName to Dhepe
- 1 Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase

Set the Last Name field to Dhepe

@ 20:32:33(03:38.121)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=LastName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact %26field%3DLastName, before wait: default, after wait: default, auto retry: default
- 🛈 Locator: ui:locator?name=LastName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26field%3DLastName
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167042523304722323&backgroundContext=%2Flightning%2Fo%2FContact%2Flist%3FfilterName%3DRecent&recordTypeId=0121t000000kEPbAAM
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][[ast()]//*[contains(@class, 'forcePageError')])][[ast()]//*[contains(@class, 'forcePageError')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Last Name'] or .//text() = 'Last Name')]/ancestor::div[1]
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default> wait.
- ⑤ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@25301acb -> unknown locator]] -> xpath: .//input]
- ① Got webElement. tagName: INPUT, id: input-194, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: Dhepe, blur: false
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase

Set the Salutation picklist to Ms.

0 20:32:55(04:00.237)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=Salutation&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact %26field%3DSalutation, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Salutation&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26field%3DSalutation
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167042523304722323&backgroundContext=%2Flightning%2Fo%2FContact%2Flist%3FfilterName%3DRecent&recordTypeId=0121t000000kEPbAAM
- (i) Interaction: ui:interaction?name=set

- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]/*[(self::fieldset and contains(@class, 'uilnput--compound')) or (self::lightning-input-name and contains(@class, 'slds-form-compound'))]/*[(self::span and contains(@class, 'uiPicklistLabel') and .='Name' or . = 'Salutation') or (self::lightning-picklist and contains(@data-field, 'salutation'))]/ancestor::div[1]
- ⑤ Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox_input')]]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@25301acd -> unknown locator]] -> xpath: ://*[self::a or self::input or self::button[contains(@class, 'slds-combobox_input')]]
- (i) Got webElement. tagName: BUTTON, id: combobox-button-190, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value
- 1 Typing value. tagName: BUTTON, type: button, value: Ms., blur: false
- (i) Clicking WebElement. WebElement [tag: button, text: Ms.]
- ① Clicking WebElement. WebElement [tag: div, text: Ms. --None-- Mr. Ms. Mrs. Dr. Prof.]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]
- Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase

Set the Account Name reference to Mangesh

0 20:33:33(04:37.665)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=AccountId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact %26field%3DAccountId, before wait: default, after wait: default, auto retry: default
- Locator: ui:locator?name=AccountId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26field%3DAccountId
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167042523304722323&backgroundContext=%2Flightning%2Fo%2FContact%2Flist%3FfilterName%3DRecent&recordTypeId=0121t000000kEPbAAM
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forcePageError')])][last()]/*[contains(@class, 'forcePageElockSection')]/*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default> wait.
- 🛈 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@25301ae6 -> unknown locator]] -> xpath: .//input]
- 🛈 Got webElement. tagName: INPUT, id: combobox-input-277, type: text, class: slds-combobox_input slds-input slds-combobox_input-value
- 1 Typing value. tagName: INPUT, type: text, value: Mangesh, blur: false
- ① Clicking WebElement. WebElement [tag: button, text: Clear Selection]
- ① Clicking WebElement. WebElement [tag: lightning-base-combobox-formatted-text, text: Mangesh]
- i Doing after wait. waitUrl: default
- i End of <default> wait.

- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase

Set Values: AccName

0 20:34:09(05:13.937)

- Setting value AccName to Xyz
- Configuration: ValueScope:Test
- Successfully set AccName to Xyz
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase

Set the Account Name reference to Xyz

0 20:34:26(05:30.836)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=AccountId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact %26field%3DAccountId, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=AccountId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26field%3DAccountId
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167042523304722323&backgroundContext=%2Flightning%2Fo%2FContact%2Flist%3FfilterName%3DRecent&recordTypeId=0121t000000kEPbAAM
- ① Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[[last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]///incestor::div[1]
- Find field using relative xpath: .//input
- ① Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default> wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@25301ae6 -> unknown locator]] -> xpath: .//input
- 1 Got webElement. tagName: INPUT, id: combobox-input-277, type: text, class: slds-combobox_input slds-input slds-combobox_input-value
- ① Typing value. tagName: INPUT, type: text, value: Xyz, blur: false
- ① Clicking WebElement. WebElement [tag: button, text: Clear Selection]
- i Element not found in the list. Retrying once to check again.
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase

Set the Other City field to Ahmednagar

0 20:36:10(07:15.145)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=OtherCity&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact %26field%3DOtherCity, before wait: default, after wait: default, auto retry: default
- ⑤ Locator: ui:locator?name=OtherCity&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26field%3DOtherCity
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167042523304722323&backgroundContext=%2Flightning%2Fo%2FContact%2Flist%3FfilterName%3DRecent&recordTypeId=0121t000000kEPbAAM

- i Interaction: ui:interaction?name=set 🛈 Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, forcePageBlockSection '))][2]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel')) or contains(@class, 'slds-form-element_label')))) and (.// text()='Other City')]/ancestor::*[self::div or self::lightning-picklist or self::lightning-input][1] i Find field using relative xpath: .//input (i) Waiting for element to be present. Timeout(seconds): 10 i Doing before wait. waitUrl: default End of <default> wait. ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@25301b07 -> unknown locator]] -> xpath: .//input]
- 1 Got webElement. tagName: INPUT, id: input-226, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: Ahmednagar, blur: false
- i Doing after wait. waitUrl: default
- End of <default> wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase
- All Sub-Test Steps were successful.
- 🛈 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/list?filterName=Recent
- (i) Injecting script to get created object ID from aura component
- △ Some toast message(s) are still open and might cause inconsistent issues in execution.
- Fetching created Id from URL
- Reattempting for the createdId
- Reattempting for the createdId
- Reattempting for the createdId
- Storing created Salesforce Object ID. Result Name: contactId, created ID: null, location: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/list?filterName=Recent
- Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/list?filterName=Recent
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

On SF Contact Home screen

@ 20:37:08(08:12 427)

- ① Start of With Screen. Connection Name: admin, target: sf:ui:target?object=Contact&action=ObjectHome
- (i) Opening Page context. Name: screen, data: null, frame: null
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

With Contact rows {Name = "Dhepe"}

0 20:37:08(08:12.722)

- ① Start of With Row. Connection Name: admin, target: sf:ui:locator:row?table=ObjectHome%2Frecent%2FrecentTable
- 1 Find element using xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]//tbody//tr
- (i) Waiting for element to be present. Timeout(seconds): 10
- (i) Populating webelement cells into the row Row Count: 1

- i Populated the row elements.
- ① Applying row locator to rows. Row Count: 1, Row Locator: {Name = "Dhepe"}
- i The row locator matched 1 row.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Click the Edit button

0 20:37:09(08:13.455)

- 1 Start of Interact. Connection: admin, Locator: ui:locator?name=Edit, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=Edit
- i Interaction: ui:interaction?name=action
- ⑤ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/list? filterName=Recent
- Activating the actions dropdown
- 1 Found element: [org.openqa.selenium.remote.RemoteWebElement@25301b22 -> unknown locator]
- ① Hover>Clicking WebElement. WebElement [tag: a, text: Show more actions, href: javascript:void(0);]
- i Interaction: ui:interaction?name=action
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[[[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (b82887ce411e1927d6045f0e77425b88)] -> xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]//tbody//tr]] -> xpath: //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]//a[contains(@data-aura-rendered-by, '2959:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Edit, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateANewContact.testcase
- (i) All Sub-Test Steps were successful.
- Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Contact/0030Q00001Jr0wuQAB/edit?navigationLocation=LIST_VIEW_ROW&count=2&backgroundContext=%2Flightning%2Fo%2FContact%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.