Test Run Report




Test Run Overview

Started 11 Dec 2022, 00:19:08 Ended 11 Dec 2022, 00:21:09

Duration (mm:ss) 02:01.767

Test Results Summary

Passed 0 Failed 1 Skipped 0



Test Case Summary



The control was not found. Locator: By.xpath: (//div[@id='InlineEditDialogContent']//div[contains(@class, 'inlineEditDiv') or contains(@class, 'inlineEditDontom')]/table//tr/td[contains(@class, 'inlineEditDontom')]/table//tr/td[contains(@class, 'inlineEditDontom')]/table//tr/td[contains(@class, 'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')]]]//div[contains(@class, 'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')]]]//div[contains(@class, 'pbBoubheader') and (h3/text() [not(parent::span)] = 'Case Information' or translate(normalize-space(h3/text()[not(parent::span)]), '', ") = translate(normalize-space('Case Information'), '', "))]/following-sibling::div[contains(@class, 'pbBoubsection')][1]/table//tr/td[contains(@class, 'labelCol') and (.//text() = 'Priority' or normalize-space(.//text()) = 'Priority')]/following-sibling::di[1])

One or more Sub-Test Steps failed.

CreateCase.testcase

Summary

Started 11 Dec 2022, 00:19:08 Ended 11 Dec 2022, 00:20:33

Duration (mm:ss) 01:25.476
Outcome failed

Output

Salesforce Connect: Admin2 (Test)

0 00:19:08(00:00.019)

- ① Connecting to Salesforce as Admin2
- © Connection details. Connection name: Admin2, result name: Admin2, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
- Create object id log file.
- Opening Partner connection
- Opening SOAP connection
- Opening Metadata connection
- Successfully connected to Salesforce as Admin2
- On SF Case Home screen

0 00:19:14(00:06.663)

- ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=ObjectHome
- ① Opening Chrome webdriver instance to https://test.salesforce.com/
- * Add Chrome browser specific capabilities
- ① Successfully opened Chrome webdriver to https://test.salesforce.com/
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Case, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/500/list?filterName=Recent, Current URL: chrome://new-tab-page/
- (i) Opening Salesforce user home page
- * Navigate to home page
- Perform page load wait
- * Perform page load wait
- Successfully opened user home page
- (i) Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.

Click the New Case button

0 00:19:43(00:35.689)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase %26action%3DNewCase, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DNewCase
- 1 Interaction: ui:interaction?name=action
- ⑤ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list?filterName=Recent
- i Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '942:0')]
- (1) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default

- i End of <default> wait.
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (1) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069818491689645&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- (i) Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.

On SF Case New screen

0 00:19:48(00:40.282)

- Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=New&noOverride=true
- ① Opening Page context. Name: screen, data: null, frame: null
- 1 Hover>Clicking WebElement. WebElement [tag: h2, text: New Case]
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Lookup the Account Name reference to LBGUYN0YO8HE

0 00:19:54(00:46.305)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Accountld&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase %26field%3DAccountld, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=AccountId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DAccountId
- 1 Interaction: ui:interaction?name=sfLookup
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069818491689645&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=sfLookup
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]
- (i) Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default> wait.
- ⑤ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@472b96e3 -> unknown locator]] -> xpath: .//input]
- (i) Hover>Clicking WebElement. WebElement [tag: input]
- Waiting for lookup dropdown list to appear
- Doing after wait. waitUrl: default

- i End of <default> wait.
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.

On SF Account Lookup screen

0 00:19:57(00:49.190)

- ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?lookup=Account
- (i) Opening Page context. Name: screen, data: null, frame: null
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Set the Search text to LBGUYN0YO8HE

0 00:19:57(00:49.543)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=SearchName&path=searchFrame, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:locator?name=SearchName&path=searchFrame
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069818491689645&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- Doing before wait. waitUrl: default
- End of <default> wait.
- ① Found element: [org.openqa.selenium.remote.RemoteWebElement@472b96e4 -> unknown locator]
- ① Clicking WebElement. WebElement [tag: div, text: Search Accounts "LBGUYN0YO8HE" in Accounts]
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.


Click the Go! button

0 00:20:05(00:57.355)

- 1 Start of Interact. Connection: Admin2, Locator: ui:locator?name=go&path=searchFrame, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:locator?name=go&path=searchFrame
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069818491689645&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- 1 Doing before wait. waitUrl: default
- End of <default> wait.
- 1 Found element: com.provar.core.model.ui.java.NullWebElement@5b673643
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069818491689645&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069818491689645&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Set the Priority picklist to High

0 00:20:09(01:01.393)



Error Screenshot

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Priority&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field %3DPriority, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Priority&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DPriority
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069818491689645&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Priority'] or .//text() = 'Priority')]/ ancestor::div[1]
- Doing before wait. waitUrl: default
- End of <default> wait.
- 1 Doing after wait. waitUrl: default
- ① Getting webElement: By.xpath: (//div[@id='InlineEditDialogContent']//div[contains(@class, 'inlineEditDiv') or contains(@class, 'inlineEditCompoundDiv')]/table//tr/td[contains(@class, 'labelCol') and (//text() = 'Priority' or normalize-space(.//text()) = 'Priority')]/ following-sibling::td[1] | //div[contains(@class, 'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')])]// div[contains(@class, 'pbSubheader') and (h3/text()[not(parent::span)] = 'Case Information' or translate(normalize-space(h3/text() [not(parent::span)]), '', ")) = 'translate(normalize-space('Case Information'), '', "))/following-sibling::div[contains(@class, 'pbSubsection')][1]/table//tr/td[contains(@class, 'labelCol') and (.//text() = 'Priority' or normalize-space(.//text()) = 'Priority')]/following-sibling::td[1])
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500

1 Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500 i Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500 ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500 ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500 10 Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500 ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500 ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500 1 Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500 The control was not found. Locator: By.xpath: (//div[@id='InlineEditDialogContent']//div[contains(@class, 'inlineEditDiv') or contains(@class, 'inlineEditCompoundDiv')]/table//tr/td[contains(@class, 'labelCol') and (.//text() = 'Priority' or normalize-space(.// text()) = 'Priority')]/following-sibling::td[1] | //div[contains(@class,'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')])]/div[contains(@class,'pbSubheader') and (h3/text()[not(parent::span)] = 'Case Information' or translate(normalize-space(h3/text() [not(parent::span)]), '', ") = translate(normalize-space('Case Information'), '', "))]/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (.//text() = 'Priority' or normalize-space(./text()) = 'Priority')]/following-sibling::td[1]) Doing after wait. waitUrl: default i End of <default> wait. (i) Going to update browser window handles. Update browser window handles. Successfully updated browser window handles. Going to update browser window handles. Update browser window handles. Successfully updated browser window handles. Click the Save button 0 00:20:23(01:15.447) 0 00:20:23(01:15.502) Set the Case Origin picklist to Phone Click the Save button 0 00:20:23(01:15.516) 0 00:20:23(01:15.534) Ul Assert Ul Assert 0 00:20:23(01:15.551) 0 00:20:23(01:15.566) Set the Engineering Reg Number field to 2342IKL11 0 00:20:23(01:15.577) Set the Potential Liability picklist to Yes Click the Save button 0 00:20:23(01:15.591) One or more Sub-Test Steps failed. ⑤ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069818491689645&backgroundContext=%2Flightning %2Fo%2FCase%2Flist%3FfilterName%3DRecent injecting script to get created object ID from aura component ⚠ Some toast message(s) are still open and might cause inconsistent issues in execution. Fetching created Id from URL Reattempting for the createdId Reattempting for the createdId (i) Reattempting for the createdId Storing created Salesforce Object ID. Result Name: caseld, created ID: null, location: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/ lightning/o/Case/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069818491689645&backgroundContext=%2Flightning %2Fo%2FCase%2Flist%3FfilterName%3DRecent (i) Closing Page context. Name: screen, data: null, frame: null

⑤ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?

count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167069818491689645&backgroundContext=%2Flightning

Going to update browser window handles.

%2Fo%2FCase%2Flist%3FfilterName%3DRecent

1 Main window reselected. Window: main

- **W** Update browser window handles.
- Successfully updated browser window handles.

- 1 Handling managed resource. Name: Admin2
- * Closing web connection.
- Closing Selenium driver
- * Shutting down Soap Connections. logFilePath: Admin2-objectids.log
- ① Salesforce Connection handled successfully. Name: Admin2