# Test Run Report




# **Test Run Overview**

Started 13 Dec 2022, 20:04:55 Ended 13 Dec 2022, 20:07:01

Duration (mm:ss) 02:05.308

# Test Results Summary

Passed 1 Failed 0 Skipped 0



# **Test Case Summary**



successfulsuccessful

# CreateCaseExercise3.testcase

## Summary

Started 13 Dec 2022, 20:04:55 Ended 13 Dec 2022, 20:06:25

Duration (mm:ss) 01:29.603
Outcome successful

## Output

Salesforce Connect: Admin2 (Test)

0 20:04:55(00:00.020)

- (i) Connecting to Salesforce as Admin2
- © Connection details. Connection name: Admin2, result name: Admin2, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
- Create object id log file.
- Opening Partner connection
- Opening SOAP connection
- Opening Metadata connection
- Successfully connected to Salesforce as Admin2
- On SF Case Home screen

0 20:05:01(00:05.084)

- ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=ObjectHome
- (i) Opening Chrome webdriver instance to https://test.salesforce.com/
- Add Chrome browser specific capabilities
- ① Successfully opened Chrome webdriver to https://test.salesforce.com/
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Case, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/500/list?filterName=Recent, Current URL: chrome://new-tab-page/
- (i) Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- Perform page load wait
- Successfully opened user home page
- (i) Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.

## Click the New Case button

0 20:05:23(00:27.174)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase %26action%3DNewCase, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DNewCase
- 1 Interaction: ui:interaction?name=action
- ⑤ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list?filterName=Recent
- i Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '942:0')]
- (1) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default

- 1 End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (a390309e440850175a44f6a38f4a68a5)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'test-listViewManager')]//al[contains(@data-aura-rendered-by, '942:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- i Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new? count=1&nooverride=1&useRecordTypeCheck=1&novigationLocation=LIST\_VIEW&uid=167094212440861357&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### On SF Case New screen

0 20:05:27(00:31.940)

- ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=New&noOverride=true
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Case, RelatedList: null, Action: New, Page URL: /lightning/o/500/list, Current URL: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new
- (1) Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- (i) Successfully opened user home page
- Clicking the New Button
- ① Find action link element using xpath: (//\*[contains(@class, 'active') and ( (self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'vasTabBarHidden'))] and contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))) //idiv[contains(@class, 'forceListViewManager')]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '945:0')]
- ① Clicking WebElement. WebElement [tag: a, text: New, href: javascript:void(0);]
- 1 Hover>Clicking WebElement. WebElement [tag: h2, text: New Case]
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

## Lookup the Account Name reference to Barton Media

0 20:05:40(00:44.489)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Accountld&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase %26field%3DAccountld, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=AccountId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DAccountId
- 1 Interaction: ui:interaction?name=sfLookup
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094213770654559&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=sfLookup
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/[contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/[contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/[contains(@class, 'forceFormPageError')]/[contains(@class, 'forceFormPageError')]/

'forceDetailPanel') or contains(@class, 'detail-panel-root')]/\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, forcePageBlockSection '))][1]/\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]

- i) Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- End of <default&gt; wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@50dbb3de -> unknown locator]] -> xpath: .//input
- (i) Hover>Clicking WebElement. WebElement [tag: input]
- (i) Waiting for lookup dropdown list to appear
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- **W** Update browser window handles.
- Successfully updated browser window handles.

#### On SF Account Lookup screen

0 20:05:43(00:47.125)

- ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?lookup=Account
- ① Opening Page context. Name: screen, data: null, frame: null
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

## Set the Search text to Barton Media

0 20:05:43(00:47.370)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=SearchName&path=searchFrame, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:locator?name=SearchName&path=searchFrame
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&novigationLocation=LIST\_VIEW&uid=167094213770654559&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- Doing before wait. waitUrl: default
- (i) End of <default&gt; wait.
- ① Found element: [org.openqa.selenium.remote.RemoteWebElement@50dbb3df -> unknown locator]
- ① Clicking WebElement. WebElement [tag: div, text: Search Accounts "Barton Media" in Accounts]
- 1 Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.

## Click the Go! button

0 20:05:51(00:55.128)

- 🛈 Start of Interact. Connection: Admin2, Locator: ui:locator?name=go&path=searchFrame, before wait: null, after wait: null, auto retry: default
- Locator: ui:locator?name=go&path=searchFrame
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094213770654559&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- 1 Doing before wait. waitUrl: default
- 1 End of <default&gt; wait.

- 1 Found element: com.provar.core.model.ui.java.NullWebElement@30c64f76
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### Click the Account Name button

@ 20:05:52(00:56.788)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable %2FresultsRow&rowLocator=Name+%3D+%27Barton+Media%27, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable%2FresultsRow&rowLocator=Name+%3D+%27Barton+Media%27
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094213770654559&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=action
- (i) Populating webelement cells into the row Row Count: 0
- Populated the row elements.
- ① Applying row locator to rows. Row Count: 1, Row Locator: {Name = "Barton Media"}
- (i) The row locator matched 1 row.
- Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@50dbb3e4 -> unknown locator]] -> xpath: td[1]/span|td[1]//a|td[1] [not(\*)]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Barton Media, href: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dPFj4QAG/view]
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.
- All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094213770654559&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094213770654559&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

# Set the Priority picklist to High

0 20:05:57(01:01.687)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Priority&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field %3DPriority, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Priority&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DPriority
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094213770654559&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set

- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'forcePageError')])][last()]/\*[contains(@class, 'forcePageError')]/\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]/\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Priority'] or .//text() = 'Priority')]/ ancestor::div[1]
- 1 Find field using relative xpath: //\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@50dbb3e6 -> unknown locator]] -> xpath: ://\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]]]
- (i) Got webElement. tagName: A, id: null, type: null, class: select
- ① Typing value. tagName: A, type: null, value: High, blur: false
- ① Clicking WebElement. WebElement [tag: a, text: Medium, href: javascript:void(0);]
- Clicking WebElement. WebElement [tag: a, text: High, href: javascript:void(0);]
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### Set the Case Origin picklist to Phone


0 20:06:01(01:05.201)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Origin&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field %3DOrigin, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Origin&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DOrigin
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094213770654559&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide'))) or (self::section and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Case Origin'] or .//text() = 'Case Origin')]/ancestor::div[1]
- 1 Find field using relative xpath: .//\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@50dbb401 -> unknown locator]] -> xpath: ://\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]]]
- (i) Got webElement. tagName: A, id: null, type: null, class: select
- ① Typing value. tagName: A, type: null, value: Phone, blur: false
- ① Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]
- ① Clicking WebElement. WebElement [tag: a, text: Phone, href: javascript:void(0);]
- Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.


(i) Successfully updated browser window handles.

Click the Save button

0 20:06:04(01:08.714)



Before Screenshot: 2022/12/13 20:06:04



After Screenshot : 2022/12/13 20:06:07

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action %3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3Dsave
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094213770654559&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=action
- (i) Sending screenshot. Data length: 48667
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//button[contains(@data-aura-rendered-by, '1258:0')]
- (1) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (a390309e440850175a44f6a38f4a68a5)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//button[contains(@data-aura-rendered-by, '1258:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- i Doing after wait. waitUrl: default
- End of <default&gt; wait.
- Sending screenshot. Data length: 47186
- Going to update browser window handles.
- 🍀 Update browser window handles.
- Successfully updated browser window handles.

1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@50dbb43b -> unknown locator]] -> xpath: .//input

Assertion successful. Engineering Req Number is required when Priority is set to 'High'. EqualTo Engineering Req Number is required when

1 Asserting Attribute: message to Engineering Req Number is required when Priority is set to 'High'.

① Asserting field attributes: ProvarQS\_QSEngineeringReqNumber\_c

Priority is set to 'High'.

- (i) Reading Attribute: value
- (i) Object read successfully. Result Name: Values
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### Set the Potential Liability picklist to Yes

0 20:06:11(01:15.884)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS\_QSPotentialLiability\_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DProvarQS\_QSPotentialLiability\_c, before wait: default, after wait: default, auto retry: default
- Locator: ui:locator?name=ProvarQS\_QSPotentialLiability\_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field
   %3DProvarQS\_QSPotentialLiability\_c
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094213770654559&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][3]//\*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightninglnputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()=Potential Liability'] or .//text() = 'Potential Liability')]/ancestor::div[1]
- 1 Find field using relative xpath: .//\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]
- i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@50dbb41d -> unknown locator]] -> xpath: //\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]]]
- Got webElement. tagName: A, id: null, type: null, class: select
- 1 Typing value. tagName: A, type: null, value: Yes, blur: false
- ① Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]
- ① Clicking WebElement. WebElement [tag: a, text: Yes, href: javascript:void(0);]
- i Doing after wait. waitUrl: default
- ① End of <default&gt; wait.
- Going to update browser window handles.
- 🍀 Update browser window handles.
- Successfully updated browser window handles.


#### Set the Engineering Req Number field to 2342IKL11

0 20:06:15(01:19.385)


- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS\_QSEngineeringReqNumber\_c&binding=sf%3Aui%3Abinding %3Aobject%3Fobject%3DCase%26field%3DProvarQS\_QSEngineeringReqNumber\_c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS\_QSEngineeringReqNumber\_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field %3DProvarQS\_QSEngineeringReqNumber\_c
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094213770654559&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forcePageError')])][last()]//\*[contains(@class, 'forcePageElockSection or self::div) and contains(@class, 'forcePageElockSection '))][3]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Engineering Req Number'])/ancestor::div[1]

- i Find field using relative xpath: .//input
- ① Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@50dbb43b -> unknown locator]] -> xpath: .//input
- ① Got webElement. tagName: INPUT, id: 667:1154;a, type: text, class: input
- ① Typing value. tagName: INPUT, type: text, value: 2342IKL11, blur: false
- 1 Doing after wait. waitUrl: default
- 1 End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Click the Save button

0 20:06:17(01:21.789)



Before Screenshot : 2022/12/13 20:06:17



After Screenshot : 2022/12/13 20:06:20

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action %3Dsave, before wait: default, after wait: default, auto retry: default
- $\textbf{\textcircled{1}} Locator: ui: locator? name = save \& binding = sf\%3 Aui\%3 Abinding\%3 A object\%3 F object\%3 D Case\%2 6 action\%3 D save a constant of the property of t$
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094213770654559&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=action
- (i) Sending screenshot. Data length: 52394
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//button[contains(@data-aura-rendered-by, '1258:0')]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i) Doing before wait. waitUrl: default

- 1 End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (a390309e440850175a44f6a38f4a68a5)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[[last()]//button[contains(@data-aura-rendered-by, '1258:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Sending screenshot. Data length: 49192
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- 1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000llHBhQAN/view
- (i) Injecting script to get created object ID from aura component
- Fetching created Id from URL
- Storing created Salesforce Object ID. Result Name: caseId, created ID: 5000Q00000IIHBhQAN, location: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000IIHBhQAN/view
- ① Logging Salesforce Object Id for clean up. Object Name: Case, id: 5000Q00000IIHBhQAN
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000llHBhQAN/view
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Handling managed resource. Name: Admin2
- Closing Salesforce Connection because it is no longer being used. Name: Admin2
- Closing web connection.
- Closing Selenium driver
- Shutting down Soap Connections. logFilePath: Admin2-objectids.log
- (i) Salesforce Connection handled successfully. Name: Admin2