

Test Run Report




Test Run Overview

Started	10 Dec 2022, 21:39:51
Ended	10 Dec 2022, 21:41:44
Duration (mm:ss)	01:52.656

Test Results Summary

Passed	1
Failed	0
Skipped	0




Test Case Summary

- tests
 - Create Account.testcase

- successful
- successful

Create Account.testcase

Summary


Started	10 Dec 2022, 21:39:51
Ended	10 Dec 2022, 21:41:41
Duration (mm:ss)	01:49.550
Outcome	 successful

Output

Salesforce Connect: Admin2 (Test)

21:39:51(00:00.023)


 Connecting to Salesforce as Admin2


 Connection details. Connection name: Admin2, result name: Admin2, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]

 Create object id log file.


 Opening Partner connection

 Opening SOAP connection

 Opening Metadata connection


 Successfully connected to Salesforce as Admin2


 Opening Chrome webdriver instance to https://test.salesforce.com/


 Add Chrome browser specific capabilities

 Successfully opened Chrome webdriver to https://test.salesforce.com/


 Opening Salesforce user home page


 Navigate to home page


 Perform page load wait


 Clicking WebElement. WebElement [tag: input, text: Log In to Sandbox]

 Successfully opened user home page

 Going to update browser window handles.


 Update browser window handles.


 Starting Page Object change watcher. Page Object bin folder: C:\Users\MangeshDhepe\Desktop\Provar File\demo\bin\pageobjects


 Successfully updated browser window handles.


On WebToCaseV3 page


21:40:21(00:29.191)

 Start of With Screen. Connection Name: Admin2, target: ui:pageobject:target?pagelId=pageobjects.WebToCaseV3

 Opening Page context. Name: screen, data: null, frame: null


 Going to update browser window handles.

 Update browser window handles.

 Successfully updated browser window handles.


Click the Accounts

21:40:21(00:29.623)

 Start of Interact. Connection: Admin2, Locator: ui:pageobject:field?field=accounts&pagelId=pageobjects.WebToCaseV3, before wait: default, after wait: default, auto retry: default

 Locator: ui:pageobject:field?field=accounts&pagelId=pageobjects.WebToCaseV3

 Interaction: ui:interaction?name=action

 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/page/home

 Interaction: ui:interaction?name=action

 Doing before wait. waitUrl: default

 End of <default>; wait.

- ① Found element: [org.openqa.selenium.remote.RemoteWebElement@8450504 -> unknown locator]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Accounts, href: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/home]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✦ Update browser window handles.
- ① Successfully updated browser window handles.
- ① All Sub-Test Steps were successful.
- ① Closing Page context. Name: screen, data: null, frame: null
- ① Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent
- ① Going to update browser window handles.
- ✦ Update browser window handles.
- ① Successfully updated browser window handles.

● On SF Account Home screen

⌚ 21:40:26(00:34.494)

- ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Account&action=ObjectHome
- ① Opening Page context. Name: screen, data: null, frame: null
- ① Going to update browser window handles.
- ✦ Update browser window handles.
- ① Successfully updated browser window handles.

● Click the New button

⌚ 21:40:26(00:35.059)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNew, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNew
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent
- ① Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]/ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '1483:0')]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (189f12348b2f04e1a958089f49e00caf)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]/ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '1483:0')]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✦ Update browser window handles.
- ① Successfully updated browser window handles.
- ① All Sub-Test Steps were successful.
- ① Closing Page context. Name: screen, data: null, frame: null
- ① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167068862805030877&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account New screen

⌚ 21:40:31(00:39.610)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Account&action=New&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Set the Website field to www.bartonmedia.com

⌚ 21:40:37(00:45.641)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Website&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DWebsite, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Website&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DWebsite

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167068862805030877&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide'))] or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Website'] or ./text() = 'Website')]/ancestor::div[1]`

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@5b9b32 -> unknown locator]] -> xpath: ./input]`

① Got webElement. tagName: INPUT, id: input-180, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: www.bartonmedia.com, blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Set the Active picklist to No

⌚ 21:40:40(00:48.858)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Active__c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Active__c

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167068862805030877&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class,`

'forceDetailPanel') or contains(@class, 'detail-panel-root'))/*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection'))][1]/*[(self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label')) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Active'] or ./text() = 'Active')]/ancestor::div[1]

① Find field using relative xpath: `//*[@self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5b9b36 -> unknown locator]] -> xpath: `//*[@self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`]]

① Got webElement. tagName: BUTTON, id: combobox-button-201, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value

① Typing value. tagName: BUTTON, type: button, value: No, blur: false

① Clicking WebElement. WebElement [tag: button, text: --None--]

① Clicking WebElement. WebElement [tag: div, text: --None-- --None-- No Yes]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

● Set the SLA picklist to Gold

⌚ 21:40:44(00:52.357)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS__SLA__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLA__c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS__SLA__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLA__c

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167068862805030877&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')/*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection'))][1]/*[(self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label')) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='SLA'] or ./text() = 'SLA')]/ancestor::div[1]`

① Find field using relative xpath: `//*[@self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5b9b4f -> unknown locator]] -> xpath: `//*[@self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`]]

① Got webElement. tagName: BUTTON, id: combobox-button-238, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value

① Typing value. tagName: BUTTON, type: button, value: Gold, blur: false

① Clicking WebElement. WebElement [tag: button, text: --None--]

① Clicking WebElement. WebElement [tag: div, text: --None-- --None-- Gold Silver Platinum Bronze]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]


① Doing after wait. waitUrl: default

① End of <default> wait.

- ① Going to update browser window handles.
- ✳ Update browser window handles.
- ① Successfully updated browser window handles.

● Set the SLA Expiration Date field to 2022-12-01

⌚ 21:40:47(00:55.776)



Before Screenshot : 2022/12/10 21:40:47

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS__SLAExpirationDate__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLAExpirationDate__c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS__SLAExpirationDate__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLAExpirationDate__c
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167068862805030877&backgroundContext=%2FLightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set
- ① Sending screenshot. Data length: 44298
- ① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[((self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection')))]/1/*[(((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='SLA Expiration Date'] or ./text()='SLA Expiration Date')]/ancestor::div[1]
- ① Find field using relative xpath: ../input
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5b9b53 -> unknown locator]] -> xpath: ../input]
- ① Typing value. Element: [[[org.openqa.selenium.remote.RemoteWebElement@5b9b53 -> unknown locator]] -> xpath: ../input], value: 2022-12-01, blur: false
- ① Clicking WebElement. WebElement [tag: td, text: 1]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✳ Update browser window handles.
- ① Successfully updated browser window handles.

● Set the SLA Serial Number field to 38263826

⌚ 21:40:51(00:59.628)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS__SLASerialNumber__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLASerialNumber__c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS__SLASerialNumber__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLASerialNumber__c
- ① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167068862805030877&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container') or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='SLA Serial Number'] or ./text() = 'SLA Serial Number')]/ancestor::div[1]`

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@5b9b58 -> unknown locator]] -> xpath: ./input]`

① Got webElement. tagName: INPUT, id: input-252, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: 38263826, blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.


① Going to update browser window handles.

⚡ Update browser window handles.


① Successfully updated browser window handles.

● Click the Save button

⌚ 21:40:54(01:02.523)



Before Screenshot : 2022/12/10 21:40:54



After Screenshot : 2022/12/10 21:40:57

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167068862805030877&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=action

① Sending screenshot. Data length: 52885

① Find action link element using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[ChromeDriver$EnhancerByCGLIB$dace278c: chrome on XP (189f12348b2f04e1a958089f49e00caf)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]`

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Sending screenshot. Data length: 57715

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① Pausing at end of Test Case

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Create Account.testcase

● Set the Account Name field to 38263826

⌚ 21:41:12(01:20.722)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3AObject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3AObject%3Fobject%3DAccount%26field%3DName

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167068862805030877&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide'))] or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))] or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text) and (./text()[normalize-space()='Account Name'] or ./text() = 'Account Name')/ancestor::div[1]`

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[org.openqa.selenium.remote.RemoteWebElement@5b9b73 -> unknown locator]] -> xpath: ./input`

① Got webElement. tagName: INPUT, id: input-173, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: 38263826, blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167068862805030877&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Injecting script to get created object ID from aura component

⚠ Some toast message(s) are still open and might cause inconsistent issues in execution.

① Fetching created Id from URL

① Reattempting for the createdId

① Reattempting for the createdId

① Reattempting for the createdId

📄 Storing created Salesforce Object ID. Result Name: accountId, created ID: null, location: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167068862805030877&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167068862805030877&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Handling managed resource. Name: Admin2

⚙ Closing Salesforce Connection because it is no longer being used. Name: Admin2

⚙ Closing web connection.

⚙ Alert is showing

⚙ Closing Selenium driver

⚙ Stopping Page Object change watcher.

⚙ Shutting down Soap Connections. logFilePath: Admin2-objectids.log

⚙ No Object Ids were logged. LogFile: Admin2-objectids.log

① Salesforce Connection handled successfully. Name: Admin2