

Test Run Report




Test Run Overview

Started 13 Dec 2022, 19:37:05
Ended 13 Dec 2022, 19:50:55
Duration (mm:ss) 13:50.145

Test Results Summary

Passed 1
Failed 0
Skipped 0



Test Case Summary

tests
CreateAccountEx1.testcase

● successful
● successful

CreateAccountEx1.testcase

Summary

Started 13 Dec 2022, 19:37:05
Ended 13 Dec 2022, 19:50:18
Duration (mm:ss) 13:12.992
Outcome ● successful

Output

- **Salesforce Connect: Admin2 (Test)** ⌚ 19:37:05(00:00.024)
 - ❗ Connecting to Salesforce as Admin2
 - ⚙ Connection details. Connection name: Admin2, result name: Admin2, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
 - ⚙ Create object id log file.
 - ⚙ Opening Partner connection
 - ⚙ Opening SOAP connection
 - ⚙ Opening Metadata connection
 - ❗ Successfully connected to Salesforce as Admin2
 - ❗ Opening Chrome webdriver instance to https://test.salesforce.com/
 - ⚙ Add Chrome browser specific capabilities
 - ❗ Successfully opened Chrome webdriver to https://test.salesforce.com/
 - ❗ Opening Salesforce user home page
 - ⚙ Navigate to home page
 - ⚙ Perform page load wait
 - ❗ Successfully opened user home page
 - ❗ Going to update browser window handles.
 - ⚙ Update browser window handles.
 - ⚙ Starting Page Object change watcher. Page Object bin folder: C:\Users\MangeshDhepe\Desktop\Provar File\demo\bin\pageobjects
 - ❗ Successfully updated browser window handles.
 - ❗ Pausing at end of Test Case
 - ❗ Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateAccountEx1.testcase
- **On SF Account Home screen** ⌚ 19:43:22(06:16.472)
 - ❗ Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Account&action=ObjectHome
 - ❗ Opening Page context. Name: screen, data: null, frame: null
 - ❗ Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list
 - ❗ Opening Salesforce user home page
 - ⚙ Navigate to home page
 - ⚙ Perform page load wait
 - ❗ Successfully opened user home page
 - ❗ Going to update browser window handles.
 - ⚙ Update browser window handles.
 - ❗ Successfully updated browser window handles.
- **Click the New button** ⌚ 19:43:31(06:26.100)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNew, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNew
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent
- ① Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager')])//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '833:0')]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[ChromeDriver\$EnhancerByCGLIB\$dace278c: chrome on XP (9fec918e372a76160f9afe821143f3c7)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager')])//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '833:0')]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✦ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateAccountEx1.testcase

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094081300669454&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account New screen

⌚ 19:44:03(06:57.707)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Account&action=New&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

● Set the Account Name field to Barton Media

⌚ 19:44:09(07:03.609)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094081300669454&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))] or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)] and (./text()[normalize-space()='Account Name'] or ./text()='Account Name')/ancestor::div[1]`

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default>; wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@3a0f650c -> unknown locator]] -> xpath: ./input]`

① Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: Barton Media, blur: false

① Doing after wait. waitUrl: default

① End of <default>; wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateAccountEx1.testcase

● Set the Active picklist to Yes

⌚ 19:44:51(07:45.806)

① Start of Interact. Connection: Admin2, Locator: `ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Active__c`, before wait: default, after wait: default, auto retry: default

① Locator: `ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Active__c`

① Interaction: `ui:interaction?name=set`

① Switched focus to main window. URL: `https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094081300669454&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent`

① Interaction: `ui:interaction?name=set`

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))] or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)] and (./text()[normalize-space()='Active'] or ./text()='Active')/ancestor::div[1]`

① Find field using relative xpath: `./*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default>; wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@3a0f6510 -> unknown locator]] -> xpath: ./*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]`

① Got webElement. tagName: BUTTON, id: combobox-button-175, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value

① Typing value. tagName: BUTTON, type: button, value: Yes, blur: false

① Clicking WebElement. WebElement [tag: button, text: Yes]

① Clicking WebElement. WebElement [tag: div, text: Yes --None-- No Yes]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]

① Doing after wait. waitUrl: default

① End of <default>; wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateAccountEx1.testcase

● Uncheck the Approved field

⌚ 19:45:34(08:28.873)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS__Approved__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Approved__c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS__Approved__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Approved__c

① Interaction: ui:interaction?name=uncheck

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094081300669454&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=uncheck

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))] or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text) and (./text()[normalize-space()='Approved'] or ./text()='Approved']/ancestor::div[1]

① Find field using relative xpath: ../input

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@3a0f6514 -> unknown locator]] -> xpath: ../input]

① Got webElement. tagName: INPUT, id: checkbox-204, type: checkbox

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateAccountEx1.testcase

● Set the Number of Locations field to 15

⌚ 19:46:33(09:28.151)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS__NumberofLocations__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__NumberofLocations__c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS__NumberofLocations__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__NumberofLocations__c

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094081300669454&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))] or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text) and (./text()[normalize-space()='Number of Locations'] or ./text()='Number of Locations']/ancestor::div[1]

① Find field using relative xpath: ../input

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

- ① End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@3a0f652b -> unknown locator]] -> xpath: //input]
- ① Got webElement. tagName: INPUT, id: input-200, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: 15, blur: false
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✳ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateAccountEx1.testcase

● Set the Website field to www.bartonmedia.com

① 19:46:58(09:53.061)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Website&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DWebsite, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Website&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DWebsite
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094081300669454&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set
- ① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection ')]/[1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Website'] or ./text() = 'Website')]/ancestor::div[1]
- ① Find field using relative xpath: //input
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@3a0f652d -> unknown locator]] -> xpath: //input]
- ① Got webElement. tagName: INPUT, id: input-154, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: www.bartonmedia.com, blur: false
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✳ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateAccountEx1.testcase

● Set the SLA Expiration Date field to 2020-01-01

① 19:48:09(11:03.658)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS__SLAExpirationDate__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLAExpirationDate__c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS__SLAExpirationDate__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLAExpirationDate__c
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094081300669454&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[((self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection')))]`[1]/*[(((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='SLA Expiration Date'] or ./text() = 'SLA Expiration Date')]/ancestor::div[1]

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of `<default>`; wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@3a0f652f -> unknown locator]] -> xpath: ./input]`

① Typing value. Element: `[[[org.openqa.selenium.remote.RemoteWebElement@3a0f652f -> unknown locator]] -> xpath: ./input]`, value: 2020-01-01, blur: false

① Clicking WebElement. WebElement [tag: td, text: 1]

① Doing after wait. waitUrl: default

① End of `<default>`; wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: `C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateAccountEx1.testcase`

● Set the SLA Serial Number field to 38263826

🕒 19:48:36(11:30.861)

① Start of Interact. Connection: Admin2, Locator: `ui:locator?name=ProvarQS__SLASerialNumber__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLASerialNumber__c`, before wait: default, after wait: default, auto retry: default

① Locator: `ui:locator?name=ProvarQS__SLASerialNumber__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLASerialNumber__c`

① Interaction: `ui:interaction?name=set`

① Switched focus to main window. URL: `https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094081300669454&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent`

① Interaction: `ui:interaction?name=set`

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[((self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection')))]`[1]/*[(((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='SLA Serial Number'] or ./text() = 'SLA Serial Number')]/ancestor::div[1]

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of `<default>`; wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@3a0f6534 -> unknown locator]] -> xpath: ./input]`

① Got webElement. tagName: INPUT, id: input-226, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: 38263826, blur: false

① Doing after wait. waitUrl: default

① End of `<default>`; wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateAccountEx1.testcase

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPFj4QAG/edit?count=2&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dPFj4QAG%2Fview>

① Injecting script to get created object ID from aura component

⚠ Some toast message(s) are still open and might cause inconsistent issues in execution.

① Fetching created Id from URL

📄 Storing created Salesforce Object ID. Result Name: accountId, created ID: 0010Q00001dPFj4QAG, location: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPFj4QAG/edit?count=2&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dPFj4QAG%2Fview>

① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dPFj4QAG

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPFj4QAG/edit?count=2&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dPFj4QAG%2Fview>

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account Edit screen

⌚ 19:49:31(12:26.258)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Account&action=Edit&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Hover>Clicking WebElement. WebElement [tag: h2, text: Edit Barton Media]


① Going to update browser window handles.

⚙ Update browser window handles.


① Successfully updated browser window handles.

● Click the Save button

⌚ 19:49:37(12:32.155)



Before Screenshot : 2022/12/13 19:49:37



After Screenshot : 2022/12/13 19:49:40

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPFj4QAG/edit?count=2&backgroundContext=%2Flightning%2Fr%2FAccount%2F0010Q00001dPFj4QAG%2Fview
- ① Interaction: ui:interaction?name=action
- ① Sending screenshot. Data length: 46487
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (9fec918e372a76160f9afe821143f3c7)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Sending screenshot. Data length: 60531
- ① Going to update browser window handles.
- ⚙ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① All Sub-Test Steps were successful.
- ① Closing Page context. Name: screen, data: null, frame: null
- ① Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPFj4QAG/view
- ① Going to update browser window handles.
- ⚙ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing at end of Test Case
- ① Handling managed resource. Name: Admin2
- ⚙ Closing Salesforce Connection because it is no longer being used. Name: Admin2
- ⚙ Closing web connection.
- ⚙ Closing Selenium driver
- ⚙ Stopping Page Object change watcher.
- ⚙ Shutting down Soap Connections. logFilePath: Admin2-objectids.log
- ① Salesforce Connection handled successfully. Name: Admin2