# Test Run Report




## **Test Run Overview**

Started 14 Dec 2022, 12:36:51 Ended 14 Dec 2022, 12:56:40

Duration (mm:ss) 19:48.576

# Test Results Summary

Passed 1 Failed 0 Skipped 0



# **Test Case Summary**



successfulsuccessful

# LessonNo3CreateOpportunity.testcase

## Summary

Started 14 Dec 2022, 12:36:51 Ended 14 Dec 2022, 12:56:35

Duration (mm:ss) 19:43.687
Outcome successful

#### Output

Salesforce Connect: Admin2 (Test)

0 12:36:51(00:00.030)

- ① Connecting to Salesforce as Admin2
- © Connection details. Connection name: Admin2, result name: Admin2, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
- Create object id log file.
- Opening Partner connection
- Opening Metadata connection
- (i) Successfully connected to Salesforce as Admin2
- ① Opening Chrome webdriver instance to https://test.salesforce.com/
- \* Add Chrome browser specific capabilities
- ① Successfully opened Chrome webdriver to https://test.salesforce.com/
- (i) Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- Successfully opened user home page
- (1) Going to update browser window handles.
- Update browser window handles.
- ₹ Starting Page Object change watcher. Page Object bin folder: C:\Users\MangeshDhepe\Desktop\Provar File\demo\bin\pageobjects
- (i) Successfully updated browser window handles.
- (i) Pausing at end of Test Case
- 1 Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\LessonNo3CreateOpportunity.testcase

## On SF Opportunity Home screen

0 12:37:55(01:04.184)

- ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Opportunity&action=ObjectHome
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Opportunity, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/006/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/list
- (i) Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- Successfully opened user home page
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Click the New button
  © 12:38:10(01:19.247)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3DNew, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3DNew
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/list? filterName=Recent
- (i) Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '605:0')]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (f8c07813732eca8986e75141006a39bb)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'test-listViewManager')]//ul[contains(@data-aura-rendered-by, '605:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- i Doing after wait. waitUrl: default
- 1 End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- i Pausing for Pause (after executing last child)
- 1 Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\LessonNo3CreateOpportunity.testcase
- All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null, frame: null
- i Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167100169355879364&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

## On SF Opportunity New screen

0 12:38:50(01:59.109)

- ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Opportunity&action=New&noOverride=true
- (1) Opening Page context. Name: screen, data: null, frame: null
- (i) Hover>Clicking WebElement. WebElement [tag: h2, text: New Opportunity]
- Going to update browser window handles.
- 🍀 Update browser window handles.
- (i) Successfully updated browser window handles.

### Set the Close Date field to 2022-01-01

0 12:38:57(02:06.062)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=CloseDate&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DCloseDate, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=CloseDate&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DCloseDate
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167100169355879364&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set

- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide'))) or (self::senting and (contains(@class, 'injutLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Close Date'] or .//text() = 'Close Date')]/ancestor::div[1]
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@c7fbdc6 -> unknown locator]] -> xpath: .//input]
- ① Typing value. Element: [[[org.openqa.selenium.remote.RemoteWebElement@c7fbdc6 -> unknown locator]] -> xpath: .//input], value: 2022-01-01, blur: false
- ① Clicking WebElement. WebElement [tag: td, text: 1]
- 1 Doing after wait. waitUrl: default
- End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- 1 Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\LessonNo3CreateOpportunity.testcase
- Lookup the Account Name reference to Barton Media

0 12:40:42(03:50.611)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Accountld&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAccountld, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=AccountId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAccountId
- 1 Interaction: ui:interaction?name=sfLookup
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167100169355879364&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- Interaction: ui:interaction?name=sfLookup
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forcePageError')])][last()]//\*[contains(@class, 'forcePageError')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//\*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]///incestor::div[1]
- i) Find field using relative xpath: .//input
- i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@c7fbdce -> unknown locator]] -> xpath: .//input]
- (i) Hover>Clicking WebElement. WebElement [tag: input]
- Waiting for lookup dropdown list to appear
- i Doing after wait. waitUrl: default
- 1 End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- On SF Account Lookup screen
  - ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?lookup=Account

- (i) Opening Page context. Name: screen, data: null, frame: null
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### Set the Search text to Barton Media

0 12:40:48(03:57.053)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=SearchName&path=searchFrame, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:locator?name=SearchName&path=searchFrame
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167100169355879364&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ⑤ Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (f8c07813732eca8986e75141006a39bb)] -> xpath: (//\*[contains(@class, 'active') and ( (contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uilModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace')) or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))) ]] //div[contains(@class, 'active') and (contains(@class, 'navexWorkspace'))] //div[contains(@class, 'navexWorkspace')) and (contains(@class, 'oneContent') or contains(@class, 'main-content'))] //div[contains(@class, 'oneUtilityBarContainer')]//div[contains(@class, 'active') and (contains(@class, 'main-content'))] //div[contains(@class, 'sids-is-open') and contains(@class, 'sids-docked\_container') and contains(@class, 'open') and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceModal') or contains(@class, 'uilModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceModal')) //\*[self::div[contains(@class, 'iroreOesearchInputLookupDesktop')] or self::lightning-lookup-desktop]//input[@aria-expanded='true' or contains(@aria-activedescendant, 'input')]]
- ① Clicking WebElement. WebElement [tag: lightning-base-combobox-item, text: Search Show All Results for "Barton Media"]
- i Doing after wait. waitUrl: default
- End of <default&gt; wait.
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.

## Click the Go! button

0 12:40:58(04:06.582)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=go&path=searchFrame, before wait: null, after wait: null, auto retry: default
- 1 Locator: ui:locator?name=go&path=searchFrame
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167100169355879364&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- Doing before wait. waitUrl: default
- End of <default&gt; wait.
- 1 Found element: com.provar.core.model.ui.java.NullWebElement@7681a268
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\LessonNo3CreateOpportunity.testcase

#### Click the Account Name button

0 12:41:10(04:19.008)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable %2FresultsRow&rowLocator=Name+%3D+%27Barton+Media%27, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable%2FresultsRow&rowLocator=Name+%3D+%27Barton+Media%27

- Interaction: ui:interaction?name=action
- ⑤ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167100169355879364&backgroundContext= %2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=action
- (i) Populating webelement cells into the row Row Count: 0
- Populated the row elements.
- Applying row locator to rows. Row Count: 1, Row Locator: {Name = "Barton Media"}
- i The row locator matched 1 row.
- i Doing before wait. waitUrl: default
- End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@c7fbdea -> unknown locator]] -> xpath: td[1]/span|td[1]/a|td[1]
- 1 Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Barton Media, href: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dPFj4QAG/view]
- i Doing after wait. waitUrl: default
- ① End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Pausing for Pause (after executing last child)
- 1 Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\LessonNo3CreateOpportunity.testcase
- All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected Window main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167100169355879364&backgroundContext= %2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- ⑤ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167100169355879364&backgroundContext= %2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- **UI Assert**

0 12:47:52(11:00.818)

- i Start of UiAssert. Connection: Admin2
- Resolving field StageName
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167100169355879364&backgroundContext= %2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- 1 Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, forcePageBlockSection '))][1]//\*[((self::label and (contains(@class, uiLabel')) or contains(@class, slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Stage'] or .//text() = 'Stage')]/ ancestor::div[1]
- ⑤ Find field using relative xpath: //\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]]
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- 1 Found element: [[[org.openga.selenium.remote.RemoteWebElement@c7fbdec -> unknown locator]] -> xpath: .//\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_\_input')]]]

- (i) Clicking WebElement. WebElement [tag: button, text: Prospecting]
- (i) Clicking WebElement. WebElement [tag: button, text: Prospecting]
- (i) Asserting field attributes: StageName
- Asserting Attribute: value to Prospecting
- Assertion successful.Prospecting EqualTo Prospecting
- (i) Object read successfully. Result Name: Values
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- 1 Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\LessonNo3CreateOpportunity.testcase
- UI Assert : Check Probability is 10 %

0 12:49:05(12:14.088)

Start of UiAssert. Connection: Admin2

Resolving field Probability

- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&novigationLocation=LIST\_VIEW&uid=167100169355879364&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//\*[((self::label and (contains(@class, 'uiLabel')) or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide'))) or (self::section or (self::div) and contains(@class, 'light-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (//text()[normalize-space()='Probability (%)'] or .//text() = 'Probability (%)')]/ancestor::div[1]
- i Find field using relative xpath: .//input
- (1) Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@c7fbe0d -> unknown locator]] -> xpath: .//input]
- (i) Asserting field attributes: Probability
- (i) Asserting Attribute: value to 10
- Assertion successful.10 EqualTo 10
- (i) Object read successfully. Result Name: Values
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- 1 Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\LessonNo3CreateOpportunity.testcase
- $\textbf{\textcircled{1}} \ Loading \ test \ case. \ File: C:\ L'sers\ Mangesh Dhepe \ Desktop \ Provar File \ demo\ tests \ Lesson \ No 3 Create Opportunity. test case \ description \ destruction \ description \ d$

## Click the Save button


0 12:50:54(14:02.357)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3Dsave, before wait: default, after wait: default, auto retry: default
- Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3Dsave
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167100169355879364&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and 'contains(@class, 'active') or following-sibling::div[contains(@class, 'footer')]][last()]//div[(contains(@class, 'footer') and 'contains(@class, 'footer')]]//div[(contains(@class, 'footer') and 'contains(@class, 'footer')]//div[(contains(@class, 'footer') and 'contai

contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/\*[self::a or self::button]

- ① Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (f8c07813732eca8986e75141006a39bb)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer')) and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel\_lwcdetailpanel]// runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\LessonNo3CreateOpportunity.testcase
- UI Assert : Amount cannot exceed \$1M

0 12:54:38(17:46.670)



After Screenshot : 2022/12/14 12:54:47

- (i) Start of UiAssert. Connection: Admin2
- i) Resolving field Amount
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167100169355879364&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]/\*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Amount'] or .//text() = 'Amount')]/ ancestor::div[1]
- i Find field using relative xpath: .//input
- (1) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- 1 End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@c7fbe27 -> unknown locator]] -> xpath: .//input]
- Asserting field attributes: Amount
- (i) Asserting Attribute: message to Amount cannot exceed \$1M
- ☑ Assertion successful.Amount cannot exceed \$1M EqualTo Amount cannot exceed \$1M
- Reading Attribute: value
- (1) Object read successfully. Result Name: Values

- (i) Sending screenshot. Data length: 49444
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\LessonNo3CreateOpportunity.testcase
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\LessonNo3CreateOpportunity.testcase

#### Click the Save button

0 12:55:52(19:00.829)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3Dsave
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167100169355879364&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (f8c07813732eca8986e75141006a39bb)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][[last()]//div[(contains(@class, 'footer')) and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel\_lwcdetailpanel]// runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Pausing for Pause (after executing last child)
- (i) All Sub-Test Steps were successful.
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Opportunity/0060Q00000LQJKOQA5/
- (i) Injecting script to get created object ID from aura component
- ${ \color{red} \Delta }$  Some toast message(s) are still open and might cause inconsistent issues in execution.
- Fetching created Id from URL
- Storing created Salesforce Object ID. Result Name: opportunityId, created ID: 0060Q00000LQJKOQA5, location: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/r/Opportunity/0060Q00000LQJKOQA5/view
- ① Logging Salesforce Object Id for clean up. Object Name: Opportunity, id: 0060Q00000LQJKOQA5
- (i) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Opportunity/0060Q00000LQJKOQA5/view
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

- (i) Pausing at end of Test Case
- ① Handling managed resource. Name: Admin2
- Closing Salesforce Connection because it is no longer being used. Name: Admin2
- Closing web connection.
- Closing Selenium driver
- \*\* Stopping Page Object change watcher.
- Shutting down Soap Connections. logFilePath: Admin2-objectids.log
- ① Salesforce Connection handled successfully. Name: Admin2