Test Run Report



Test Run Overview

Started 12 Dec 2022, 16:55:19 Ended 12 Dec 2022, 16:58:39

Duration (mm:ss) 03:19.529

Test Results Summary

Passed 0 Failed 0 Skipped 0



pending

pending

nending :

pending

Test Case Summary



Exercise 5 Create Account and Contact.testcase

Summary

Started 12 Dec 2022, 16:55:19 Ended 01 Jan 1970, 05:30:00

Duration (mm:ss) ---

Outcome pending

Output

Set Values: AccountName

0 16:55:19(00:00.129)

- ① Setting value AccountName to Strider Bank (ref: KPKG48)
- Configuration: ValueScope:Test
- ① Successfully set AccountName to Strider Bank (ref: KPKG48)
- Salesforce Connect: SF_Admin (Test)

0 16:55:19(00:00.234)

- ① Connecting to Salesforce as Admin3
- **Connection details. Connection name: Admin3, result name: SF_Admin, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
- Create object id log file.
- Opening Partner connection
- Opening SOAP connection
- Opening Metadata connection
- (i) Successfully connected to Salesforce as Admin3
- ① Opening Chrome webdriver instance to https://test.salesforce.com/
- * Add Chrome browser specific capabilities
- (i) Successfully opened Chrome webdriver to https://test.salesforce.com/
- Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- (i) Successfully opened user home page
- (i) Going to update browser window handles.
- Update browser window handles.
- 🌞 Starting Page Object change watcher. Page Object bin folder: C:\Users\MangeshDhepe\Desktop\Provar File\demo\bin\pageobjects
- Successfully updated browser window handles.

On SF Account Home screen

0 16:56:01(00:42.174)

- Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?object=Account&action=ObjectHome
- ① Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/page/home
- (i) Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- Successfully opened user home page
- Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.

Click the New button © 16:56:13(00:53.520)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount %26field%3DNew, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DNew
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '626:0')]
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (e44a38e0c7566dbb677bdbcc5594d5a8)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'test-listViewManager'))]//a[contains(@data-aura-rendered-by, '626:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.
- i All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084437479689443&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.

On SF Account New screen

- 0 16:56:18(00:59.049)
- ① Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?action=New&object=Account
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Set the Active picklist to Yes

0 16:56:24(01:05.304)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Active__c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DProvarQS__Active__c
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084437479689443&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'active')]

'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Active'] or ./text() = 'Active')]/ ancestor::div[1]

- ① Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox_input')]]
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@57d75638 -> unknown locator]] -> xpath: ://*[self::a or self::input or self::button[contains(@class, 'slds-combobox_input')]]]
- ① Got webElement. tagName: BUTTON, id: combobox-button-175, type: button, class: slds-combobox_input slds-input_faux slds-combobox_input-value
- ① Typing value. tagName: BUTTON, type: button, value: Yes, blur: false
- (i) Clicking WebElement. WebElement [tag: button, text: --None--]
- Clicking WebElement. WebElement [tag: div, text: --None-- --None-- No Yes]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]
- 1 Doing after wait. waitUrl: default
- ① End of <default> wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- i Successfully updated browser window handles.

Set the SLA picklist to Gold

0 16:56:30(01:10.570)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ProvarQS_SLA_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS_SLA_c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS_SLA_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DProvarQS_SLA_c
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084437479689443&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])/[*[contains(@class, 'forcePotailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))]/[*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='SLA'] or .//text() = 'SLA')]/ ancestor::divi11
- ① Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]
- ① Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@57d7563d -> unknown locator]] -> xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox_input')]]]
- ① Got webElement. tagName: BUTTON, id: combobox-button-212, type: button, class: slds-combobox_input slds-input_faux slds-combobox_input-value
- ① Typing value. tagName: BUTTON, type: button, value: Gold, blur: false
- ① Clicking WebElement. WebElement [tag: button, text: --None--]
- ① Clicking WebElement. WebElement [tag: div, text: --None-- --None-- Gold Silver Platinum Bronze]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]
- i Doing after wait. waitUrl: default
- i End of <default> wait.

- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Set the SLA Serial Number field to 12GH54FF

0 16:56:35(01:16.269)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ProvarQS_SLASerialNumber__c&binding=sf%3Aui%3Abinding%3Aobject %3Fobject%3DAccount%26field%3DProvarQS_SLASerialNumber__c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS__SLASerialNumber__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLASerialNumber__c
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084437479689443&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]/*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='SLA Serial Number']/ancestor::div[1]
- Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- End of <default> wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@57d75641 -> unknown locator]] -> xpath: .//input
- (i) Got webElement. tagName: INPUT, id: input-226, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: 12GH54FF, blur: false
- ① Doing after wait. waitUrl: default
- End of <default> wait.
- Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.

Today link the SLA Expiration Date field

0 16:56:41(01:21.583)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ProvarQS__SLAExpirationDate__c&binding=sf%3Aui%3Abinding %3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLAExpirationDate__c, before wait: default, after wait: default, auto retry: default
- $\begin{tabular}{ll} \hline \textbf{1} Locator: ui:locator?name=ProvarQS_SLAExpirationDate_c\&binding=sf\%3Aui\%3Abinding\%3Aobject\%3Fobject\%3DAccount\%26field\%3DProvarQS_SLAExpirationDate_c\\ \hline \end{tabular}$
- 1 Interaction: ui:interaction?name=sfToday
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&novigationLocation=LIST_VIEW&uid=167084437479689443&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=sfToday
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide'))) or (self::section and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='SLA Expiration Date')]/ancestor::div[1]
- Find field using relative xpath: .//input
- Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@57d75659 -> unknown locator]] -> xpath: .//input]

- ① Clicking WebElement. WebElement [tag: input]
- ① Clicking WebElement. WebElement [tag: button]
- 1 Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Set the Account Name field to Strider Bank (ref: KPKG48)

0 16:56:46(01:26.701)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount %26field%3DName, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084437479689443&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//*[((self::label and (contains(@class, 'uiLabel')) or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide'))) or (self::sention and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText')) or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- End of <default> wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@57d7565e -> unknown locator]] -> xpath: .//input
- 1 Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: Strider Bank (ref: KPKG48), blur: false
- 1 Doing after wait. waitUrl: default
- End of <default> wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Click the Save button

0 16:56:51(01:31.826)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Faction%3Dsave %26object%3DAccount, before wait: default, after wait: default, auto retry: default
- Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Faction%3Dsave%26object%3DAccount
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084437479689443&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (e44a38e0c7566dbb677bdbcc5594d5a8)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or

following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]

- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- 1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOxAqQAK/
- (i) Injecting script to get created object ID from aura component
- Storing created Salesforce Object ID. Result Name: accountld, created ID: 0010Q00001dOxAqQAK, location: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOxAqQAK/view
- 1 Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dOxAqQAK
- (i) Closing Page context. Name: screen, data: null, frame: null
- i Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOxAqQAK/
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Set Values: AccountName3
 - @ 16:56:57(01:38.321) ① Setting value AccountName3 to Strider Bank (ref: H632SF)
 - Configuration: ValueScope:Test
 - ① Successfully set AccountName3 to Strider Bank (ref: H632SF)