Test Run Report

Test Run Overview

Started	13 Dec 2022, 20:18:04
Ended	13 Dec 2022, 20:52:58
Duration (mm:ss)	34:53.502

Test Results Summary

Passed	1
Failed	0
Skipped	0

1 Passed (100%)
0 Failed (0%)
0 Skipped (0%)

● Passed ● Failed ○ Skipped

Test Case Summary

📁 tests	successful
📄 CreateCaseCopyExercise4.testcase	successful

⬛ CreateCaseCopyExercise4.testcase

Summary

Started	13 Dec 2022, 20:18:04
Ended	13 Dec 2022, 20:52:21
Duration (mm:ss)	34:16.961
Outcome	🟢 successful

Output

🟢 Salesforce Connect: Admin2 (Test)   ⓘ 20:18:04(00:00.017)

ⓘ Connecting to Salesforce as Admin2

✳ Connection details. Connection name: Admin2, result name: Admin2, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]

✳ Create object id log file.

✳ Opening Partner connection

✳ Opening SOAP connection

✳ Opening Metadata connection

ⓘ Successfully connected to Salesforce as Admin2

ⓘ Opening Chrome webdriver instance to https://test.salesforce.com/

✳ Add Chrome browser specific capabilities

ⓘ Successfully opened Chrome webdriver to https://test.salesforce.com/

ⓘ Opening Salesforce user home page

✳ Navigate to home page

✳ Perform page load wait

ⓘ Successfully opened user home page

ⓘ Going to update browser window handles.

✳ Update browser window handles.

✳ Starting Page Object change watcher. Page Object bin folder: C:\Users\MangeshDhepe\Desktop\Provar File\demo\bin\pageobjects

ⓘ Successfully updated browser window handles.

🟢 On SF Case Home screen   ⓘ 20:18:27(00:23.143)

ⓘ Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=ObjectHome

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Opening Salesforce page. Object: Case, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/500/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/page/home

ⓘ Opening Salesforce user home page

✳ Navigate to home page

✳ Perform page load wait

ⓘ Successfully opened user home page

ⓘ Going to update browser window handles.

✳ Update browser window handles.

ⓘ Successfully updated browser window handles.

🟢 Click the New Case button   ⓘ 20:18:37(00:33.160)

ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DNewCase, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DNewCase

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list?filterName=Recent

ⓘ Interaction: ui:interaction?name=action

ⓘ Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, ' visible')])//a[contains(@data-aura-rendered-by, '942:0')]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver$$EnhancerByCGLIB$$dace278c: chrome on XP (64aabeba6f472a3f40554021b64247ad)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, ' visible')])//a[contains(@data-aura-rendered-by, '942:0')]]]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✳ Update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=1670942919093863&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Going to update browser window handles.

✳ Update browser window handles.

ⓘ Successfully updated browser window handles.

● On SF Case New screen   ⓘ 20:18:42(00:37.883)

ⓘ Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=New&noOverride=true

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Opening Salesforce page. Object: Case, RelatedList: null, Action: New, Page URL: /lightning/o/500/list, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new

ⓘ Opening Salesforce user home page

✳ Navigate to home page

✳ Perform page load wait

ⓘ Successfully opened user home page

ⓘ Clicking the New Button

ⓘ Find action link element using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden')]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//div[contains(@class, 'forceListViewManager')]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, ' visible')])//a[contains(@data-aura-rendered-by, '942:0')]

ⓘ Clicking WebElement. WebElement [tag: a, text: New, href: javascript:void(0);]

ⓘ Hover>Clicking WebElement. WebElement [tag: h2, text: New Case]

ⓘ Going to update browser window handles.

✳ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Lookup the Account Name reference to Barton Media   ⓘ 20:18:55(00:50.399)

ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=AccountId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DAccountId, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=AccountId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DAccountId

ⓘ Interaction: ui:interaction?name=sfLookup

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=sfLookup

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//input

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5413532e -> unknown locator]] -> xpath: .//input]

ⓘ Hover>Clicking WebElement. WebElement [tag: input]

ⓘ Waiting for lookup dropdown list to appear

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✳ Update browser window handles.

ⓘ Successfully updated browser window handles.

● On SF Account Lookup screen   🕘 20:18:58(00:53.538)

ⓘ Start of With Screen. Connection Name: Admin2, target: sf:ui:target?lookup=Account

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Going to update browser window handles.

✳ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Set the Search text to Barton Media   🕘 20:18:58(00:53.851)

ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=SearchName&path=searchFrame, before wait: null, after wait: null, auto retry: default

ⓘ Locator: ui:locator?name=SearchName&path=searchFrame

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [org.openqa.selenium.remote.RemoteWebElement@5413532f -> unknown locator]

ⓘ Clicking WebElement. WebElement [tag: div, text: Search Accounts "Barton Media" in Accounts]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✳ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Click the Go! button   🕘 20:19:06(01:01.822)

ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=go&path=searchFrame, before wait: null, after wait: null, auto retry: default

ⓘ Locator: ui:locator?name=go&path=searchFrame

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: com.provar.core.model.ui.java.NullWebElement@71fbdabc

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✻ Update browser window handles.

ⓘ Successfully updated browser window handles.

🟢 Click the Account Name button   ⓘ 20:19:08(01:03.475)

ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable%2FresultsRow&rowLocator=Name+%3D+%27Barton+Media%27, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable%2FresultsRow&rowLocator=Name+%3D+%27Barton+Media%27

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=action

ⓘ Populating webelement cells into the row Row Count: 0

ⓘ Populated the row elements.

ⓘ Applying row locator to rows. Row Count: 1, Row Locator: {Name = "Barton Media"}

ⓘ The row locator matched 1 row.

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@54135334 -> unknown locator]] -> xpath: td[1]/span|td[1]//a|td[1][not(*)]]]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Barton Media, href: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dPFj4QAG/view]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✻ Update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Going to update browser window handles.

✻ Update browser window handles.

ⓘ Successfully updated browser window handles.

Set the Priority picklist to High

ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=Priority&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DPriority, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Priority&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DPriority

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Priority'] or .//text() = 'Priority')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@54135336 -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]

ⓘ Got webElement. tagName: A, id: null, type: null, class: select

ⓘ Typing value. tagName: A, type: null, value: High, blur: false

ⓘ Clicking WebElement. WebElement [tag: a, text: Medium, href: javascript:void(0);]

ⓘ Clicking WebElement. WebElement [tag: a, text: High, href: javascript:void(0);]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✵ Update browser window handles.

ⓘ Successfully updated browser window handles.

Set the Case Origin picklist to Phone

ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=Origin&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DOrigin, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Origin&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DOrigin

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Case Origin'] or .//text() = 'Case Origin')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@54135351 -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]

ⓘ Got webElement. tagName: A, id: null, type: null, class: select

ⓘ Typing value. tagName: A, type: null, value: Phone, blur: false

ⓘ Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]

ⓘ Clicking WebElement. WebElement [tag: a, text: Phone, href: javascript:void(0);]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✷ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Click the Save button

ⓘ 20:19:20(01:15.325)

Before Screenshot : 2022/12/13 20:20:33

After Screenshot : 2022/12/13 20:20:36

ⓘ Pausing for Breakpoint

ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3Dsave, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3Dsave

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=action

ⓘ Sending screenshot. Data length: 36947

ⓘ Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//button[contains(@data-aura-rendered-by, '1255:0')]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver$$EnhancerByCGLIB$$dace278c: chrome on XP (64aabeba6f472a3f40554021b64247ad)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//button[contains(@data-aura-rendered-by, '1255:0')]]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Sending screenshot. Data length: 36219

ⓘ Going to update browser window handles.

✷ Update browser window handles.

ⓘ Successfully updated browser window handles.

● UI Assert : Potential Liability information is required when Priority is set to 'High'.   ⓘ 20:20:36(02:31.977)

ⓘ Start of UiAssert. Connection: Admin2

ⓘ Resolving field ProvarQS__QSPotentialLiability__c

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][3]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Potential Liability'] or .//text() = 'Potential Liability')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5413536d -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]

ⓘ Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]

ⓘ Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]

ⓘ Asserting field attributes: ProvarQS__QSPotentialLiability__c

ⓘ Asserting Attribute: message to Potential Liability information is required when Priority is set to 'High'.

☑ Assertion successful.Potential Liability information is required when Priority is set to 'High'. EqualTo Potential Liability information is required when Priority is set to 'High'.

ⓘ Reading Attribute: value

ⓘ Object read successfully. Result Name: Values

ⓘ Going to update browser window handles.

✷ Update browser window handles.

ⓘ Successfully updated browser window handles.

● UI Assert : Engineering Req Number is required when Priority is set to 'High'.   ⓘ 20:20:39(02:34.548)

ⓘ Start of UiAssert. Connection: Admin2

ⓘ Resolving field ProvarQS__QSEngineeringReqNumber__c

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][3]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Engineering Req Number'] or .//text() = 'Engineering Req Number')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//input

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5413538b -> unknown locator]] -> xpath: .//input]

ⓘ Asserting field attributes: ProvarQS__QSEngineeringReqNumber__c

ⓘ Asserting Attribute: message to Engineering Req Number is required when Priority is set to 'High'.

☑ Assertion successful.Engineering Req Number is required when Priority is set to 'High'. EqualTo Engineering Req Number is required when Priority is set to 'High'.

ⓘ Reading Attribute: value

ⓘ Object read successfully. Result Name: Values

ⓘ Going to update browser window handles.

✵ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Set the Potential Liability picklist to Yes   ⓞ 20:20:40(02:35.686)

ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS__QSPotentialLiability__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DProvarQS__QSPotentialLiability__c, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=ProvarQS__QSPotentialLiability__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DProvarQS__QSPotentialLiability__c

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][3]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Potential Liability'] or .//text() = 'Potential Liability')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5413536d -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]

ⓘ Got webElement. tagName: A, id: null, type: null, class: select

ⓘ Typing value. tagName: A, type: null, value: Yes, blur: false

ⓘ Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]

ⓘ Clicking WebElement. WebElement [tag: a, text: Yes, href: javascript:void(0);]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✵ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Set the Engineering Req Number field to 2342IKL11   ⓞ 20:20:44(02:39.294)

ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS__QSEngineeringReqNumber__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DProvarQS__QSEngineeringReqNumber__c, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=ProvarQS__QSEngineeringReqNumber__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DProvarQS__QSEngineeringReqNumber__c

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][3]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Engineering Req Number'] or .//text() = 'Engineering Req Number')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//input

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5413538b -> unknown locator]] -> xpath: .//input]

ⓘ Got webElement. tagName: INPUT, id: 667:1158;a, type: text, class: input

ⓘ Typing value. tagName: INPUT, type: text, value: 2342IKL11, blur: false

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✳ Update browser window handles.

ⓘ Successfully updated browser window handles.

🟢 Click the Save button   ⓘ 20:20:46(02:41.761)

Before Screenshot : 2022/12/13 20:20:46

After Screenshot : 2022/12/13 20:20:48

ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3Dsave, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3Dsave

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094293254296768&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=action

ⓘ Sending screenshot. Data length: 41777

ⓘ Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//button[contains(@data-aura-rendered-by, '1255:0')]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver$$EnhancerByCGLIB$$dace278c: chrome on XP (64aabeba6f472a3f40554021b64247ad)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//button[contains(@data-aura-rendered-by, '1255:0')]]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Sending screenshot. Data length: 24468

ⓘ Going to update browser window handles.

✵ Update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ Pausing at end of Test Case

ⓘ Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseCopyExercise4.testcase

ⓘ All Sub-Test Steps were successful.

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000IlHTiQAN/view

ⓘ Injecting script to get created object ID from aura component

⚠ Some toast message(s) are still open and might cause inconsistent issues in execution.

ⓘ Fetching created Id from URL

▤ Storing created Salesforce Object ID. Result Name: caseId, created ID: 5000Q00000IlHTiQAN, location: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000IlHTiQAN/view

ⓘ Logging Salesforce Object Id for clean up. Object Name: Case, id: 5000Q00000IlHTiQAN

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000IlHTiQAN/view

ⓘ Going to update browser window handles.

✵ Update browser window handles.

ⓘ Successfully updated browser window handles.

● On SF Case View screen   ⓞ 20:22:01(03:56.639)

ⓘ Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=View&noOverride=true

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Activating detailTab tab

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

ⓘ Going to update browser window handles.

✵ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Click the Edit button   ⓞ 20:22:12(04:08.009)

ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=Edit&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DEdit, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Edit&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DEdit

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000IlHTiQAN/view

ⓘ Interaction: ui:interaction?name=action

ⓘ Activating detailTab tab

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

ⓘ Click element using xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]//*[(self::header and (contains(@role, 'banner') or contains(@class, 'forceHighlightsPanel'))) or (self::force-highlights2) or (self::records-highlights2)]//li[contains(@class, 'slds-dropdown-trigger') and contains(@class, 'slds-button_last')]

ⓘ Hover>Clicking WebElement. WebElement [tag: li, text: 0, text: Show more actions]

ⓘ Find action link element using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]//div[contains(@class, 'actionsContainer')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, ' visible')])//runtime_platform_actions-action-renderer[@apiname='Edit']//*[self::a or self::button]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver$$EnhancerByCGLIB$$dace278c: chrome on XP (64aabeba6f472a3f40554021b64247ad)] -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]//div[contains(@class, 'actionsContainer')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, ' visible')])//runtime_platform_actions-action-renderer[@apiname='Edit']//*[self::a or self::button]]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Edit]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✵ Update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ Pausing for Pause (after executing last child)

ⓘ Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseCopyExercise4.testcase

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000IlHTiQAN/edit?count=2&backgroundContext=%2Flightning%2Fr%2FCase%2F5000Q00000IlHTiQAN%2Fview

ⓘ Going to update browser window handles.

✵ Update browser window handles.

ⓘ Successfully updated browser window handles.

● On SF Case Edit screen   ⊙ 20:51:04(32:59.459)

ⓘ Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=Edit&noOverride=true

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Hover>Clicking WebElement. WebElement [tag: h2, text: Edit 00003051]

ⓘ Going to update browser window handles.

✵ Update browser window handles.

ⓘ Successfully updated browser window handles.

● **Set the Subject field to shduesFkjhaeyd**   ⓘ 20:51:10(33:05.403)

    ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=Subject&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DSubject, before wait: default, after wait: default, auto retry: default

    ⓘ Locator: ui:locator?name=Subject&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DSubject

    ⓘ Interaction: ui:interaction?name=set

    ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000IlHTiQAN/edit?count=2&backgroundContext=%2Flightning%2Fr%2FCase%2F5000Q00000IlHTiQAN%2Fview

    ⓘ Interaction: ui:interaction?name=set

    ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][5]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Subject'] or .//text() = 'Subject')]/ancestor::div[1]

    ⓘ Find field using relative xpath: .//input

    ⓘ Waiting for element to be present. Timeout(seconds): 10

    ⓘ Doing before wait. waitUrl: default

    ⓘ End of <default> wait.

    ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@541353ac -> unknown locator]] -> xpath: .//input]

    ⓘ Got webElement. tagName: INPUT, id: 3432:0, type: text, class: input

    ⓘ Typing value. tagName: INPUT, type: text, value: shduesFkjhaeyd, blur: false

    ⓘ Doing after wait. waitUrl: default

    ⓘ End of <default> wait.

    ⓘ Going to update browser window handles.

    ⚹ Update browser window handles.

    ⓘ Successfully updated browser window handles.

    ⓘ Pausing for Pause (after executing last child)

    ⓘ Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseCopyExercise4.testcase

● **Click the Save button**   ⓘ 20:51:30(33:26.122)

    ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3Dsave, before wait: default, after wait: default, auto retry: default

    ⓘ Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3Dsave

    ⓘ Interaction: ui:interaction?name=action

    ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000IlHTiQAN/edit?count=2&backgroundContext=%2Flightning%2Fr%2FCase%2F5000Q00000IlHTiQAN%2Fview

    ⓘ Interaction: ui:interaction?name=action

    ⓘ Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//button[contains(@data-aura-rendered-by, '3703:0')]

    ⓘ Waiting for element to be present. Timeout(seconds): 10

    ⓘ Doing before wait. waitUrl: default

    ⓘ End of <default> wait.

    ⓘ Found element: [[ChromeDriver$$EnhancerByCGLIB$$dace278c: chrome on XP (64aabeba6f472a3f40554021b64247ad)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//button[contains(@data-aura-rendered-by, '3703:0')]]

    ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

    ⓘ Doing after wait. waitUrl: default

    ⓘ End of <default> wait.

    ⓘ Going to update browser window handles.

✴ Update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ Pausing for Pause (after executing last child)

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000IlHTiQAN/view

ⓘ Going to update browser window handles.

✴ Update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ Pausing at end of Test Case

ⓘ Handling managed resource. Name: Admin2

✴ Closing Salesforce Connection because it is no longer being used. Name: Admin2

✴ Closing web connection.

✴ Closing Selenium driver

✴ Stopping Page Object change watcher.

✴ Shutting down Soap Connections. logFilePath: Admin2-objectids.log

ⓘ Salesforce Connection handled successfully. Name: Admin2