# Test Run Report



# **Test Run Overview**

Started 13 Dec 2022, 13:31:52

Ended <still running>

Duration (mm:ss) ---

# Test Results Summary

Passed 0 Failed 0 Skipped 0



# **Test Case Summary**

testsTrial TestsSolved ExercisesExercise 5 Create Account and Contact.testcase

pending pending pending pending

# Exercise 5 Create Account and Contact.testcase

## Summary

Started 13 Dec 2022, 13:31:52 Ended 01 Jan 1970, 05:30:00

Duration (mm:ss) ---

Outcome pending

### Output

Set Values: AccountName

0 13:31:53(00:00.115)

- ① Setting value AccountName to Strider Bank (ref: LXQO6T)
- Configuration: ValueScope:Test
- Successfully set AccountName to Strider Bank (ref: LXQO6T)
- Salesforce Connect: SF\_Admin (Test)

0 13:31:53(00:00.228)

- ① Connecting to Salesforce as Admin3
- © Connection details. Connection name: Admin3, result name: SF\_Admin, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
- Create object id log file.
- Opening Partner connection
- Opening SOAP connection
- Opening Metadata connection
- (i) Successfully connected to Salesforce as Admin3
- ① Opening Chrome webdriver instance to https://test.salesforce.com/
- \* Add Chrome browser specific capabilities
- (i) Successfully opened Chrome webdriver to https://test.salesforce.com/
- Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- (i) Successfully opened user home page
- (i) Going to update browser window handles.
- Update browser window handles.
- 🌞 Starting Page Object change watcher. Page Object bin folder: C:\Users\MangeshDhepe\Desktop\Provar File\demo\bin\pageobjects
- Successfully updated browser window handles.

#### On SF Account Home screen

0 13:32:28(00:35.301)

- Start of With Screen. Connection Name: SF\_Admin, target: sf:ui:target?object=Account&action=ObjectHome
- ① Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/page/home
- (i) Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- (i) Successfully opened user home page
- (1) Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.

Click the New button © 13:32:38(00:45.844)

- ① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount %26field%3DNew, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DNew
- Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '624:0')]
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (637fb3297ee61c9aa1f35406917635ac)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'test-listViewManager'))]//a[contains(@data-aura-rendered-by, '624:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167091856109589840&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### On SF Account New screen

0 13:32:44(00:51.741)

- ① Start of With Screen. Connection Name: SF\_Admin, target: sf:ui:target?action=New&object=Account
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

## Set the Active picklist to Yes

0 13:32:51(00:58.607)

- ① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=ProvarQS\_\_Active\_\_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS\_\_Active\_\_c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS\_\_Active\_\_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DProvarQS\_\_Active\_\_c
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167091856109589840&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/[contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/[contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/[contains(@class, 'forceFormPageError')]/[contains(@class, 'forceFormPageError')]/

'forceDetailPanel') or contains(@class, 'detail-panel-root')]/\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]/\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Active'] or ./text() = 'Active')]/ ancestor::div[1]

- ① Find field using relative xpath: .//\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@e76783de -> unknown locator]] -> xpath: ://\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]]]
- ① Got webElement. tagName: BUTTON, id: combobox-button-175, type: button, class: slds-combobox\_input slds-input\_faux slds-combobox\_input-value
- (i) Typing value. tagName: BUTTON, type: button, value: Yes, blur: false
- (i) Clicking WebElement. WebElement [tag: button, text: --None--]
- Clicking WebElement. WebElement [tag: div, text: --None-- --None-- No Yes]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]
- Doing after wait. waitUrl: default
- ① End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### Set the SLA picklist to Gold

0 13:32:57(01:04.317)

- ① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=ProvarQS\_SLA\_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS\_SLA\_c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS\_SLA\_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DProvarQS\_SLA\_c
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167091856109589840&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])/[\*[contains(@class, 'forcePotailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))]/[\*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='SLA'] or .//text() = 'SLA')]/ ancestor::divi11
- ① Find field using relative xpath: .//\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_\_input')]]
- ① Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@e76783e3 -> unknown locator]] -> xpath: ://\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]]]
- ① Got webElement. tagName: BUTTON, id: combobox-button-212, type: button, class: slds-combobox\_input slds-input\_faux slds-combobox\_input-value
- ① Typing value. tagName: BUTTON, type: button, value: Gold, blur: false
- (i) Clicking WebElement. WebElement [tag: button, text: --None--]
- ① Clicking WebElement. WebElement [tag: div, text: --None-- --None-- Gold Silver Platinum Bronze]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.

- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### Set the SLA Serial Number field to 12GH54FF

0 13:33:02(01:09.746)

- ① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=ProvarQS\_SLASerialNumber\_c&binding=sf%3Aui%3Abinding%3Aobject %3Fobject%3DAccount%26field%3DProvarQS\_SLASerialNumber\_c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS\_\_SLASerialNumber\_\_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS\_\_SLASerialNumber\_\_c
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167091856109589840&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]/\*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='SLA Serial Number']/ancestor::div[1]
- Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- End of <default&gt; wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@e76783e7 -> unknown locator]] -> xpath: .//input
- (i) Got webElement. tagName: INPUT, id: input-226, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: 12GH54FF, blur: false
- ① Doing after wait. waitUrl: default
- End of <default&gt; wait.
- Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.

#### Today link the SLA Expiration Date field

0 13:33:07(01:14.628)

- ① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=ProvarQS\_\_SLAExpirationDate\_\_c&binding=sf%3Aui%3Abinding %3Aobject%3Fobject%3DAccount%26field%3DProvarQS\_\_SLAExpirationDate\_\_c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS\_\_SLAExpirationDate\_\_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS\_\_SLAExpirationDate\_\_c
- 1 Interaction: ui:interaction?name=sfToday
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&novigationLocation=LIST\_VIEW&uid=167091856109589840&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=sfToday
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, forcePageBlockSection '))][1]//\*[((self::label and (contains(@class, uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::section and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightninglnputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='SLA Expiration Date')]/ancestor::div[1]
- Find field using relative xpath: .//input
- Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@e76783ff -> unknown locator]] -> xpath: .//input]

- ① Clicking WebElement. WebElement [tag: input]
- ① Clicking WebElement. WebElement [tag: button]
- 1 Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### Set the Account Name field to Strider Bank (ref: LXQO6T)

0 13:33:11(01:18.704)

- ① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount %26field%3DName, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167091856109589840&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//\*[((self::label and (contains(@class, 'uiLabel')) or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide'))) or (self::sention and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText')) or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- End of <default&gt; wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@e7678404 -> unknown locator]] -> xpath: .//input
- 1 Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: Strider Bank (ref: LXQO6T), blur: false
- 1 Doing after wait. waitUrl: default
- End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

## Click the Save button

0 13:33:16(01:24.012)

- ① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Faction%3Dsave %26object%3DAccount, before wait: default, after wait: default, auto retry: default
- Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Faction%3Dsave%26object%3DAccount
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167091856109589840&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (637fb3297ee61c9aa1f35406917635ac)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or

following-sibling:: div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or the properties of the properticontains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel\_lwcdetailpanel]//runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]] ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save] 1 Doing after wait. waitUrl: default i End of <default&gt; wait. (i) Going to update browser window handles. Update browser window handles. Successfully updated browser window handles. (i) All Sub-Test Steps were successful. 1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPAg6QAG/ Injecting script to get created object ID from aura component Storing created Salesforce Object ID. Result Name: accountld, created ID: 0010Q00001dPAg6QAG, location: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPAg6QAG/view Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dPAg6QAG (i) Closing Page context. Name: screen, data: null, frame: null 1 Main window reselected. Window: main 1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPAq6QAG/ Going to update browser window handles. Update browser window handles. Successfully updated browser window handles. @ 13:33:26(01:33.343) Set Values: AccountName3 ① Setting value AccountName3 to Strider Bank (ref: H632SF) Configuration: ValueScope:Test ① Successfully set AccountName3 to Strider Bank (ref: H632SF) 0 13:33:26(01:33.454) On SF Account New screen 1 Start of With Screen. Connection Name: SF\_Admin, target: sf:ui:target?object=Account&action=New&noOverride=true (i) Opening Page context. Name: screen, data: null, frame: null ① Opening Salesforce page. Object: Account, RelatedList: null, Action: New, Page URL: /lightning/o/001/list, Current URL: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPAg6QAG/view Opening Salesforce user home page Navigate to home page Perform page load wait

- (i) Successfully opened user home page
- (i) Clicking the New Button
- 1 Find action link element using xpath: (//\*[contains(@class, 'active') and ( (self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))) ]//div[contains(@class, 'forceListViewManager')]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '629:0')]
- ① Clicking WebElement. WebElement [tag: a, text: New, href: javascript:void(0);]
- 1 Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Set the Account Name field to Strider Bank (ref: H632SF)

0 13:33:41(01:48.206)

1 Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount %26field%3DName, before wait: default, after wait: default, auto retry: default

- ① Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167091861782644549&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide'))) or (self::section and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]
- 1 Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@f51eef61 -> unknown locator]] -> xpath: .//input
- 1 Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: Strider Bank (ref: H632SF), blur: false
- ① Doing after wait. waitUrl: default
- End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

## Click the Save button

0 13:33:45(01:52.077)

- ① Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount %26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167091861782644549&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (637fb3297ee61c9aa1f35406917635ac)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer')) and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel\_lwcdetailpanel]// runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- Doing after wait. waitUrl: default
- End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (1) All Sub-Test Steps were successful.

1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPAfxQAG/view injecting script to get created object ID from aura component ■ Storing created Salesforce Object ID. Result Name: accountId, created ID: 0010Q00001dPAfxQAG, location: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPAfxQAG/view 1 Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dPAfxQAG (i) Closing Page context. Name: screen, data: null, frame: null (i) Main window reselected. Window: main 1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPAfxQAG/view Going to update browser window handles. Update browser window handles. Successfully updated browser window handles. On SF Account Home screen 0 13:33:51(01:58.453) ① Start of With Screen. Connection Name: SF\_Admin, target: sf:ui:target?object=Account&action=ObjectHome (i) Opening Page context. Name: screen, data: null, frame: null ① Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPAfxQAG/view Opening Salesforce user home page Navigate to home page Perform page load wait Successfully opened user home page Going to update browser window handles. Update browser window handles. Successfully updated browser window handles. With Account rows {ACCOUNT\_NAME = "Strider Bank (ref: 0 13:34:01(02:08.176) H632SF)"} ⑤ Start of With Row. Connection Name: SF\_Admin, target: sf:ui:locator:row?table=ObjectHome%2Frecent%2FrecentTable ① Find element using xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//  $\label{linear_contains} \\ \text{(@class, 'listViewContent') or contains(@class, 'listViewContainer')]//tbody//tropy/$ (1) Waiting for element to be present. Timeout(seconds): 10 (i) Populating webelement cells into the row Row Count: 10 Populated the row elements. ① Applying row locator to rows. Row Count: 10, Row Locator: {ACCOUNT\_NAME = "Strider Bank (ref: H632SF)"} The row locator matched 1 row. Going to update browser window handles. Update browser window handles. Successfully updated browser window handles. 0 13:34:03(02:10.274) Click the Account Name field 1 Start of Interact. Connection: SF\_Admin, Locator: ui:locator?name=ACCOUNT\_NAME&binding=sf%3Aui%3Abinding%3Aobject%3Fobject %3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default 1 Locator: ui:locator?name=ACCOUNT\_NAME&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName 1 Interaction: ui:interaction?name=action ⑤ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list? filterName=Recent 1 Interaction: ui:interaction?name=action i Doing before wait. waitUrl: default End of <default&gt; wait.

1 Found element: [[[[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (637fb3297ee61c9aa1f35406917635ac]]

-> xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]/tbody//tr]] -> xpath: th//span//\*[self::a or

self::span[not(contains(@class,'photoContainer') or contains(@class, 'uilmage'))]]]

- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Strider Bank (ref: H632SF), href: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dPAfxQAG/view]
- i Doing after wait. waitUrl: default
- ① End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dPAfxQAG/view
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.