

Test Run Report




Test Run Overview

Started	14 Dec 2022, 16:37:45
Ended	14 Dec 2022, 16:56:51
Duration (mm:ss)	19:05.513

Test Results Summary

Passed	1
Failed	0
Skipped	0




Test Case Summary

- tests
 - Exersize5CreateAccountandContact.testcase




- successful
- successful

Exersize5CreateAccountandContact.testcase

Summary

Started 14 Dec 2022, 16:37:45
Ended 14 Dec 2022, 16:56:14
Duration (mm:ss) 18:29.165
Outcome  successful

Output

-  **Salesforce Connect: Admin2 (Test)** ⌚ 16:37:45(00:00.026)
 - ❗ Connecting to Salesforce as Admin2
 - ⚙ Connection details. Connection name: Admin2, result name: Admin2, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
 - ⚙ Create object id log file.
 - ⚙ Opening Partner connection
 - ⚙ Opening SOAP connection
 - ⚙ Opening Metadata connection
 - ❗ Successfully connected to Salesforce as Admin2
 - ❗ Opening Chrome webdriver instance to https://test.salesforce.com/
 - ⚙ Add Chrome browser specific capabilities
 - ❗ Successfully opened Chrome webdriver to https://test.salesforce.com/
 - ❗ Opening Salesforce user home page
 - ⚙ Navigate to home page
 - ⚙ Perform page load wait
 - ❗ Successfully opened user home page
 - ❗ Going to update browser window handles.
 - ⚙ Update browser window handles.
 - ⚙ Starting Page Object change watcher. Page Object bin folder: C:\Users\MangeshDhepe\Desktop\Provar File\demo\bin\pageobjects
 - ❗ Successfully updated browser window handles.
 - ❗ Pausing at end of Test Case
 - ❗ Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Exersize5CreateAccountandContact.testcase
-  **On SF Account Home screen** ⌚ 16:42:23(04:37.344)
 - ❗ Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Account&action=ObjectHome
 - ❗ Opening Page context. Name: screen, data: null, frame: null
 - ❗ Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list
 - ❗ Opening Salesforce user home page
 - ⚙ Navigate to home page
 - ⚙ Perform page load wait
 - ❗ Successfully opened user home page
 - ❗ Going to update browser window handles.
 - ⚙ Update browser window handles.
 - ❗ Successfully updated browser window handles.
-  **Click the New button** ⌚ 16:42:32(04:46.969)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNew, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNew

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent

① Interaction: ui:interaction?name=action

① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager')])//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '626:0')]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[ChromeDriver\$EnhancerByCGLIB\$dace278c: chrome on XP (7a2d209c1e74ce52f876e96c9c910f26)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager')])//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '626:0')]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Exersize5CreateAccountandContact.testcase

● Set Values: AccountName

⌚ 16:46:00(08:14.576)

① Setting value AccountName to Strider Bank (NK45XZ)

✦ Configuration: ValueScope:Test

① Successfully set AccountName to Strider Bank (NK45XZ)

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Exersize5CreateAccountandContact.testcase

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101635397627464&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account New screen

⌚ 16:46:16(08:31.189)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Account&action=New&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

● Set the Account Name field to Strider Bank (NK45XZ)

⌚ 16:46:23(08:37.221)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

- ① Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101635397627464&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set
- ① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')] [1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Account Name'] or ./text() = 'Account Name')/ancestor::div[1]
- ① Find field using relative xpath: ./input
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@a57d7501 -> unknown locator]] -> xpath: ./input]
- ① Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: Strider Bank (NK45XZ), blur: false
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✦ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Exersize5CreateAccountandContact.testcase

● Click the Save button

🕒 16:46:58(09:12.677)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101635397627464&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel__lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (7a2d209c1e74ce52f876e96c9c910f26)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel__lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✦ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Exersize5CreateAccountandContact.testcase

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent

① Injecting script to get created object ID from aura component

⚠ Some toast message(s) are still open and might cause inconsistent issues in execution.

① Fetching created Id from URL

① Reattempting for the createdId

① Reattempting for the createdId

① Reattempting for the createdId

📄 Storing created Salesforce Object ID. Result Name: accountId, created ID: null, location: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account Home screen

⌚ 16:50:59(13:13.338)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Account&action=ObjectHome

① Opening Page context. Name: screen, data: null, frame: null

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

● With Account rows {ACCOUNT_NAME = Strider Bank (NK45XZ)}

⌚ 16:50:59(13:13.651)

① Start of With Row. Connection Name: Admin2, target: sf:ui:locator:row?table=ObjectHome%2Frecent%2FrecentTable

① Find element using xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]/tbody/tr

① Waiting for element to be present. Timeout(seconds): 10

① Populating webelement cells into the row Row Count: 8

① Populated the row elements.

① Applying row locator to rows. Row Count: 8, Row Locator: {ACCOUNT_NAME = \$AccountName}

① The row locator matched 1 row.

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

● Click the Account Name field

⌚ 16:51:00(13:14.740)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=ACCOUNT_NAME&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ACCOUNT_NAME&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent

① Interaction: ui:interaction?name=action

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[[ChromeDriver\$EnhancerByCGLIB\$dace278c: chrome on XP (7a2d209c1e74ce52f876e96c9c910f26)]]
-> xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]/tbody/tr]] -> xpath: th//span/*[self::a or self::span[not(contains(@class, 'photoContainer') or contains(@class, 'uiImage'))]]]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Strider Bank (NK45XZ), href: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dQfvgQAC/view]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Exersize5CreateAccountandContact.testcase

① All Sub-Test Steps were successful.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQfvgQAC/view

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account View screen

⌚ 16:51:42(13:56.383)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Account&action=View&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Activating detailTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Click the Contacts New Contact button

⌚ 16:51:48(14:02.777)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=NewContact&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNewContact%26relationship%3DContacts, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=NewContact&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNewContact%26relationship%3DContacts

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQfvgQAC/view

① Interaction: ui:interaction?name=action

① RelationshipName: Contacts, boundObject class: com.provar.plugins.forcedotcom.core.model.SfActionLink

① Activating relatedListsTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Related, href: javascript:void(0)]

① Scrolling related list into view: ((/*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))] | /*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class,

'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))] /ancestor::div[contains(@class, 'oneRecordHomeFlexipage')]]/*[self::lst-related-list-single-container or self::div[contains(@class, 'forceRelatedListContainer') or contains(@class, 'forceRelatedListSingleContainer') and not(ancestor::lst-related-list-single-container)]]][1]/*[(self::article and contains(@class, 'slds-card')) or (self::div and contains(@class, 'forceRelatedListPreviewAdvancedGrid'))]

① Find action link element in related list using xpath: (((/*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))] | /*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]] / ancestor::div[contains(@class, 'oneRecordHomeFlexipage')]]/*[self::lst-related-list-single-container or self::div[contains(@class, 'forceRelatedListContainer') or contains(@class, 'forceRelatedListSingleContainer') and not(ancestor::lst-related-list-single-container)]]][1]/*[(self::article and contains(@class, 'slds-card')) or (self::div and contains(@class, 'forceRelatedListPreviewAdvancedGrid'))]//div[contains(@class, 'actionsContainer') or contains(@class, 'actionsWrapper') or contains(@class, 'test-lvmForceActionsContainer')]]//div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]]/a[contains(@data-aura-rendered-by, '2515:0')]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (7a2d209c1e74ce52f876e96c9c910f26)] -> xpath: (((/*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))] | /*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]] / ancestor::div[contains(@class, 'oneRecordHomeFlexipage')]]/*[self::lst-related-list-single-container or self::div[contains(@class, 'forceRelatedListContainer') or contains(@class, 'forceRelatedListSingleContainer') and not(ancestor::lst-related-list-single-container)]]][1]/*[(self::article and contains(@class, 'slds-card')) or (self::div and contains(@class, 'forceRelatedListPreviewAdvancedGrid'))]//div[contains(@class, 'actionsContainer') or contains(@class, 'actionsWrapper') or contains(@class, 'test-lvmForceActionsContainer')]]//div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]]/a[contains(@data-aura-rendered-by, '2515:0')]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Exersize5CreateAccountandContact.testcase

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=3&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED_LIST&uid=167101691641312892&backgroundContext=%2Flightning%2F%2FAccount%2F0010Q00001dQfvGQAC%2Fview

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

● On SF Contact Record Type selection screen

⌚ 16:52:06(14:20.559)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Contact&action=recordTypeNew

① Opening Page context. Name: screen, data: null, frame: null

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Contact]

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

● Click the Continue button

⌚ 16:52:12(14:26.338)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&path=selectRecordType, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=save&path=selectRecordType

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=3&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED_LIST&uid=167101691641312892&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dQfvgQAC%2Fview

① Interaction: ui:interaction?name=action

① Find elements using xpath: (((/*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden')) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]//div[contains(@class, 'modal-footer') or contains(@class, 'modal__footer') or contains(@class, 'inlineFooter') or contains(@class, 'multiEditFooterContainer')][last()]/button)[last()]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (7a2d209c1e74ce52f876e96c9c910f26)] -> xpath: (((/*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden')) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]//div[contains(@class, 'modal-footer') or contains(@class, 'modal__footer') or contains(@class, 'inlineFooter') or contains(@class, 'multiEditFooterContainer')][last()]/button)[last()]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Next]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Exersize5CreateAccountandContact.testcase

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=3&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED_LIST&uid=167101693277366898&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dQfvgQAC%2Fview&recordTypeId=0121t000000kEPcAAM

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

● On SF Contact (Employee) New screen

⌚ 16:53:03(15:17.655)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Contact&action=New&noOverride=true&recordType=Employee

① Opening Page context. Name: screen, data: null, frame: null

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Contact: Employee]

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

● Set the Last Name field to Lucinda

⌚ 16:53:09(15:23.943)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=LastName&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26field%3DLastName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=LastName&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26field%3DLastName

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=3&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED_LIST&uid=167101693277366898&backgroundContext=%2Flightning%2F%2FAccount%2F0010Q00001dQfvgQAC%2Fview&recordTypeId=0121t000000kEPcAAM

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]//*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide'))] or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Last Name'] or ./text() = 'Last Name')/ancestor::div[1]

① Find field using relative xpath: ../input

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default>; wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@a57d755f -> unknown locator]] -> xpath: ../input]

① Got webElement. tagName: INPUT, id: input-798, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: Lucinda, blur: false

① Doing after wait. waitUrl: default

① End of <default>; wait.

① Going to update browser window handles.

✳ Update browser window handles.


① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)


① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Exersize5CreateAccountandContact.testcase

● Click the Save button

① 16:54:35(16:49.934)



Before Screenshot : 2022/12/14 16:55:16



After Screenshot : 2022/12/14 16:55:18

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26action%3Dsave, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26action%3Dsave

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=3&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED_LIST&uid=167101693277366898&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dQfvGQAC%2Fview&recordTypeId=0121t000000kEPcAAM

① Interaction: ui:interaction?name=action

① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default>; wait.

① Found element: [[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (7a2d209c1e74ce52f876e96c9c910f26)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default>; wait.

① Going to update browser window handles.

✧ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Exersize5CreateAccountandContact.testcase

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26action%3Dsave, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26action%3Dsave

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Contact/0030Q00001Js2IAQAZ/edit?navigationLocation=RELATED_LIST_ROW&count=4&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dQfvGQAC%2Fview

① Interaction: ui:interaction?name=action

① Sending screenshot. Data length: 49727

① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[ChromeDriver\$EnhancerByCGLIB\$dace278c: chrome on XP (7a2d209c1e74ce52f876e96c9c910f26)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Sending screenshot. Data length: 50236

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQfvgQAC/view

① Injecting script to get created object ID from aura component

⚠ Some toast message(s) are still open and might cause inconsistent issues in execution.

① Fetching created Id from URL

📄 Storing created Salesforce Object ID. Result Name: contactId, created ID: 0010Q00001dQfvgQAC, location: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQfvgQAC/view

① Logging Salesforce Object Id for clean up. Object Name: Contact, id: 0010Q00001dQfvgQAC

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dQfvgQAC/view

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① Pausing at end of Test Case

① Handling managed resource. Name: Admin2

⚙ Closing Salesforce Connection because it is no longer being used. Name: Admin2

⚙ Closing web connection.

⚙ Closing Selenium driver

⚙ Stopping Page Object change watcher.

⚙ Shutting down Soap Connections. logFilePath: Admin2-objectids.log

① Salesforce Connection handled successfully. Name: Admin2