# Test Run Report




## **Test Run Overview**

Started 14 Dec 2022, 13:56:05 Ended 14 Dec 2022, 14:02:56


Duration (mm:ss) 06:51.089

# Test Results Summary

Passed 0 Failed 1 Skipped 0



# **Test Case Summary**



LessonNo3CreateOpportunity.testcase

One or more Sub-Test Steps failed.

failedfailed

# LessonNo3CreateOpportunity.testcase

## Summary

Started 14 Dec 2022, 13:56:05 Ended 14 Dec 2022, 14:02:53

Duration (mm:ss) 06:48.010
Outcome failed

## Output

Salesforce Connect: Admin2 (Test)

0 13:56:05(00:00.034)

- ① Connecting to Salesforce as Admin2
- \*\*Connection details. Connection name: Admin2, result name: Admin2, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
- Create object id log file.
- Opening Partner connection
- Opening SOAP connection
- Opening Metadata connection
- (i) Successfully connected to Salesforce as Admin2
- ① Opening Chrome webdriver instance to https://test.salesforce.com/
- \* Add Chrome browser specific capabilities
- ① Successfully opened Chrome webdriver to https://test.salesforce.com/
- (i) Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- Successfully opened user home page
- (1) Going to update browser window handles.
- Update browser window handles.
- ∜ Starting Page Object change watcher. Page Object bin folder: C:\Users\MangeshDhepe\Desktop\Provar File∖demo\bin\pageobjects
- Successfully updated browser window handles.

## On SF Opportunity Home screen

0 13:56:28(00:23.220)

- ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Opportunity&action=ObjectHome
- (1) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Opportunity, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/006/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/page/home
- (i) Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- Successfully opened user home page
- (i) Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.

#### Click the New button

0 13:56:37(00:32.037)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3DNew, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3DNew

- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/list? filterName=Recent
- Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]]//a[contains(@data-aura-rendered-by, '937:0')]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (72ab53525ec93995dbbe87a059f9ab17)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'test-listViewManager')]]//al[contains(@data-aura-rendered-by, '937:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- i Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=16710063982074660&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.

## On SF Opportunity New screen

0 13:56:41(00:36.509)

- ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Opportunity&action=New&noOverride=true
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Hover>Clicking WebElement. WebElement [tag: h2, text: New Opportunity]
- Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.

## Set the Close Date field to 2023-01-13

0 13:56:47(00:42.321)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=CloseDate&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DCloseDate, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=CloseDate&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DCloseDate
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=16710063982074660&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'forcePageError')])][last()]/\*[contains(@class, 'forcePageError')]/\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]/\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Close Date'] or .//text() = 'Close Date')]/ancestor::div[1]

- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@42c5e8a4 -> unknown locator]] -> xpath: .//input
- ① Typing value. Element: [[[org.openqa.selenium.remote.RemoteWebElement@42c5e8a4 -> unknown locator]] -> xpath: .//input], value: 2023-01-13, blur: true
- (i) Clicking WebElement. WebElement [tag: td, text: 13]
- i Doing after wait. waitUrl: default
- End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### Lookup the Account Name reference to Barton Media

① 13:56:50(00:44.945)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Accountld&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAccountld, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Accountld&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAccountld
- 1 Interaction: ui:interaction?name=sfLookup
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=16710063982074660&backgroundContext=%2Flightning%2F0%2FOpportunity%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=sfLookup
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forcePageError')])][last()]//\*[contains(@class, 'forcePageElockSection or self::div) and contains(@class, 'forcePageElockSection'))][1]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]
- Find field using relative xpath: .//input
- (1) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@42c5e8ac -> unknown locator]] -> xpath: .//input]
- (i) Hover>Clicking WebElement. WebElement [tag: input]
- (i) Waiting for lookup dropdown list to appear
- Doing after wait. waitUrl: default
- End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.

### On SF Account Lookup screen

0 13:56:53(00:48.069)

- ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?lookup=Account
- (i) Opening Page context. Name: screen, data: null, frame: null
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### Set the Search text to Barton Media

0 13:56:53(00:48.316)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=SearchName&path=searchFrame, before wait: null, after wait: null, auto retry: default

- ① Locator: ui:locator?name=SearchName&path=searchFrame
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=16710063982074660&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- i Doing before wait. waitUrl: default
- End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (72ab53525ec93995dbbe87a059f9ab17)] -> xpath: (//\*[contains(@class, 'active') and ( (contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'oneWorkspace') or contains(@class, 'wsTabBarHidden'))] and contains(@class, 'active') and (contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))) ] | //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))] | //div[contains(@class, 'oneUtilityBarContainer')]//div[contains(@class, 'slds-docked\_container') and contains(@class, 'forceDockingPanel DOCKED')]//div[contains(@class, 'slds-is-open') and contains(@class, 'slds-docked-composer')] | //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[[last()] | /\*[(self::form or self::div) and contains(@class, 'forceDetailPanel') and contains(@class, 'inlineEditEnabled')])/\*[self::div[contains(@class, 'forceSearchInputLookupDesktop')] or self::lightning-lookup-desktop]//input[@aria-expanded='true' or contains(@aria-activedescendant, 'input')]]
- ① Clicking WebElement. WebElement [tag: lightning-base-combobox-item, text: Search Show All Results for "Barton Media"]
- i Doing after wait. waitUrl: default
- End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Click the Go! button

0 13:57:00(00:55.811)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=go&path=searchFrame, before wait: null, after wait: null, auto retry: default
- 1 Locator: ui:locator?name=go&path=searchFrame
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=16710063982074660&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- Doing before wait. waitUrl: default
- End of <default&gt; wait.
- 1 Found element: com.provar.core.model.ui.java.NullWebElement@5c974980
- 1 Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.

## Click the Account Name button

0 13:57:02(00:57.429)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable %2FresultsRow&rowLocator=Name+%3D+%27Barton+Media%27, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable%2FresultsRow&rowLocator=Name+%3D+%27Barton+Media%27
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=16710063982074660&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=action
- (i) Populating webelement cells into the row Row Count: 0
- (i) Populated the row elements.
- ① Applying row locator to rows. Row Count: 1, Row Locator: {Name = "Barton Media"}
- 1 The row locator matched 1 row.

- ① Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@42c5e8c8 -> unknown locator]] -> xpath: td[1]/span|td[1]//a|td[1] [not(\*)]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Barton Media, href: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dPFj4QAG/view]
- Doing after wait. waitUrl: default
- (i) End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- i Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&novigationLocation=LIST\_VIEW&uid=16710063982074660&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=16710063982074660&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.
- Set the Stage picklist to Prospecting

0 13:59:04(02:59.461)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=StageName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DStageName, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=StageName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DStageName
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=16710063982074660&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]/\*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Stage'] or .//text() = 'Stage')]/ ancestor::div[1]
- 1 Find field using relative xpath: .//\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]]
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@42c5e8e3 -> unknown locator]] -> xpath: ://\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]]]
- ① Got webElement. tagName: BUTTON, id: combobox-button-177, type: button, class: slds-combobox\_\_input slds-input\_faux slds-combobox input-value
- 1 Typing value. tagName: BUTTON, type: button, value: Prospecting, blur: false
- Clicking WebElement. WebElement [tag: button, text: Prospecting]
- ① Clicking WebElement. WebElement [tag: div, text: Prospecting --None-- Prospecting Qualification Needs Analysis Value Proposition Proposal/ Price Quote Negotiation/Review Closed Won Closed Lost]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]
- i Doing after wait. waitUrl: default

- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### Ul Assert

0 13:59:25(03:20.244)

- i Start of UiAssert. Connection: Admin2
- Resolving field Probability
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=16710063982074660&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forcePageError')])][last()]//\*[contains(@class, 'forcePageError')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//\*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Probability (%)'] or .//text() = 'Probability (%)')]/ancestor::div[1]
- (i) Find field using relative xpath: .//input
- (1) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- End of <default&gt; wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@42c5e8ca -> unknown locator]] -> xpath: .//input
- Asserting field attributes: Probability
- Reading Attribute: value
- (i) Object read successfully. Result Name: Values
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

## Click the Save button


0 13:57:11(01:06.446)

- Pausing for Pause On Error
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\LessonNo3CreateOpportunity.testcase
- Pausing after Step Over
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\LessonNo3CreateOpportunity.testcase
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\LessonNo3CreateOpportunity.testcase
- Pausing after Step Over
- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3Dsave
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=16710063982074660&backgroundContext=%2Flightning%2F0%2FOpportunity%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- 1 End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (72ab53525ec93995dbbe87a059f9ab17)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or


 $contains (@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]// \\ runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]$ 

- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- Going to update browser window handles.
- \* Update browser window handles.
- Successfully updated browser window handles.
- UI Assert : Amount cannot exceed \$1M


0 13:59:36(03:31.294)




After Screenshot : 2022/12/14 13:59:37




Error Screenshot



After Screenshot : 2022/12/14 14:00:34



Error Screenshot



After Screenshot : 2022/12/14 14:01:11

- i Start of UiAssert. Connection: Admin2
- (i) Resolving field Amount
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=16710063982074660&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forcePageError')])][last()]//\*[contains(@class, 'forcePageElockSection or self::div) and contains(@class, 'forcePageElockSection'))][1]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide'))) or (self::spath and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (//text()[normalize-space()='Amount'] or //text() = 'Amount')]/ ancestor::div[1]
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ⑤ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@42c5e8e9 -> unknown locator]] -> xpath: .//input]
- (1) Asserting field attributes: Amount
- (1) Asserting Attribute: message to Amount cannot exceed \$1M
- Assertion Failed.null EqualTo Amount cannot exceed \$1M
- (i) Reading Attribute: value
- (i) Object read successfully. Result Name: Values
- Sending screenshot. Data length: 49398
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Going to update browser window handles.

- Update browser window handles.
- Successfully updated browser window handles.
- Pausing for Step To
- Start of UiAssert. Connection: Admin2
- Resolving field Amount
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/
  Opportunity/0060Q0000LQJPxQAP/edit?navigationLocation=LIST\_VIEW\_ROW&count=2&backgroundContext=%2Flightning%2Fo
  %2FOpportunity%2Flist%3FfilterName%3DRecent
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[[last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, forcePageBlockSection '))][1]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Amount'] or ./text() = 'Amount')]/ ancestor::div11
- i Find field using relative xpath: //input
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@42c5e904 -> unknown locator]] -> xpath: .//input
- Asserting field attributes: Amount
- (i) Asserting Attribute: message to Amount cannot exceed \$1M
- Assertion Failed.null EqualTo Amount cannot exceed \$1M
- (i) Reading Attribute: value
- (i) Object read successfully. Result Name: Values
- (i) Sending screenshot. Data length: 45865
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Pausing for Step To
- (i) Start of UiAssert. Connection: Admin2
- Resolving field Amount
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/
  Opportunity/0060Q00000LQJPxQAP/edit?navigationLocation=LIST\_VIEW\_ROW&count=2&backgroundContext=%2Flightning%2Fo
  %2FOpportunity%2Flist%3FfilterName%3DRecent
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Amount'] or .//text() = 'Amount')]/ ancestor::div[1]
- i) Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@42c5e904 -> unknown locator]] -> xpath: .//input]
- Asserting field attributes: Amount

- (i) Asserting Attribute: message to Amount cannot exceed \$1M
- Assertion successful.Amount cannot exceed \$1M EqualTo Amount cannot exceed \$1M
- (i) Reading Attribute: value
- (i) Object read successfully. Result Name: Values
- Sending screenshot. Data length: 47138
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

### Click the Save button

0 14:01:05(05:00.172)

- Pausing for Pause On Error
- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3Dsave
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=16710063982074660&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-wcdetailpanel]//runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait, waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (72ab53525ec93995dbbe87a059f9ab17)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel\_lwcdetailpanel]// runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- Doing after wait. waitUrl: default
- End of <default&gt; wait.
- Going to update browser window handles.
- 🍀 Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing at end of Test Case
- (i) Pausing for Step To
- Pausing for Pause On Error
- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3Dsave
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/
  Opportunity/0060Q0000LQJPxQAP/edit?navigationLocation=LIST\_VIEW\_ROW&count=2&backgroundContext=%2Flightning%2Fo
  %2FOpportunity%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel\_/wcdetailpanel]/runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default

- i End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (72ab53525ec93995dbbe87a059f9ab17)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel\_lwcdetailpanel]// runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing at end of Test Case
- Pausing for Step To
- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3Dsave
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Opportunity/0060Q0000LQJPxQAP/edit?navigationLocation=LIST\_VIEW\_ROW&count=2&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-wcdetailpanel]//runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]
- (1) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (72ab53525ec93995dbbe87a059f9ab17)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel\_lwcdetailpanel]// runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- 1 Doing after wait. waitUrl: default
- End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing at end of Test Case
- One or more Sub-Test Steps failed.
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Opportunity/0060Q00000LQJPxQAP/edit?navigationLocation=LIST\_VIEW\_ROW&count=2&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- Injecting script to get created object ID from aura component
- (i) Fetching created Id from URL
- Storing created Salesforce Object ID. Result Name: opportunityId, created ID: 0060Q00000LQJPxQAP, location: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Opportunity/0060Q0000LQJPxQAP/edit? navigationLocation=LIST\_VIEW\_ROW&count=2&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- 1 Logging Salesforce Object Id for clean up. Object Name: Opportunity, id: 0060Q00000LQJPxQAP
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main

- (i) Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.
- (i) Pausing for Pause On Error (after executing last child)
- (i) Handling managed resource. Name: Admin2
- Closing Salesforce Connection because it is no longer being used. Name: Admin2
- Closing web connection.
- Alert is showing
- \* Closing Selenium driver
- \*\* Stopping Page Object change watcher.
- Shutting down Soap Connections. logFilePath: Admin2-objectids.log
- ① Salesforce Connection handled successfully. Name: Admin2