

Test Run Report



Test Run Overview

Started	12 Dec 2022, 16:27:34
Ended	12 Dec 2022, 16:38:07
Duration (mm:ss)	10:33.053

Test Results Summary

Passed	0
Failed	0
Skipped	0




Test Case Summary

- tests
 - Trial Tests
 - Solved Exercises
 - Exercise 5 Create Account and Contact.testcase

- pending
- pending
- pending
- pending

Exercise 5 Create Account and Contact.testcase

Summary

Started	12 Dec 2022, 16:27:34
Ended	12 Dec 2022, 16:38:05
Duration (mm:ss)	10:31.080
Outcome	 pending

Output

- Set Values: AccountName ⌚ 16:27:34(00:00.039)
 - ⓘ Setting value AccountName to Strider Bank (ref: KOKRKQ)
 - ⚙ Configuration: ValueScope:Test
 - ⓘ Successfully set AccountName to Strider Bank (ref: KOKRKQ)
- Salesforce Connect: SF_Admin (Test) ⌚ 16:27:34(00:00.072)
 - ⓘ Connecting to Salesforce as Admin3
 - ⚙ Connection details. Connection name: Admin3, result name: SF_Admin, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
 - ⚙ Create object id log file.
 - ⚙ Opening Partner connection
 - ⚙ Opening SOAP connection
 - ⚙ Opening Metadata connection
 - ⓘ Successfully connected to Salesforce as Admin3
 - ⓘ Opening Chrome webdriver instance to https://test.salesforce.com/
 - ⚙ Add Chrome browser specific capabilities
 - ⓘ Successfully opened Chrome webdriver to https://test.salesforce.com/
 - ⓘ Opening Salesforce user home page
 - ⚙ Navigate to home page
 - ⚙ Perform page load wait
 - ⓘ Successfully opened user home page
 - ⓘ Going to update browser window handles.
 - ⚙ Update browser window handles.
 - ⚙ Starting Page Object change watcher. Page Object bin folder: C:\Users\MangeshDhepe\Desktop\Provar File\demo\bin\pageobjects
 - ⓘ Successfully updated browser window handles.
- On SF Account Home screen ⌚ 16:28:03(00:28.379)
 - ⓘ Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?object=Account&action=ObjectHome
 - ⓘ Opening Page context. Name: screen, data: null, frame: null
 - ⓘ Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/page/home
 - ⓘ Opening Salesforce user home page
 - ⚙ Navigate to home page
 - ⚙ Perform page load wait
 - ⓘ Successfully opened user home page
 - ⓘ Going to update browser window handles.
 - ⚙ Update browser window handles.
 - ⓘ Successfully updated browser window handles.

● Click the New button

⌚ 16:28:11(00:37.026)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DNew, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DNew
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent
- ① Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager')])//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '835:0')]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (4802e0f8b9127d9ad1f8299aaadae588)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager')])//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '835:0')]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✦ Update browser window handles.
- ① Successfully updated browser window handles.
- ① All Sub-Test Steps were successful.
- ① Closing Page context. Name: screen, data: null, frame: null
- ① Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084269318020123&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Going to update browser window handles.
- ✦ Update browser window handles.
- ① Successfully updated browser window handles.

● On SF Account New screen

⌚ 16:28:16(00:41.802)

- ① Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?action=New&object=Account
- ① Opening Page context. Name: screen, data: null, frame: null
- ① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]
- ① Going to update browser window handles.
- ✦ Update browser window handles.
- ① Successfully updated browser window handles.

● Set the Active picklist to Yes

⌚ 16:28:22(00:47.796)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Active__c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS__Active__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__Active__c
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084269318020123&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class,

'forceDetailPanel') or contains(@class, 'detail-panel-root'))/*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Active'] or ./text()='Active')]/ancestor::div[1]

① Find field using relative xpath: `//*[@self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@77052283 -> unknown locator]] -> xpath: `//*[@self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`]

① Got webElement. tagName: BUTTON, id: combobox-button-175, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value

① Typing value. tagName: BUTTON, type: button, value: Yes, blur: false

① Clicking WebElement. WebElement [tag: button, text: --None--]

① Clicking WebElement. WebElement [tag: div, text: --None-- --None-- No Yes]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

● Set the SLA picklist to Gold

⌚ 16:28:25(00:51.087)

① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ProvarQS__SLA__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLA__c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS__SLA__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLA__c

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084269318020123&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')/*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='SLA'] or ./text()='SLA')]/ancestor::div[1]`

① Find field using relative xpath: `//*[@self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@77052288 -> unknown locator]] -> xpath: `//*[@self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`]

① Got webElement. tagName: BUTTON, id: combobox-button-212, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value

① Typing value. tagName: BUTTON, type: button, value: Gold, blur: false

① Clicking WebElement. WebElement [tag: button, text: --None--]

① Clicking WebElement. WebElement [tag: div, text: --None-- --None-- Gold Silver Platinum Bronze]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳️ Update browser window handles.

① Successfully updated browser window handles.

● Set the SLA Serial Number field to 12GH54FF

⌚ 16:28:29(00:54.534)

① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ProvarQS__SLASerialNumber__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLASerialNumber__c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS__SLASerialNumber__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLASerialNumber__c

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084269318020123&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]//*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide'))] or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container') or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='SLA Serial Number'] or ./text() = 'SLA Serial Number')/ancestor::div[1]

① Find field using relative xpath: ../input

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@7705228c -> unknown locator]] -> xpath: ../input]

① Got webElement. tagName: INPUT, id: input-226, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: 12GH54FF, blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳️ Update browser window handles.

① Successfully updated browser window handles.

● Today link the SLA Expiration Date field

⌚ 16:28:32(00:57.806)

① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ProvarQS__SLAExpirationDate__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLAExpirationDate__c, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ProvarQS__SLAExpirationDate__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DProvarQS__SLAExpirationDate__c

① Interaction: ui:interaction?name=sfToday

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084269318020123&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=sfToday

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]//*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide'))] or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container') or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='SLA Expiration Date'] or ./text() = 'SLA Expiration Date')/ancestor::div[1]

① Find field using relative xpath: ../input

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@770522a4 -> unknown locator]] -> xpath: ../input]

- ① Clicking WebElement. WebElement [tag: input]
- ① Clicking WebElement. WebElement [tag: button]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✦ Update browser window handles.
- ① Successfully updated browser window handles.

● Set the Account Name field to Strider Bank (ref: KOKRKQ)

⌚ 16:28:35(01:00.743)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084269318020123&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set
- ① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[((self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection')))[1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Account Name'] or ./text()='Account Name')]/ancestor::div[1]
- ① Find field using relative xpath: ./input
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@770522a9 -> unknown locator]] -> xpath: ./input]
- ① Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: Strider Bank (ref: KOKRKQ), blur: false
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✦ Update browser window handles.
- ① Successfully updated browser window handles.

● Click the Save button

⌚ 16:28:38(01:03.484)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Faction%3Dsave%26object%3DAccount, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Faction%3Dsave%26object%3DAccount
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084269318020123&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (4802e0f8b9127d9ad1f8299aaadae588)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or

```
following-sibling::div[contains(@class, 'forceFormPageError'))]]last()//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]]
```

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwj1QAC/view

① Injecting script to get created object ID from aura component

📄 Storing created Salesforce Object ID. Result Name: accountId, created ID: 0010Q00001dOwj1QAC, location: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwj1QAC/view

① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dOwj1QAC

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwj1QAC/view

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Set Values: AccountName3

⌚ 16:30:37(03:02.265)

① Setting value AccountName3 to Strider Bank (ref: H632SF)

⚙ Configuration: ValueScope:Test

① Successfully set AccountName3 to Strider Bank (ref: H632SF)

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Trial Tests\Solved Exercises\Exercise 5 Create Account and Contact.testcase

● On SF Account New screen

⌚ 16:30:49(03:15.097)

① Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?object=Account&action=New&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Opening Salesforce page. Object: Account, RelatedList: null, Action: New, Page URL: /lightning/o/001/list, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new

① Opening Salesforce user home page

⚙ Navigate to home page

⚙ Perform page load wait

① Successfully opened user home page

① Clicking the New Button

① Find action link element using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]//div[contains(@class, 'forceListViewManager')]/ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '833:0')]

① Clicking WebElement. WebElement [tag: a, text: New, href: javascript:void(0);]

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Set the Account Name field to Strider Bank (ref: H632SF)

⌚ 16:31:02(03:28.152)

① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084286038667906&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Account Name'] or ./text() = 'Account Name')]/ancestor::div[1]

① Find field using relative xpath: ./input

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@290945ba -> unknown locator]] -> xpath: ./input]

① Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: Strider Bank (ref: H632SF), blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Trial Tests\Solved Exercises\Exercise 5 Create Account and Contact.testcase

● Click the Save button

🕒 16:31:11(03:36.241)

① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167084286038667906&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=action

① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (4802e0f8b9127d9ad1f8299aaadae588)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Trial Tests\Solved Exercises\Exercise 5 Create Account and Contact.testcase

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent

① Injecting script to get created object ID from aura component

⚠ Some toast message(s) are still open and might cause inconsistent issues in execution.

① Fetching created Id from URL

① Reattempting for the createdId

① Reattempting for the createdId

① Reattempting for the createdId

📄 Storing created Salesforce Object ID. Result Name: accountId, created ID: null, location: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account Home screen

⌚ 16:35:32(07:57.920)

① Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?object=Account&action=ObjectHome

① Opening Page context. Name: screen, data: null, frame: null

① Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list

① Opening Salesforce user home page

⚙ Navigate to home page

⚙ Perform page load wait

① Successfully opened user home page

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● With Account rows {ACCOUNT_NAME = "Strider Bank (ref: H632SF)"}

⌚ 16:35:41(08:06.923)

① Start of With Row. Connection Name: SF_Admin, target: sf:ui:locator:row?table=ObjectHome%2FRecent%2FRecentTable

① Find element using xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]/tbody/tr

① Waiting for element to be present. Timeout(seconds): 10

① Populating webelement cells into the row Row Count: 10

① Populated the row elements.

① Applying row locator to rows. Row Count: 10, Row Locator: {ACCOUNT_NAME = "Strider Bank (ref: H632SF)"}

① The row locator matched 1 row.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Click the Account Name field

⌚ 16:35:42(08:08.020)

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=ACCOUNT_NAME&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ACCOUNT_NAME&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent
- ① Interaction: ui:interaction?name=action
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[[[[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (4802e0f8b9127d9ad1f8299aaadae588)] -> xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]/tbody/tr]] -> xpath: th//span/*[self::a or self::span[not(contains(@class, 'photoContainer') or contains(@class, 'uiImage'))]]]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Strider Bank (ref: H632SF), href: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dOwknQAC/view]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ⚡ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause On Error (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Trial Tests\Solved Exercises\Exercise 5 Create Account and Contact.testcase
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Trial Tests\Solved Exercises\Exercise 5 Create Account and Contact.testcase

① All Sub-Test Steps were successful.

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOwknQAC/view

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account View screen

⌚ 16:36:05(08:30.623)

① Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?object=Account&action=View&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Activating detailTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

● Click the Contacts New Contact button

⌚ 16:36:11(08:36.972)

① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=NewContact&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNewContact%26relationship%3DContacts, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=NewContact&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNewContact%26relationship%3DContacts

- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001AOWnQAC/view
- ① Interaction: ui:interaction?name=action
- ① RelationshipName: Contacts, boundObject class: com.provar.plugins.forcedotcom.core.model.SfActionLink
- ① Activating relatedListsTab tab
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Related, href: javascript:void(0)]
- ① Scrolling related list into view: ((/*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))] | /*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))] /ancestor::div[contains(@class, 'oneRecordHomeFlexipage')]]/*[self::lst-related-list-single-container or self::div[contains(@class, 'forceRelatedListContainer') or contains(@class, 'forceRelatedListSingleContainer') and not(ancestor::lst-related-list-single-container)]]][1/*[self::article and contains(@class, 'slds-card')] or (self::div and contains(@class, 'forceRelatedListPreviewAdvancedGrid'))]
- ① Find action link element in related list using xpath: (((/*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))] | /*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))] /ancestor::div[contains(@class, 'oneRecordHomeFlexipage')]]/*[self::lst-related-list-single-container or self::div[contains(@class, 'forceRelatedListContainer') or contains(@class, 'forceRelatedListSingleContainer') and not(ancestor::lst-related-list-single-container)]]][1/*[self::article and contains(@class, 'slds-card')] or (self::div and contains(@class, 'forceRelatedListPreviewAdvancedGrid'))]/div[contains(@class, 'actionsContainer') or contains(@class, 'actionsWrapper') or contains(@class, 'test-lvmForceActionsContainer')]/div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]]/a[contains(@data-aura-rendered-by, '1469:0')]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (4802e0f8b9127d9ad1f8299aaadae588)] -> xpath: (((/*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))] | /*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))] /ancestor::div[contains(@class, 'oneRecordHomeFlexipage')]]/*[self::lst-related-list-single-container or self::div[contains(@class, 'forceRelatedListContainer') or contains(@class, 'forceRelatedListSingleContainer') and not(ancestor::lst-related-list-single-container)]]][1/*[self::article and contains(@class, 'slds-card')] or (self::div and contains(@class, 'forceRelatedListPreviewAdvancedGrid'))]/div[contains(@class, 'actionsContainer') or contains(@class, 'actionsWrapper') or contains(@class, 'test-lvmForceActionsContainer')]/div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]]/a[contains(@data-aura-rendered-by, '1469:0')]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✱ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Trial Tests\Solved Exercises\Exercise 5 Create Account and Contact.testcase
- ① All Sub-Test Steps were successful.
- ① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=2&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED_LIST&uid=167084319342994972&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dOwknQAC%2Fview&recordTypeId=0121t000000kEPbAAM

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Contact (Customer) New screen

⌚ 16:36:56(09:21.217)

① Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?object=Contact&action=New&noOverride=true&recordType=Customer

① Opening Page context. Name: screen, data: null, frame: null

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Contact: Customer]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Set the First Name field to Lucinda Jeffries

⌚ 16:37:02(09:27.770)

① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=FirstName&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26field%3DFirstName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=FirstName&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26field%3DFirstName

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=2&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED_LIST&uid=167084319342994972&backgroundContext=%2Fflightning%2Fr%2FAccount%2F0010Q00001dOwknQAC%2Fview&recordTypeId=0121t000000kEPbAAM

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container') or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='First Name'] or ./text() = 'First Name'))/ancestor::div[1]`

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@6463b7d2 -> unknown locator]] -> xpath: ./input]`

① Got webElement. tagName: INPUT, id: input-431, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: Lucinda Jeffries, blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Trial Tests\Solved Exercises\Exercise 5 Create Account and Contact.testcase

● Set the Last Name field to xyz

⌚ 16:37:22(09:47.717)

① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=LastName&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26field%3DLastName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=LastName&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26field%3DLastName

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=2&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED_LIST&uid=167084319342994972&backgroundContext=%2Flightning%2Fr%2FAccount%2F0010Q00001dOwknQAC%2Fview&recordTypeId=0121t000000kEPbAAM

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection ')]`[1]/*[(((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container') or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Last Name'] or ./text() = 'Last Name')]/ancestor::div[1]

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@6463b7d6 -> unknown locator]] -> xpath: ./input]`

① Got webElement. tagName: INPUT, id: input-432, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: xyz, blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\Trial Tests\Solved Exercises\Exercise 5 Create Account and Contact.testcase

● Click the Save button

⌚ 16:37:35(10:01.112)

① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26action%3Dsave, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26action%3Dsave

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Contact/new?count=2&nooverride=1&useRecordTypeCheck=1&navigationLocation=RELATED_LIST&uid=167084319342994972&backgroundContext=%2Flightning%2Fr%2FAccount%2F0010Q00001dOwknQAC%2Fview&recordTypeId=0121t000000kEPbAAM

① Interaction: ui:interaction?name=action

① Find action link element using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcDetailpanel_lwcDetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[ChromeDriver$EnhancerByCGLIB$dace278c: chrome on XP (4802e0f8b9127d9ad1f8299aaadae588)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcDetailpanel_lwcDetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]]`

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dOwknQAC/related/Contacts/view>

① Injecting script to get created object ID from aura component

⚠ Some toast message(s) are still open and might cause inconsistent issues in execution.

① Fetching created Id from URL

① Reattempting for the createdId

① Reattempting for the createdId

① Reattempting for the createdId

📄 Storing created Salesforce Object ID. Result Name: contactId, created ID: null, location: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dOwknQAC/related/Contacts/view>

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dOwknQAC/related/Contacts/view>

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① Pausing at end of Test Case

● Execution aborted.

⚙ Closing web connection.