

Test Run Report




Test Run Overview

Started 14 Dec 2022, 15:40:51
Ended <still running>
Duration (mm:ss) ---

Test Results Summary

Passed 1
Failed 0
Skipped 0



Test Case Summary

tests
CreateCaseCopyExercise4.testcase

● successful
● successful

CreateCaseCopyExercise4.testcase

Summary

Started 14 Dec 2022, 15:40:51
Ended 14 Dec 2022, 15:51:25
Duration (mm:ss) 10:33.572
Outcome ● successful

Output

- **Salesforce Connect: Admin2 (Test)** ⌚ 15:40:51(00:00.019)
 - 🔍 Connecting to Salesforce as Admin2
 - ⚙️ Connection details. Connection name: Admin2, result name: Admin2, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
 - ⚙️ Create object id log file.
 - ⚙️ Opening Partner connection
 - ⚙️ Opening SOAP connection
 - ⚙️ Opening Metadata connection
 - 🔍 Successfully connected to Salesforce as Admin2
 - 🔍 Opening Chrome webdriver instance to https://test.salesforce.com/
 - ⚙️ Add Chrome browser specific capabilities
 - 🔍 Successfully opened Chrome webdriver to https://test.salesforce.com/
 - 🔍 Opening Salesforce user home page
 - ⚙️ Navigate to home page
 - ⚙️ Perform page load wait
 - 🔍 Successfully opened user home page
 - 🔍 Going to update browser window handles.
 - ⚙️ Update browser window handles.
 - ⚙️ Starting Page Object change watcher. Page Object bin folder: C:\Users\MangeshDhepe\Desktop\Provar File\demo\bin\pageobjects
 - 🔍 Successfully updated browser window handles.
- **On SF Case Home screen** ⌚ 15:41:22(00:31.134)
 - 🔍 Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=ObjectHome
 - 🔍 Opening Page context. Name: screen, data: null, frame: null
 - 🔍 Opening Salesforce page. Object: Case, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/500/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/page/home
 - 🔍 Opening Salesforce user home page
 - ⚙️ Navigate to home page
 - ⚙️ Perform page load wait
 - 🔍 Successfully opened user home page
 - 🔍 Going to update browser window handles.
 - ⚙️ Update browser window handles.
 - 🔍 Successfully updated browser window handles.
- **Click the New Case button** ⌚ 15:41:32(00:41.114)
 - 🔍 Start of Interact. Connection: Admin2, Locator: ui:locator?name=NewCase&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3DNewCase, before wait: default, after wait: default, auto retry: default
 - 🔍 Locator: ui:locator?name=NewCase&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3DNewCase

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list?filterName=Recent

① Interaction: ui:interaction?name=action

① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager'))]/ul[contains(@class, 'oneActionsRibbon')]) | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '614:0')]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (e56d74e3d35d80115711f31d6556e409)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table__joined') and contains(@class, 'test-listViewManager'))]/ul[contains(@class, 'oneActionsRibbon')]) | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '614:0')]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101269394513068&backgroundContext=%2Fflightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Case New screen

⌚ 15:41:37(00:45.714)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=New&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Opening Salesforce page. Object: Case, RelatedList: null, Action: New, Page URL: /lightning/o/500/list, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new

① Opening Salesforce user home page

⚙ Navigate to home page

⚙ Perform page load wait

① Successfully opened user home page

① Clicking the New Button

① Find action link element using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and (contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]//div[contains(@class, 'forceListViewManager')]/ul[contains(@class, 'oneActionsRibbon')]) | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '942:0')]

① Clicking WebElement. WebElement [tag: a, text: New, href: javascript:void(0);]

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Case]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Lookup the Account Name reference to Barton Media

⌚ 15:41:48(00:57.112)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=AccountId&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DAccountId, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=AccountId&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DAccountId

① Interaction: ui:interaction?name=sfLookup

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Fflightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=sfLookup

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]//1//*((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Account Name'] or ./text() = 'Account Name'))/ancestor::div[1]

① Find field using relative xpath: ./input

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@38d59287 -> unknown locator]] -> xpath: ./input]

① Hover>Clicking WebElement. WebElement [tag: input]

① Waiting for lookup dropdown list to appear

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account Lookup screen

⌚ 15:41:51(01:00.240)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?lookup=Account

① Opening Page context. Name: screen, data: null, frame: null

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

● Set the Search text to Barton Media

⌚ 15:41:52(01:00.470)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=SearchName&path=searchFrame, before wait: null, after wait: null, auto retry: default

① Locator: ui:locator?name=SearchName&path=searchFrame

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Fflightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [org.openqa.selenium.remote.RemoteWebElement@38d59288 -> unknown locator]

① Clicking WebElement. WebElement [tag: div, text: Search Accounts "Barton Media" in Accounts]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

● Click the Go! button

⌚ 15:41:59(01:08.116)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=go&path=searchFrame, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:locator?name=go&path=searchFrame
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: com.provar.core.model.ui.java.NullWebElement@2b02101f
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ⚡ Update browser window handles.
- ① Successfully updated browser window handles.
- Click the Account Name button ⌚ 15:42:01(01:09.779)
 - ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable%2FresultsRow&rowLocator=Name+%3D+%27Barton+Media%27, before wait: default, after wait: default, auto retry: default
 - ① Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable%2FresultsRow&rowLocator=Name+%3D+%27Barton+Media%27
 - ① Interaction: ui:interaction?name=action
 - ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
 - ① Interaction: ui:interaction?name=action
 - ① Populating webelement cells into the row Row Count: 0
 - ① Populated the row elements.
 - ① Applying row locator to rows. Row Count: 1, Row Locator: {Name = "Barton Media"}
 - ① The row locator matched 1 row.
 - ① Doing before wait. waitUrl: default
 - ① End of <default> wait.
 - ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@38d5928d -> unknown locator]] -> xpath: td[1]/span[td[1]]/a[td[1][not(*)]]
 - ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Barton Media, href: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dPFJ4QAG/view]
 - ① Doing after wait. waitUrl: default
 - ① End of <default> wait.
 - ① Going to update browser window handles.
 - ⚡ Update browser window handles.
 - ① Successfully updated browser window handles.
- ① All Sub-Test Steps were successful.
- ① Closing Page context. Name: screen, data: null, frame: null
- ① Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- ① Going to update browser window handles.
- ⚡ Update browser window handles.
- ① Successfully updated browser window handles.

● Set the Priority picklist to High

🕒 15:42:06(01:14.672)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Priority&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DPriority, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Priority&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DPriority
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Fflightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set
- ① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Priority'] or .//text() = 'Priority')/ancestor::div[1]
- ① Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@38d5928f -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]
- ① Got webElement. tagName: A, id: null, type: null, class: select
- ① Typing value. tagName: A, type: null, value: High, blur: false
- ① Clicking WebElement. WebElement [tag: a, text: Medium, href: javascript:void(0);]
- ① Clicking WebElement. WebElement [tag: a, text: High, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✳️ Update browser window handles.
- ① Successfully updated browser window handles.

● Set the Case Origin picklist to Phone


🕒 15:42:09(01:18.127)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Origin&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DOOrigin, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Origin&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DOOrigin
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Fflightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set
- ① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Case Origin'] or .//text() = 'Case Origin')/ancestor::div[1]
- ① Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@38d592aa -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]
- ① Got webElement. tagName: A, id: null, type: null, class: select


- ① Typing value. tagName: A, type: null, value: Phone, blur: false
- ① Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]
- ① Clicking WebElement. WebElement [tag: a, text: Phone, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ⚡ Update browser window handles.
- ① Successfully updated browser window handles.

● Click the Save button

① 15:42:13(01:21.651)



Before Screenshot : 2022/12/14 15:42:55



After Screenshot : 2022/12/14 15:42:58

- ① Pausing for Breakpoint
- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3Dsave
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Fflightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=action
- ① Sending screenshot. Data length: 38934
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError'))]]/button[contains(@data-aura-rendered-by, '1255:0')]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[ChromeDriver\$EnhancerByCGLIB\$\$dace278c: chrome on XP (e56d74e3d35d80115711f31d6556e409)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError'))]]/button[contains(@data-aura-rendered-by, '1255:0')]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default>; wait.

① Sending screenshot. Data length: 38263

① Going to update browser window handles.

✧ Update browser window handles.

① Successfully updated browser window handles.

● UI Assert : Potential Liability information is required when Priority is set to 'High'.

🕒 15:42:58(02:06.933)

① Start of UiAssert. Connection: Admin2

① Resolving field ProvarQS__QSPotentialLiability__c

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Fflightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]//3//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Potential Liability'] or ./text() = 'Potential Liability')]/ancestor::div[1]

① Find field using relative xpath: ../../self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default>; wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@38d592c6 -> unknown locator]] -> xpath: ../../self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]

① Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]

① Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]

① Asserting field attributes: ProvarQS__QSPotentialLiability__c

① Asserting Attribute: message to Potential Liability information is required when Priority is set to 'High'.

✅ Assertion successful. Potential Liability information is required when Priority is set to 'High'. EqualTo Potential Liability information is required when Priority is set to 'High'.

① Reading Attribute: value

① Object read successfully. Result Name: Values

① Going to update browser window handles.

✧ Update browser window handles.

① Successfully updated browser window handles.

● UI Assert : Engineering Req Number is required when Priority is set to 'High'.

🕒 15:43:01(02:09.490)

① Start of UiAssert. Connection: Admin2

① Resolving field ProvarQS__QSEngineeringReqNumber__c

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Fflightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]//3//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Engineering Req Number'] or ./text() = 'Engineering Req Number')]/ancestor::div[1]

① Find field using relative xpath: ../input

- ⓘ Waiting for element to be present. Timeout(seconds): 10
- ⓘ Doing before wait. waitUrl: default
- ⓘ End of <default> wait.
- ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@38d592e4 -> unknown locator]] -> xpath: //input]
- ⓘ Asserting field attributes: ProvarQS__QSEngineeringReqNumber__c
- ⓘ Asserting Attribute: message to Engineering Req Number is required when Priority is set to 'High'.
- ✅ Assertion successful.Engineering Req Number is required when Priority is set to 'High'. EqualTo Engineering Req Number is required when Priority is set to 'High'.
- ⓘ Reading Attribute: value
- ⓘ Object read successfully. Result Name: Values
- ⓘ Going to update browser window handles.
- 🌟 Update browser window handles.
- ⓘ Successfully updated browser window handles.

● Set the Potential Liability picklist to Yes

⌚ 15:43:02(02:10.600)

- ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS__QSPotentialLiability__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DProvarQS__QSPotentialLiability__c, before wait: default, after wait: default, auto retry: default
- ⓘ Locator: ui:locator?name=ProvarQS__QSPotentialLiability__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DProvarQS__QSPotentialLiability__c
- ⓘ Interaction: ui:interaction?name=set
- ⓘ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- ⓘ Interaction: ui:interaction?name=set
- ⓘ Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]]/3//*((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Potential Liability'] or ./text() = 'Potential Liability'))/ancestor::div[1]
- ⓘ Find field using relative xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]
- ⓘ Waiting for element to be present. Timeout(seconds): 10
- ⓘ Doing before wait. waitUrl: default
- ⓘ End of <default> wait.
- ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@38d592c6 -> unknown locator]] -> xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]
- ⓘ Got webElement. tagName: A, id: null, type: null, class: select
- ⓘ Typing value. tagName: A, type: null, value: Yes, blur: false
- ⓘ Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]
- ⓘ Clicking WebElement. WebElement [tag: a, text: Yes, href: javascript:void(0);]
- ⓘ Doing after wait. waitUrl: default
- ⓘ End of <default> wait.
- ⓘ Going to update browser window handles.
- 🌟 Update browser window handles.
- ⓘ Successfully updated browser window handles.

● Set the Engineering Req Number field to 2342IKL11

⌚ 15:43:05(02:14.047)

- ⓘ Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS__QSEngineeringReqNumber__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DProvarQS__QSEngineeringReqNumber__c, before wait: default, after wait: default, auto retry: default
- ⓘ Locator: ui:locator?name=ProvarQS__QSEngineeringReqNumber__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DProvarQS__QSEngineeringReqNumber__c
- ⓘ Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[((self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection')))]`[3]/*[(((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container') or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Engineering Req Number'] or ./text() = 'Engineering Req Number')]/ancestor::div[1]

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@38d592e4 -> unknown locator]] -> xpath: ./input]`

① Got webElement. tagName: INPUT, id: 667:1192;a, type: text, class: input

① Typing value. tagName: INPUT, type: text, value: 2342IKL11, blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.


① Going to update browser window handles.

✳ Update browser window handles.


① Successfully updated browser window handles.

● Click the Save button

① 15:43:08(02:16.477)



Before Screenshot : 2022/12/14 15:43:08



After Screenshot : 2022/12/14 15:43:10

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3AObject%3FObject%3DCase%26action%3Dsave, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3AObject%3FObject%3DCase%26action%3Dsave

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167101270614619093&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=action

① Sending screenshot. Data length: 43734

① Find action link element using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError'))]]/button[contains(@data-aura-rendered-by, '1255:0')]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[ChromeDriver$EnhancerByCGLIB$dace278c: chrome on XP (e56d74e3d35d80115711f31d6556e409)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError'))]]/button[contains(@data-aura-rendered-by, '1255:0')]`

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Sending screenshot. Data length: 24927

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000IldkDQAR/view>

① Injecting script to get created object ID from aura component

① Fetching created Id from URL

📋 Storing created Salesforce Object ID. Result Name: caseId, created ID: 5000Q00000IldkDQAR, location: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000IldkDQAR/view>

① Logging Salesforce Object Id for clean up. Object Name: Case, id: 5000Q00000IldkDQAR

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000IldkDQAR/view>

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Case View screen

⌚ 15:43:15(02:23.738)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=View&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Activating detailTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Click the Edit button

⌚ 15:43:25(02:33.497)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Edit&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DEdit, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Edit&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DEdit

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000IldkDQAR/view>

① Interaction: ui:interaction?name=action

① Activating detailTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

① Click element using xpath: `//*[@contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]/*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]/*[(self::header and (contains(@role, 'banner') or contains(@class, 'forceHighlightsPanel')) or (self::force-highlights2) or (self::records-highlights2)]/li[contains(@class, 'slds-dropdown-trigger') and contains(@class, 'slds-button_last')]`

① Hover>Clicking WebElement. WebElement [tag: li, text: 0, text: Show more actions]

① Find action link element using xpath: `//*[@contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]/*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]/div[contains(@class, 'actionsContainer')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/runtime_platform_actions-action-renderer[@apiname='Edit']/*[self::a or self::button]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[ChromeDriver$EnhancerByCGLIB$dace278c: chrome on XP (e56d74e3d35d80115711f31d6556e409)] -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]/*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]/div[contains(@class, 'actionsContainer')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/runtime_platform_actions-action-renderer[@apiname='Edit']/*[self::a or self::button]`

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Edit]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000lIdkDQAR/edit?count=2&backgroundContext=%2Fflighting%2Fr%2FCase%2F5000Q00000lIdkDQAR%2Fview>

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

● On SF Case Edit screen

⌚ 15:43:34(02:43.230)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=Edit&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Hover>Clicking WebElement. WebElement [tag: h2, text: Edit 00003055]

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

● Set the Subject field to shduesFkjaeyd

⌚ 15:43:40(02:48.972)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Subject&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DSubject, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Subject&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DSubject

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000lIdkDQAR/edit?count=2&backgroundContext=%2Fflightning%2Fr%2FCase%2F5000Q00000lIdkDQAR%2Fview>

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection ')]/5//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Subject'] or ./text()='Subject')]/ancestor::div[1]`

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@38d59306 -> unknown locator]] -> xpath: ./input]`

① Got webElement. tagName: INPUT, id: 3460:0, type: text, class: input

① Typing value. tagName: INPUT, type: text, value: shduesFkjhaeyd, blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

● Click the Save button

⌚ 15:43:43(02:51.537)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3Dsave, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3Dsave

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000lIdkDQAR/edit?count=2&backgroundContext=%2Fflightning%2Fr%2FCase%2F5000Q00000lIdkDQAR%2Fview>

① Interaction: ui:interaction?name=action

① Find action link element using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/button[contains(@data-aura-rendered-by, '3731:0')]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[ChromeDriver$EnhancerByCGLIB$$dace278c: chrome on XP (e56d74e3d35d80115711f31d6556e409)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/button[contains(@data-aura-rendered-by, '3731:0')]`

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

① Pausing at end of Test Case

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseCopyExercise4.testcase

● Set the Subject field to 00003055

⌚ 15:48:23(07:32.214)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Subject&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DSubject, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Subject&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DSubject

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Case/5000Q00000lIdkDQAR/edit?navigationLocation=LIST_VIEW_ROW&count=3&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[((self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection')))[5]/*((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Subject'] or ./text() = 'Subject')/ancestor::div[1]`

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@38d5930a -> unknown locator]] -> xpath: ./input]`

① Got webElement. tagName: INPUT, id: 6592:0, type: text, class: input

① Typing value. tagName: INPUT, type: text, value: 00003055, blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list?filterName=Recent>

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

① Pausing at end of Test Case

① Handling managed resource. Name: Admin2

⚡ Closing Salesforce Connection because it is no longer being used. Name: Admin2

⚡ Closing web connection.

⚡ Closing Selenium driver