

# Test Run Report



## Test Run Overview


---

Started 13 Dec 2022, 19:53:34  
Ended <still running>  
Duration (mm:ss) ---

## Test Results Summary

---

Passed 0  
Failed 1  
Skipped 0



## Test Case Summary

---

tests  
CreateCaseExercise3.testcase

● failed  
● failed

## CreateCaseExercise3.testcase

### Summary

Started 13 Dec 2022, 19:53:34  
Ended 13 Dec 2022, 20:04:25  
Duration (mm:ss) 10:50.823  
Outcome ● failed

### Output

- **Salesforce Connect: Admin2 (Test)** ⌚ 19:53:34(00:00.057)
  - ❗ Connecting to Salesforce as Admin2
    - ⚙ Connection details. Connection name: Admin2, result name: Admin2, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
    - ⚙ Create object id log file.
    - ⚙ Opening Partner connection
    - ⚙ Opening SOAP connection
    - ⚙ Opening Metadata connection
    - ❗ Successfully connected to Salesforce as Admin2
    - ❗ Opening Chrome webdriver instance to https://test.salesforce.com/
    - ⚙ Add Chrome browser specific capabilities
    - ❗ Successfully opened Chrome webdriver to https://test.salesforce.com/
    - ❗ Opening Salesforce user home page
    - ⚙ Navigate to home page
    - ⚙ Perform page load wait
    - ❗ Successfully opened user home page
    - ❗ Going to update browser window handles.
    - ⚙ Update browser window handles.
    - ⚙ Starting Page Object change watcher. Page Object bin folder: C:\Users\MangeshDhepe\Desktop\Provar File\demo\bin\pageobjects
    - ❗ Successfully updated browser window handles.
    - ❗ Pausing at end of Test Case
    - ❗ Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseExercise3.testcase
- **On SF Case Home screen** ⌚ 19:54:18(00:44.165)
  - ❗ Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=ObjectHome
  - ❗ Opening Page context. Name: screen, data: null, frame: null
  - ❗ Opening Salesforce page. Object: Case, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/500/list?filterName=Recent, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list
  - ❗ Opening Salesforce user home page
  - ⚙ Navigate to home page
  - ⚙ Perform page load wait
  - ❗ Successfully opened user home page
  - ❗ Going to update browser window handles.
  - ⚙ Update browser window handles.
  - ❗ Successfully updated browser window handles.
- **Click the New Case button** ⌚ 19:54:28(00:54.206)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=NewCase&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3DNewCase, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=NewCase&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3DNewCase
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list?filterName=Recent
- ① Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or contains(@class, 'slds-table\_\_joined') and contains(@class, 'test-listViewManager')])//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '942:0')]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[ChromeDriver\$EnhancerByCGLIB\$dace278c: chrome on XP (62b4ac9baa13dc19ffae3b3703875e5e)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or contains(@class, 'slds-table\_\_joined') and contains(@class, 'test-listViewManager')])//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '942:0')]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Going to update browser window handles.
- ✦ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseExercise3.testcase
- ① All Sub-Test Steps were successful.
- ① Closing Page context. Name: screen, data: null, frame: null
- ① Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=2&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094148708519491&backgroundContext=%2Fflightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- ① Going to update browser window handles.
- ✦ Update browser window handles.
- ① Successfully updated browser window handles.

## ● On SF Case New screen

🕒 19:56:31(02:57.127)

- ① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?object=Case&action=New&noOverride=true
- ① Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Case, RelatedList: null, Action: New, Page URL: /lightning/o/500/list, Current URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new
- ① Opening Salesforce user home page
- ✦ Navigate to home page
- ✦ Perform page load wait
- ① Successfully opened user home page
- ① Clicking the New Button
- ① Find action link element using xpath: (//\*[contains(@class, 'active') and ( (self::div and contains(@class, 'oneContent')) or (self::section and (contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) ]//div[contains(@class, 'forceListViewManager')]/ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '612:0')]
- ① Clicking WebElement. WebElement [tag: a, text: New, href: javascript:void(0);]

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Case]

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

## ● Lookup the Account Name reference to Barton Media

⌚ 19:56:42(03:07.946)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=AccountId&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DAccountId, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=AccountId&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DAccountId

① Interaction: ui:interaction?name=sfLookup

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=sfLookup

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]]/\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/\*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_\_label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_\_label')) or (self::div and contains(@class, 'test-id\_\_field-label-container') or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Account Name'] or ./text()='Account Name'))/ancestor::div[1]

① Find field using relative xpath: ../input

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of &lt;default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@1aecfc8e -> unknown locator]] -> xpath: ../input]

① Hover>Clicking WebElement. WebElement [tag: input]

① Waiting for lookup dropdown list to appear

① Doing after wait. waitUrl: default

① End of &lt;default> wait.

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

## ● On SF Account Lookup screen

⌚ 19:56:45(03:10.988)

① Start of With Screen. Connection Name: Admin2, target: sf:ui:target?lookup=Account

① Opening Page context. Name: screen, data: null, frame: null

① Going to update browser window handles.

⚡ Update browser window handles.

① Successfully updated browser window handles.

## ● Set the Search text to Barton Media

⌚ 19:56:45(03:11.242)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=SearchName&path=searchFrame, before wait: null, after wait: null, auto retry: default

① Locator: ui:locator?name=SearchName&path=searchFrame

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent

① Doing before wait. waitUrl: default

① End of &lt;default> wait.

① Found element: [org.openqa.selenium.remote.RemoteWebElement@1aecfc8f -> unknown locator]

① Clicking WebElement. WebElement [tag: div, text: Search Accounts "Barton Media" in Accounts]

① Doing after wait. waitUrl: default

- ① End of &lt;default> wait.
- ① Going to update browser window handles.
- ⚡ Update browser window handles.
- ① Successfully updated browser window handles.

## ● Click the Go! button

⌚ 19:56:53(03:19.446)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=go&path=searchFrame, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:locator?name=go&path=searchFrame
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent
- ① Doing before wait. waitUrl: default
- ① End of &lt;default> wait.
- ① Found element: com.provar.core.model.ui.java.NullWebElement@7d1da79a
- ① Doing after wait. waitUrl: default
- ① End of &lt;default> wait.
- ① Going to update browser window handles.
- ⚡ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause On Error (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseExercise3.testcase

## ● Click the Account Name button

⌚ 19:57:07(03:33.084)

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable%2FresultsRow&rowLocator=Name+%3D+%27Barton+Media%27, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable%2FresultsRow&rowLocator=Name+%3D+%27Barton+Media%27
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=action
- ① Populating webelement cells into the row Row Count: 0
- ① Populated the row elements.
- ① Applying row locator to rows. Row Count: 1, Row Locator: {Name = "Barton Media"}
- ① The row locator matched 1 row.
- ① Doing before wait. waitUrl: default
- ① End of &lt;default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@1aecfc95 -> unknown locator]] -> xpath: td[1]/span[td[1]/a[td[1][not(\*)]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Barton Media, href: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/0010Q00001dPFj4QAG/view]
- ① Doing after wait. waitUrl: default
- ① End of &lt;default> wait.
- ① Going to update browser window handles.
- ⚡ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseExercise3.testcase

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: [https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\\_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent](https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent)

① Switched focus to main window. URL: [https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\\_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent](https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent)

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

## ● Set the Priority picklist to High

⌚ 19:58:17(04:43.099)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Priority&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DPriority, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Priority&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DPriority

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: [https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\\_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent](https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent)

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Priority'] or ./text() = 'Priority')]/ancestor::div[1]`

① Find field using relative xpath: `//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@1aecfc97 -> unknown locator]] -> xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Got webElement. tagName: A, id: null, type: null, class: select

① Typing value. tagName: A, type: null, value: High, blur: false

① Clicking WebElement. WebElement [tag: a, text: High, href: javascript:void(0);]

① Clicking WebElement. WebElement [tag: a, text: High, href: javascript:void(0);]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✦ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseExercise3.testcase

## ● Set the Case Origin picklist to Phone

⌚ 19:58:29(04:55.436)

① Start of Interact. Connection: Admin2, Locator: ui:locator?name=Origin&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DOrigin, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Origin&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DOrigin

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: [https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\\_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent](https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent)

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class,`

'forceDetailPanel') or contains(@class, 'detail-panel-root'))/\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]/\*[(self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element\_\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element\_\_label')) or (self::div and contains(@class,'test-id\_\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Case Origin'] or .//text() = 'Case Origin'))/ancestor::div[1]

① Find field using relative xpath: `//*[@self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@1aecfcb2 -> unknown locator]] -> xpath: `//*[@self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`]]

① Got webElement. tagName: A, id: null, type: null, class: select

① Typing value. tagName: A, type: null, value: Phone, blur: false

① Clicking WebElement. WebElement [tag: a, text: Phone, href: javascript:void(0);]

① Clicking WebElement. WebElement [tag: a, text: Phone, href: javascript:void(0);]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✳ Update browser window handles.


① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)


① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseExercise3.testcase

● Click the Save button

① 19:59:01(05:27.501)



Before Screenshot : 2022/12/13 19:59:02



After Screenshot : 2022/12/13 19:59:04

① Start of Interact. Connection: Admin2, Locator: `ui:locator?name=save&binding=sf%3Aui%3AAbinding%3AObject%3Fobject%3DCase%26action%3Dsave`, before wait: default, after wait: default, auto retry: default

① Locator: `ui:locator?name=save&binding=sf%3Aui%3AAbinding%3AObject%3Fobject%3DCase%26action%3Dsave`

① Interaction: `ui:interaction?name=action`

① Switched focus to main window. URL: [https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\\_VIEW&uid=167094159974188464&backgroundContext=%2FFlightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent](https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094159974188464&backgroundContext=%2FFlightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent)

① Interaction: ui:interaction?name=action

① Sending screenshot. Data length: 35831

① Find action link element using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError'))]]/last()/button[contains(@data-aura-rendered-by, '926:0')]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of &lt;default> wait.

① Found element: `[[ChromeDriver$EnhancerByCGLIB$dace278c: chrome on XP (62b4ac9baa13dc19ffae3b3703875e5e)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError'))]]/last()/button[contains(@data-aura-rendered-by, '926:0')]`

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of &lt;default> wait.

① Sending screenshot. Data length: 34825

① Going to update browser window handles.

✧ Update browser window handles.

① Successfully updated browser window handles.

① Pausing for Pause (after executing last child)

① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseExercise3.testcase

## ● UI Assert : Potential Liability information is required when Priority is set to 'High'.

⌚ 20:00:14(06:40.368)

① Start of UiAssert. Connection: Admin2

① Resolving field ProvarQS\_\_QSPotentialLiability\_\_c

① Switched focus to main window. URL: [https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\\_VIEW&uid=167094159974188464&backgroundContext=%2FFlightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent](https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094159974188464&backgroundContext=%2FFlightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent)

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError'))]]/last()/div[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/div[contains(@class, 'records-record-layout-section') or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]//div[contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')] and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label'))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text) and (/text()[normalize-space()='Potential Liability'] or /text()='Potential Liability')/ancestor::div[1]`

① Find field using relative xpath: `./div[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of &lt;default> wait.

① Found element: `[[org.openqa.selenium.remote.RemoteWebElement@1aecfccc -> unknown locator]] -> xpath: ./div[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`

① Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]

① Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]

① Asserting field attributes: ProvarQS\_\_QSPotentialLiability\_\_c

① Asserting Attribute: message to Potential Liability information is required when Priority is set to 'High'.

✅ Assertion successful. Potential Liability information is required when Priority is set to 'High'. EqualTo Potential Liability information is required when Priority is set to 'High'.

① Reading Attribute: value

① Object read successfully. Result Name: Values

① Going to update browser window handles.

✧ Update browser window handles.



- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseExercise3.testcase
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseExercise3.testcase

## ● UI Assert : Engineering Req Number is required when Priority is set to 'High'.

⌚ 20:01:06(07:32.567)

- ① Start of UiAssert. Connection: Admin2
- ① Resolving field ProvarQS\_\_QSEngineeringReqNumber\_\_c
- ① Switched focus to main window. URL: [https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\\_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent](https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent)
- ① Finding field placehoder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]/[3]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Engineering Req Number'] or ./text() = 'Engineering Req Number')]/ancestor::div[1]`
- ① Find field using relative xpath: `./input`
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of &lt;default&gt; wait.
- ① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@1aecfceb -> unknown locator]] -> xpath: ./input]`
- ① Asserting field attributes: ProvarQS\_\_QSEngineeringReqNumber\_\_c
- ① Asserting Attribute: message to Engineering Req Number is required when Priority is set to 'High'.
- ✅ Assertion successful.Engineering Req Number is required when Priority is set to 'High'. EqualTo Engineering Req Number is required when Priority is set to 'High'.
- ① Reading Attribute: value
- ① Object read successfully. Result Name: Values
- ① Going to update browser window handles.
- ✳️ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseExercise3.testcase
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseExercise3.testcase

## ● Set the Potential Liability picklist to Yes

⌚ 20:01:47(08:13.239)

- ① Start of Interact. Connection: Admin2, Locator: `ui:locator?name=ProvarQS__QSPotentialLiability__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DProvarQS__QSPotentialLiability__c`, before wait: default, after wait: default, auto retry: default
- ① Locator: `ui:locator?name=ProvarQS__QSPotentialLiability__c&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26field%3DProvarQS__QSPotentialLiability__c`
- ① Interaction: `ui:interaction?name=set`
- ① Switched focus to main window. URL: [https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\\_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent](https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094159974188464&backgroundContext=%2Flightning%2Fo%2FCCase%2Flist%3FfilterName%3DRecent)
- ① Interaction: `ui:interaction?name=set`
- ① Finding field placehoder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]/[3]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Potential Liability'] or ./text() = 'Potential Liability')]/ancestor::div[1]`
- ① Find field using relative xpath: `./*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]`
- ① Waiting for element to be present. Timeout(seconds): 10

- ① Doing before wait. waitUrl: default
- ① End of &lt;default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@1aecfcce -> unknown locator]] -> xpath: ../../[self::a or self::input or self::button[contains(@class, 'slds-combobox\_\_input')]]]
- ① Got webElement. tagName: A, id: null, type: null, class: select
- ① Typing value. tagName: A, type: null, value: Yes, blur: false
- ① Clicking WebElement. WebElement [tag: a, text: Yes, href: javascript:void(0);]
- ① Clicking WebElement. WebElement [tag: a, text: Yes, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- ① End of &lt;default> wait.
- ① Going to update browser window handles.
- ✳ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseExercise3.testcase


## ● Set the Engineering Req Number field to 2342IKL11

⌚ 20:02:54(09:20.206)


- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=ProvarQS\_\_QSEngineeringReqNumber\_\_c&binding=sf%3Aui%3AAbinding%3AObject%3Fobject%3DCase%26field%3DProvarQS\_\_QSEngineeringReqNumber\_\_c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=ProvarQS\_\_QSEngineeringReqNumber\_\_c&binding=sf%3Aui%3AAbinding%3AObject%3Fobject%3DCase%26field%3DProvarQS\_\_QSEngineeringReqNumber\_\_c
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=2&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167094193415570261&backgroundContext=%2Flightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set
- ① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/\*[self::records-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')][3]/\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_\_label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_\_label')) or (self::div and contains(@class, 'test-id\_\_field-label-container') or self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Engineering Req Number'] or ./text() = 'Engineering Req Number')/ancestor::div[1]
- ① Find field using relative xpath: ../../input
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of &lt;default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@1aecfcf0 -> unknown locator]] -> xpath: ../../input]
- ① Got webElement. tagName: INPUT, id: 2391:0, type: text, class: input
- ① Typing value. tagName: INPUT, type: text, value: 2342IKL11, blur: false
- ① Doing after wait. waitUrl: default
- ① End of &lt;default> wait.
- ① Going to update browser window handles.
- ✳ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① Loading test case. File: C:\Users\MangeshDhepe\Desktop\Provar File\demo\tests\CreateCaseExercise3.testcase

## ● Click the Save button

⌚ 20:03:11(09:37.381)



Before Screenshot : 2022/12/13 20:03:11



After Screenshot : 2022/12/13 20:03:14

- ① Start of Interact. Connection: Admin2, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3Dsave
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: [https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=2&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\\_VIEW&uid=167094193415570261&backgroundContext=%2Fflightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent](https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/new?count=2&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=167094193415570261&backgroundContext=%2Fflightning%2Fo%2FCase%2Flist%3FfilterName%3DRecent)
- ① Interaction: ui:interaction?name=action
- ① Sending screenshot. Data length: 35022
- ① Find action link element using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError'))]]/button[contains(@data-aura-rendered-by, '2695:0')]`
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: `[[ChromeDriver$EnhancerByCGLIB$$dace278c: chrome on XP (62b4ac9baa13dc19ffae3b3703875e5e)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError'))]]/button[contains(@data-aura-rendered-by, '2695:0')]`
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Sending screenshot. Data length: 24978
- ① Going to update browser window handles.
- ✳ Update browser window handles.
- ① Successfully updated browser window handles.
- ① Pausing for Pause (after executing last child)
- ① All Sub-Test Steps were successful.
- ① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list?filterName=Recent>

① Injecting script to get created object ID from aura component

⚠ Some toast message(s) are still open and might cause inconsistent issues in execution.

① Fetching created Id from URL

① Reattempting for the createdId

① Reattempting for the createdId

① Reattempting for the createdId

📄 Storing created Salesforce Object ID. Result Name: caseId, created ID: null, location: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list?filterName=Recent>

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Case/list?filterName=Recent>

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① Pausing at end of Test Case

① Handling managed resource. Name: Admin2

⚙ Closing Salesforce Connection because it is no longer being used. Name: Admin2

⚙ Closing web connection.

⚙ Closing Selenium driver