# Test Run Report




### **Test Run Overview**

Started 10 Dec 2022, 00:23:45 Ended 10 Dec 2022, 00:25:02


Duration (mm:ss) 01:16.725

## Test Results Summary

Passed 1 Failed 0 Skipped 0



## **Test Case Summary**



successfulsuccessful

## ConsoleTesting.testcase

#### Summary

Started 10 Dec 2022, 00:23:45 Ended 10 Dec 2022, 00:24:53

Duration (mm:ss) 01:07.676

Outcome successful

#### Output

Salesforce Connect: admin (Test)

0 00:23:45(00:00.021)

- (i) Connecting to Salesforce as admin
- \*\*Connection details. Connection name: admin, result name: admin, result scope: Test, urlString: sf:user=mangesh.dhepe195@provar.trialsbx1;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: mangesh.dhepe195@provar.trialsbx1, password: [supplied] securityToken: [empty]
- Create object id log file.
- Opening Partner connection
- Opening SOAP connection
- Opening Metadata connection
- (i) Successfully connected to Salesforce as admin
- On SF Account Home screen

0 00:23:53(00:07.951)

- ① Start of With Screen. Connection Name: admin, target: sf:ui:target?object=Account&action=ObjectHome
- ① Opening Chrome webdriver instance to https://test.salesforce.com/
- \* Add Chrome browser specific capabilities
- ① Successfully opened Chrome webdriver to https://test.salesforce.com/
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: chrome://new-tab-page/
- (i) Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- Perform page load wait
- Successfully opened user home page
- (i) Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.

#### Click the New button

0 00:24:24(00:38.928)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action %3DNew, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNew
- 1 Interaction: ui:interaction?name=action
- ⑤ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/list?filterName=Recent
- i Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '624:0')]
- (1) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default

- i End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (b4b69a7fd56f4c470fb82891c8b6cfdc)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'test-listViewManager')]]//a[contains(@data-aura-rendered-by, '624:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167061206669342200&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### On SF Account New screen

0 00:24:30(00:45.064)

- ① Start of With Screen. Connection Name: admin, target: sf:ui:target?object=Account&action=New&noOverride=true
- (i) Opening Page context. Name: screen, data: null, frame: null
- 1 Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]
- (i) Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.

#### Set the Account Name field to LBGVAOM6MERX

0 00:24:37(00:51.655)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DName, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167061206669342200&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]
- (i) Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ⑤ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@b8adf262 -> unknown locator]] -> xpath: .//input]
- (i) Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: LBGVAOM6MERX, blur: false
- Doing after wait. waitUrl: default

- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.

#### Set Values: PhoneNumber

(i) Setting value PhoneNumber to 9011529415

Configuration: ValueScope:Test

Successfully set PhoneNumber to 9011529415

#### Set the Phone field to 9011529415


0 00:24:41(00:56.175)

0 00:24:41(00:56.092)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=Phone&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DPhone, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Phone&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DPhone
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167061206669342200&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/\*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element\_label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class,'slds-form-element\_label'))) or (self::div and contains(@class,'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Phone'] or .//text() = 'Phone')]/ ancestor::div[1]
- i) Find field using relative xpath: .//input
- ① Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@b8adf266 -> unknown locator]] -> xpath: .//input]
- ① Got webElement. tagName: INPUT, id: input-143, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: 9011529415, blur: false
- ① Doing after wait. waitUrl: default
- End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

#### Click the Save button

0 00:24:45(01:00.137)



Before Screenshot : 2022/12/10 00:24:45

① Start of Interact. Connection: admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action %3Dsave, before wait: default, after wait: default, auto retry: default

- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167061206669342200&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=action
- Sending screenshot. Data length: 70091
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (b4b69a7fd56f4c470fb82891c8b6cfdc)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel\_lwcdetailpanel]// runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/\*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- i Doing after wait. waitUrl: default
- 1 End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- All Sub-Test Steps were successful.
- 1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOcjVQAS/view
- 1 Injecting script to get created object ID from aura component
- Storing created Salesforce Object ID. Result Name: accountId, created ID: 0010Q00001dOcjVQAS, location: https://provar-trial-org-trialsbx1.sandbox.lightning.force.com/lightning/tr/Account/0010Q00001dOcjVQAS/view
- ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0010Q00001dOcjVQAS
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- § Switched focus to main window. URL: https://provar-trial-org--trialsbx1.sandbox.lightning.force.com/lightning/r/Account/0010Q00001dOcjVQAS/view.
- Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.
- 1 Handling managed resource. Name: admin
- Closing Salesforce Connection because it is no longer being used. Name: admin
- Closing web connection.
- 🍀 Closing Selenium driver
- Shutting down Soap Connections. logFilePath: admin-objectids.log
- Deleting object. Object: Account, Id: 0010Q00001dOcjVQAS
- Object deleted successfully. Id: 0010Q00001dOcjVQAS
- (i) Salesforce Connection handled successfully. Name: admin