ICP3 Report

Venkata Naga Sai Srikanth Gollapudi – sggc9@umsystem.edu

github: https://github.com/GollapudiSrikanth/WebMobileSpring2022/tree/main/Web/ICP3

Mangi Varun Reddy - vmf9p@umsystem.edu

github: https://github.com/MangiVarunReddy/Webcourse/tree/main/Web part/ICP3

Task Performed

- **1.** Create a web page for Rock,Paper,Scissor game and an responsive web page as shown in the UI WireFrame.
- 2. RPS(Rock,Paper,Scissor)Game
 - O Built an first version UI for the game.
 - O Rock, Paper and Scissor are displayed with each images next to one another.
 - Game can be played with computer.
 - Scores are displayed on the screen every time as user plays.
 - O Winner of each game will be alerted with a popup on the screen.
 - On click of the any image game starts and played with computer
 - Logic of the Game:
 - OnClick of each image, calls a function with a value indicating what is the image
 - Then the random generator comes in picture which generates a random value in range of 1-3.
 - 1 is considered as rock,2 is considered as paper,3 is considered as scissor.
 - Based on the game logic in the javascript we have function named 'result(value)' which consists of game logic using if else-if statements.
 - Based on the logic users gets displayed a popup who won the game.
- 3. Responsive web page
 - A Mock design has been given with prototype.
 - Need to use the latest bootstrap framework to implement that particular design
 - Using Bootstrap 4.3.1 we have achieved this task
 - The resultant web page is responsive and verified for all the responsive mobile phones which are available in the chrome browser and screen shots has also been provided in this report of screenshot section.

OutCome

From this task we were able to implement a Game(rock,paper,Scissor) with HTML5,CSS3,Javascript. Tested the game in all scenarios and played with computer and got the logic behind computer gaming. Got to know how to design a web page which is responsive in all the scenarios of chrome responsive testing, With the help of BootStrap Framework we were able to achieve this.

Task Distribution

Work Contributed was equally distributed together.

Code Snippets: RPS Taks

```
File Edit Selection View Go Run Terminal Help
                                                                                                                                                                                                                                                                                                                                                                                                             α 🗆
90
                                             <title>Game</title>
                                           <!-- h1 tag representing the game
<h1>Play Rock-Paper-Scissor</h1>
                                             <!-- image tag consists of all the three rock,paper, -->
<img src="./Inages/RPS/Rock.png" alt="rock" onclick="rosult(1)"/>
<img src="./Inages/RPS/Roper.png" alt="speer" onclick="rosult(2)"/>
<img src="./Inages/RPS/Scissor.png" alt="scissor" onclick="result(2)"/>
<ing src="./Inages/RPS/Scissor.png" alt="scissor" onclick="result(3)"/>
<!-- nl tag represents the score board of player and computer -->
<hl>>


</p
                                               <h3>This is Single Player Game (Player vs Computer)</h3>
                                               <script>
  // to update computer points
  var computerValue=0;
                                                      // to update player |
var playerValue =0;
                                                       // Hameton march 3 carta (
function result(pValue){{| var randValue=Math.floor(Math.random()*(2)+1); 
    console.log("value and randValue ",playerValue,randValue);
                                                                           if(randValue ==2){
   computerValue++;
   alert("Computer Wins");
                                                                          }else if(randValue==1){
    alert("Draw !! Try Again");
    alert("Draw !! Try Again");
                                                                                  playerValue++;
alert("Player Wins");
                                                                }
else{
playerValue++;
alert("Player Wins");
                                                                }
}else{
if(randValue ==1){
computerValue++;
alert("Computer Wins");
}else if(randValue==3){
alert("Draw !! Try Again");
}
                                                                                    playerValue++;
alert("Player Wins");
                                                                 // this document tag with id is used to update the value on html page document.getElementById("cValue").innerHTML=computerValue; document.getElementById("pValue").innerHTML=playerValue;
```

Bootstrap Snippet:


```
File Edit Selection View Go Run Terminal Help
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              6
                                           <html lang="en">
                                                         <title>BootStrap task</title>
                                                         dlink rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
    integrity="sha384-ggbyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQU0hcMr7x9JvoRxT2MZwlT" crossorigin="anonymous">
    <!-- input.css file -->

                                                       <!-- jQuery first, then Popper.js, then Bootstrap J5 -->
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXkp4YfRvH+8abtTE1Pi6jizo"</pre>
                                                         integrity="sha384-q81/X+965D200rT7abK41J5Q1Au/qRVzpbzo5smkKp4/fftvH+8abtTEIPI6j1zo"
crossorgin="annymous"></script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-U0219GcpHqd5JQ6hJty5KvphtPhzHj9W01clHTMGa3DQwnrQq4sF86d1HND20W1"
crossorigin="annymous"></script>
cscript src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
integrity="sha384-J35mbyg/dp3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJG2IxFDsf4x0xIM+B87jRM"
crossorigin="annymous"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script
                                                                    v class="container">
class="container">
cliv class="row">
cdiv class="row">
cdiv class="row">
cdiv class="col-le_8 col-md-8 col-sm-8 col-xs-8">cimg alt="bean" class="img-fluid float-left"

| src="../../Images/bean.jpg">c/div
cl-- div tag consists of remaining coloumns for the intro based on the resolution of screen size-->
cdiv class="col-le_4 col-md-4 col-sm-4 col-xs-4">
cl-- h1 tag consists of name of the student -->
ch1 class="float-right pt-4"$srklatht Gollapudic/h1>
cl-- h2 tag consists of designation of the student -->
                                                                                   <a href="#">https://github.com/kvxc5/Appify/</a>
```




Task Screenshots: Game(RPS)



Scores:

Player- 0

Computer- 2



Scores:

Player- 0

Computer- 1






Scores:

Player- 0

Computer- 0




Scores:

Player- 0

Computer- 0







Responsive web page Screenshots: taken this using Chrome F11 Mode



Featured Work



https://github.com/kvxc5/Appify/



SUNFLOWER
https://github.com/kvxc5/Sunflower/



https://github.com/kvxc5/Bokeh/

Verifying the responsiveness on various resolutions.

