LING/C SC 581:
Advanced Computational Linguistics

Lecture 10

Administriva

- Lectures 6-9 are canceled. Sorry.

- Let's reboot the course with some syntactic analysis …
- Quick Homework 4 (*do it before next time*)

Universal Dependencies

- We have seen some examples from 538 last semester (*see also next slide*).
- Stanford Dependencies (SD) (de Marneffe and Manning, 2008, rev. 2016)
  - https://downloads.cs.stanford.edu/nlp/software/dependencies_manual.pdf
  - still used by Google Natural Language
- Universal Stanford Dependencies (de Marneffe *et al.*, 2014)
  - https://nlp.stanford.edu/pubs/USD_LREC14_paper_camera_ready.pdf
- Universal Dependencies (UD) v2
  - https://universaldependencies.org/u/dep/index.html
  - "Universal Dependencies (UD) is a project that is developing cross-linguistically consistent treebank annotation for many languages, with the goal of facilitating **multilingual parser development**, cross-lingual learning, and parsing research from a language typology perspective."

Example

- pg145-146 in *LSLT* (Chomsky 1955/1975)
- https://cloud.google.com/natural-language/



- sequence ADJ ADJ NOUN VERB ADV is grammatical



Example

- There's no notion of **grammaticalness**, *Google Natural Language* doesn't rate its inputs (*produces top parse only*)

11 *colorless green ideas sleep furiously*

12 *furiously sleep ideas green colorless*

can you parse this?



BTW:
`acomp` not in UD

Example

(de Marneffe *et al.*, 2014)

SD v2.0.0	SD v3.3.0	GSD	TSD	USD	Notes
nsubj	nsubj	nsubj	nsubj	nsubj	✓
csubj	csubj	csubj	csubj	csubj	✓
nsubjpass	nsubjpass	nsubjpass	nsubjpass	nsubjpass	✓
csubjpass	csubjpass	csubjpass	csubjpass	csubjpass	✓
dobj	dobj	dobj	dobj	dobj	✓
iobj	iobj	iobj	iobj	iobj	✓ (TSD also has *gobj* for genitive object)
ccomp	ccomp	ccomp	ccomp	ccomp	USD & TSD define as clause with internal subject, not finite
xcomp	xcomp	xcomp	xcomp	xcomp	USD & TSD define as clause with external subject, not nonfinite
acomp	acomp	acomp	acomp	–	*acomp* can be generalized into *xcomp*
attr	–	attr	–	–	*attr* removed: *wh-* is head or *xcomp* (with copula head option)

xcomp: open clausal complement

Example

- Chomsky (p.c.): (11) is no longer an ideal example to use (*as it has been well-discussed over the last half century or so*), suggesting, instead, that substituting *orange* for *green* would reset the bigram statistics

11 *colorless green ideas sleep furiously*

12 *furiously sleep ideas green colorless*



nn	nn	compmod	nn	compound	Generalize *nn* to light verbs, etc.; X^0 compounding not modification

Example


0.000000350%
0.000000300%
0.000000250%
0.000000200%
0.000000150%
0.000000100%
0.000000050%
0.000000000%
1800
1820
1840
1860
1880
1900
1920
1940
1960
1980
2000
colorless green
colorless black
colorless red
colorless orange
0.00000120%
0.00000100%
0.00000080%
0.00000060%
0.00000040%
0.00000020%
0.00000000%
bigram *orange ideas* is missing
green ideas
black ideas
red ideas

Example


amod
amod
nsubj
root
advmod
colorless
black
ideas
sleep
furiously
idea
ADJ
ADJ
NOUN
VERB
ADV


amod
amod
nsubj
root
advmod
colorless
red
ideas
sleep
furiously
idea
ADJ
ADJ
NOUN
VERB
ADV


0.000000350%
0.000000300%
0.000000250%
0.000000200%
0.000000150%
0.000000100%
0.000000050%
0.000000000%
1800
1820
1840
1860
1880
1900
1920
1940
1960
1980
2000
colorless green
colorless black
colorless red
colorless orange

Example

11 *colorless green ideas sleep furiously*

12 *furiously sleep ideas green colorless*

can you parse this?









Example

- We get 3 different sequences:
  1. ADV VERB NOUN ADJ ADJ
  2. ADV VERB NOUN NOUN ADJ
  3. ADV VERB NOUN VERB ADJ
- Question: *are these grammatical sequences*?
  - **Quick Homework 4** (*do it before next time*)
  - Come up with grammatical examples of these three sequences (in English), or explain why you think they're not.
  - Email to me (*usual rules*)

Universal Dependencies

- Publicly available dependency treebanks
- Produced by parsers or by human experts or some combination thereof?
- Lots of training data for machine learning

Structural Probes

- Paper (Hewitt & Manning, 2019)
  - https://nlp.stanford.edu/pubs/hewitt2019structural.pdf
- Blog entry:
  - https://nlp.stanford.edu//~johnhew//structural-probe.html

- **Idea**:

1. use contextual word embeddings (ELMo or BERT)
2. No dependency treebank
3. "*We'll present a method for finding tree structures in these vector spaces, and show the surprising extent to which ELMo and BERT encode human-like parse trees.*"



Structural Probes

- You'll install this code on your computer
  - Python 3 required, plus some modules
  - https://github.com/john-hewitt/structural-probes
- We'll discuss the installation and Homework 5 next lecture.
- Example:

```
"The chef that went to the stores was out of food" | python structural-probes/run_demo.py example/demo-bert.yaml
Constructing new results directory at example/results/BERT-disk-demo-2022-1-28-14-40-51-39486/
The pre-trained model you are loading is a cased model but you have not set `do_lower_case` to False. We are setting `do_lower_case=False` for you but you may want to check this behavior.
100%|████████████████████████████████| 213450/213450 [00:00<00:00, 2492466.95B/s]
100%|████████████████████████| 1242874899/1242874899 [08:11<00:00, 2530392.20B/s]
Constructing TwoWordPSDProbe
Constructing OneWordPSDProbe
[demoing]: 1it [00:00,  1.26it/s]
```

Structural Probes